

packages/graph-core/src/__tests__/tour-generator.test.ts

Kind: added · Baseline: a9c34bfb03fe · Target: NovaDiff · Generated: 2026-05-20T06:01:44.964Z

Overview

A new test file `packages/graph-core/src/__tests__/tour-generator.test.ts` (lines R1-R269) has been added to validate the tour-generation logic in the graph core module.

Key changes

- **Imports:** Added `vitest` helpers and the three tour-generator functions from `../analyzer/tour-generator.js` (R1-R6).
- **Sample graph:** Defined a minimal `KnowledgeGraph` instance (`sampleGraph`) at lines 9-37.
- **Prompt tests:** Verify that `buildTourGenerationPrompt` includes project metadata, node summaries, layer names, and requests JSON output (lines 40-67).
- **Response-parsing tests:** Cover valid JSON, markdown-wrapped JSON, unparseable strings, and filtering of incomplete steps (lines 70-158).
- **Heuristic-tour tests:** Assert entry-point ordering, topological sequencing, concept-node isolation, sequential order numbers, layer-based grouping, and graceful handling of graphs with no edges or layers (lines 162-268).

Impact

- Provides high-coverage assertions for the core tour-generation API; no runtime changes.
- Centralizes test data (`sampleGraph`) reused across multiple test blocks.
- No API changes; existing consumers remain unaffected.

Risks & follow-ups

- Tests may fail if any of the three functions change; run `vitest` to confirm.
- No snapshots are used, so no refresh is required.
- Ensure the file passes linting (`npm run lint`); linting status is unknown from the diff.
- Coverage impact is unknown; verify thresholds after adding the tests.