

packages/graph-core/src/ignore-generator.ts

Kind: added · Baseline: a9c34bfb03fe · Target: NovaDiff · Generated: 2026-05-20T05:25:41.539Z

Overview

A new file `packages/graph-core/src/ignore-generator.ts` (lines 1-102) adds a helper that builds a starter `.novadiffignore`. It pulls patterns from an existing `.gitignore`, detects common directories, and lists generic test-file globs, all commented out for optional activation.

Key changes

- **Imports** (R1-R3):

```
``ts import { existsSync, readFileSync } from "node:fs"; import { join } from "node:path"; import { DEFAULT_IGNORE_PATTERNS } from "./ignore-filter.js";
```

```
- `HEADER` - explanatory comment block.
- `DETECTABLE_DIRS` - array of common test/fixture directories.
- `GENERIC_SUGGESTIONS` - glob patterns for test files.
- **Helpers** (R37-R44, R50-R54):
  - `parseGitignorePatterns(gitignorePath)` - returns non-comment, non-blank patterns.
  - `isCoveredByDefaults(pattern)` - checks if a pattern is already in `DEFAULT_IGNORE_PATTERNS` (normalizes trailing slashes).
- **Exported API** (R61-R102):
  - `generateStarterIgnoreFile(projectRoot)` concatenates sections for `.gitignore` patterns, detected directories, and generic test patterns, returning the file content.
```

Impact

- Provides a deterministic starter ignore file that respects existing defaults and the project's structure.
- Centralizes ignore-generation logic; future tweaks can be made in one place.
- Reads only the `.gitignore` and checks a small set of directories, so runtime overhead is minimal.

Risks & follow-ups

- ****Default coverage****: `isCoveredByDefaults` normalizes trailing slashes; verify that all default patterns are correctly matched to avoid duplicates.`
- ****Path resolution****: `join(projectRoot, dir)` must work on both Windows and POSIX; test with mixed-case directories.`
- ****Documentation****: expose `generateStarterIgnoreFile` in user docs if intended for public use.`
- ****Testing****: add unit tests for `parseGitignorePatterns` and generateStarterIgnoreFile` to cover edge cases (empty .gitignore`, nested directories).`