

packages/graph-view/src/components/DiffToggle.tsx

Kind: added · Baseline: a9c34bfb03fe · Target: NovaDiff · Generated: 2026-05-20T06:05:14.894Z

Overview

`packages/graph-view/src/components/DiffToggle.tsx` (lines R1-66) introduces a new component that toggles a diff overlay and displays counts of changed and affected nodes.

Key changes

- **Imports**
 - `useDashboardStore` from `../store` (R1)
 - `useI18n` from `../contexts/I18nContext` (R2)
- **Export**
 - `export default function DiffToggle()` (R4)
- **Store hooks**
 - `diffMode`, `toggleDiffMode`, `changedNodeIds`, `affectedNodeIds` (R5-R8)
- **i18n**
 - `t` from `useI18n()` used for button titles and labels (`diffToggle.*` keys) (R9-R30)
- **Button behavior**
 - Disabled when `changedNodeIds.size === 0` (R16-R18)
 - Title switches between `hideOverlay`, `showOverlay`, and `noData` based on `diffMode` and data presence (R25-R31)
- **Conditional stats panel**
 - Rendered when `diffMode && hasDiff` (R36-R63)
 - Shows colored indicators and counts for `changedNodeIds` and `affectedNodeIds` (R38-R60)

Impact

- Adds a lightweight UI element; no existing components are altered.
- Requires the dashboard store and i18n context to be present in the component tree.
- Introduces translation keys `diffToggle.hideOverlay`, `diffToggle.showOverlay`, `diffToggle.noData`, `diffToggle.changed`, and `diffToggle.affected`.
- Re-renders only when the referenced store values change, so performance impact is minimal.

Risks & follow-ups

- **Context availability** – Verify that `useDashboardStore` and `useI18n` providers wrap the component tree; otherwise runtime errors occur.
- **Missing translations** – Ensure all `diffToggle.*` keys exist; otherwise raw keys will display.
- **Button state** – Test that the button disables when `changedNodeIds.size === 0` and re-enables after changes.

- **Stats accuracy** – Confirm that `affectedNodeIds` is populated correctly; otherwise the displayed counts may be misleading.