

packages/graph-view/src/components/ExplainCodeModal.tsx

Kind: added · Baseline: a9c34bfb03fe · Target: NovaDiff · Generated: 2026-05-20T06:07:18.537Z

Overview

A new component, `ExplainCodeModal`, has been added to `packages/graph-view/src/components/ExplainCodeModal.tsx`. It renders a modal dialog that displays explanatory Markdown and handles loading, errors, and keyboard shortcuts.

Key changes

- **Imports** (lines 1-2): `useEffect`, `useRef` from `react`; `ReactMarkdown` from `react-markdown`.
- **Props interface** (lines 4-13): `open`, `title`, optional `subtitle`, `text`, `loading`, `error`, optional `savedHint`, `onClose`.
- **Component function** (lines 15-116):
 - Two `useEffect` hooks:
 - Scrolls body to bottom when `open` & `loading` changes (lines 27-36).
 - Listens for `Escape` to trigger `onClose` when not loading (lines 38-49).
 - Conditional rendering: returns `null` if `open` is false (lines 51-53).
 - Renders backdrop, header, body (Markdown via `ReactMarkdown` at line 91), error message, loading placeholder, and a "Done" button that reflects streaming state (lines 110-111).
 - Accessibility attributes: `role="dialog"`, `aria-modal="true"`, `aria-labelledby="explain-code-title"` on the backdrop (lines 57-60).

Impact

- Fully typed; no runtime errors expected if props are supplied correctly.
- Encapsulated logic; future changes to scrolling or keyboard handling can be isolated.
- Minimal overhead: two `useEffect` hooks and a single `ref`.

Risks & follow-ups

- **Missing CSS:** classes `novadiff-explain-modal-*` must exist to style the modal.
- **Dependency:** `react-markdown` must be installed and compatible with the current React version.
- **Event listener cleanup:** `keydown` listener is removed on unmount (line 48); verify no leaks.
- **Accessibility audit:** run an a11y scan to confirm dialog behavior for screen readers.