

src/app/workspaceStorage.ts

Kind: added · Baseline: a9c34bfb03fe · Target: NovaDiff · Generated: 2026-05-20T04:48:44.598Z

Overview

`src/app/workspaceStorage.ts` is a new module that centralises local-storage access for Git user data, active workspace ID, and a local-only flag. It also supplies utilities for onboarding gate resolution, session merging, and workspace lookup.

Key changes

- **Imports & constants*
- – added at line 1: ```ts import type { GitUserProfile, NovaWorkspace, WorkspaceSessionState } from "./workspaceTypes"; const USER_KEY = "novadiff_git_user_v1"; const ACTIVE_WS_KEY = "novadiff_active_workspace_v1"; const LOCAL_ONLY_KEY = "novadiff_local_only_v1";`

* – functions at lines 7-16, 19-25, 27-32, 35-41, 45-50, 53-62 provide safe ``get``, ``set``, and ``remove`` operations for the three keys.

* ***Onboarding gate**

* – ``export type OnboardingGate = "boot" | "welcome" | "hub" | "app"``` (line 43) and ``resolveOnboardingGate(opts)`` (lines 65-94) decide the next UI step based on flags such as ``skipBoot``, ``localOnlyMode``, and confirmation flags.

* ***Session merging**

* – ``mergeSession(partial, current)`` (lines 95-109) returns a new ``WorkspaceSessionState`` by overriding only supplied fields.

* ***Workspace lookup**

* – ``findWorkspace(workspaces, id)`` (lines 111-119) returns the matching ``NovaWorkspace`` or ``null``.

Impact

* ***Persistence**

* – state is now stored in ``localStorage``; code that previously held state in memory must use these helpers.

* ***Error handling**

* – each load function catches errors and returns a safe default, preventing crashes when ``localStorage`` is unavailable.

* ***Onboarding flow**

* – gate logic is now a single, testable function, simplifying UI decision making.

* ***Session consistency**

* – ``mergeSession`` preserves untouched fields, reducing accidental data loss.

* **Compatibility**

* – the module only adds exports; existing imports remain valid.

Risks & follow-ups

* **LocalStorage availability**

* – verify that the runtime defines `localStorage` (e.g., SSR or private mode).

* **Data format changes**

* – ensure `GitUserProfile` and `WorkspaceSessionState` serialisations remain compatible; otherwise `JSON.parse` may fail.

* **Onboarding logic correctness**

* – run integration tests for all gate combinations (`boot`, `welcome`, `hub`, `app`).

* **Duplicate keys**

* – confirm that `novadiff\_git\_user\_v1`, `novadiff\_active\_workspace\_v1`, and `novadiff\_local\_only\_v1` do not clash with other modules.