

src/components/CodeCityLegend.tsx

Kind: added · Baseline: a9c34bfb03fe · Target: NovaDiff · Generated: 2026-05-20T04:51:33.708Z

Overview

A new component, `CodeCityLegend`, has been added to `src/components`. It renders a sidebar that displays current view metrics, a legend, and details for a selected building.

Key changes

- **Import** – `import type { CodeCityRenderableBuilding } from "../app/codeCityLayout";` (R1).
- **Export** – `export function CodeCityLegend({ ... })` (R3).
- **Props** –
 - `selected: CodeCityRenderableBuilding | null` (R12).
 - `blameOverlay: boolean` (R13).
 - `rootSide: "baseline" | "target"` (R14).
 - `visibleBuildingCount`, `districtCount`, `changedBuildingCount` (R15-17).
 - Optional `onOpenDiff?: (path: string) => void` (R18).
- **UI** – Aside element containing:
 - A metrics grid (root side, building count, district count, changed count).
 - A legend list with swatches for added, modified, removed, kind, and blame overlay toggle.
 - A selected-building card showing name, kind, path, tags, optional diff button, author info, and owners list (R20-121).

Impact

- The component is self-contained; no existing files are altered.
- It is a pure functional component, so it re-renders only when its props change.
- No new runtime side effects or logs are introduced.
- It depends on the `CodeCityRenderableBuilding` type; the import path must resolve.

Risks & follow-ups

- **Import resolution** – confirm that `../app/codeCityLayout` exports `CodeCityRenderableBuilding`.
- **Prop shape** – callers must supply a `selected` object that matches the expected structure; TypeScript will flag mismatches.
- **Optional callback** – consuming components should handle the absence of `onOpenDiff`.
- **Styling** – the new CSS classes (`code-city-legend`, `code-city-swatch--added`, etc.) could clash with existing styles; visual regression tests are advised.