

src/components/GitHistoryWorkspace.tsx

Kind: added · Baseline: a9c34bfb03fe · Target: NovaDiff · Generated: 2026-05-20T04:54:57.019Z

Overview

`src/components/GitHistoryWorkspace.tsx` is a new component that renders a commit-history panel, supports live-head comparison, and exposes callbacks for commit actions. It is added at lines 1-269 of the file.

Key changes

- **Imports** – Lines 1-9 add React hooks (`useCallback` , `useEffect` , `useMemo` , `useState`) and Lucide icons (`BookOpen` , `Loader2` , `RefreshCw` , `Search`).
- **Props** – Lines 11-23 declare `GitHistoryWorkspaceProps` with callbacks:
 - `onCompareCommits(base, head?, options?)`
 - `onDocumentCommit(base, head)`
 - `onLiveRepoPersist(liveDevRepoRoot)`
 - optional `onRefreshHistory` .
- **State & effects** – `useState` tracks `baseHash` , `headHash` , `useLiveHead` , `liveRepoRoot` , `blameCommit` , `commitQuery` . `useEffect` (lines 45-47) syncs `liveRepoRoot` when the workspace changes.
- **Memoization** – `sorted` (lines 49-52) and `filteredCommits` (lines 61-73) are memoized to avoid recomputing on every render.
- **Handlers** – `browseLiveRepo` (lines 82-90), `persistLiveRepo` (lines 92-97), `swapRevisions` (lines 104-108), and `runCompare` (lines 110-125) orchestrate user actions and invoke the supplied callbacks.
- **Render** – Lines 127-269 compose `HistoryCompareStrip` , `GitBlamePanel` , and a commit list with actions (Set base/head, Blame, Docs).
- **Electron API** – `window.electronAPI.pickDirectory` is called in `browseLiveRepo` (line 84).

Impact

- **Runtime** – The component relies on `window.electronAPI` ; if undefined, calls to `pickDirectory` will fail.
- **Prop validation** – All callbacks except `onRefreshHistory` are required; missing them will break functionality.
- **Performance** – Sorting and filtering run on every state change; memoization mitigates but large commit sets may still be costly.
- **User feedback** – `Loader2` spinner and status messages (`workspace.historyProgress?.message` , `workspace.historyError`) provide visibility into indexing and errors.

Risks & follow-ups

- **Electron API availability** – Verify `window.electronAPI` exists in all target environments.
- **Live-head logic** – Ensure `liveRepoRoot` is persisted correctly via `onLiveRepoPersist`.
- **Large histories** – Benchmark sorting/filtering with many commits; consider pagination if performance degrades.
- **Unknown from the available diff/scan evidence** – The diff does not show how `onCompareCommits` handles the `useLiveHead` option beyond the call; confirm implementation elsewhere.