

src/components/onboarding/WorkspaceHub.tsx

Kind: added · Baseline: a9c34bfb03fe · Target: NovaDiff · Generated: 2026-05-20T05:09:58.706Z

Overview

A new `WorkspaceHub` component is added at `src/components/onboarding/WorkspaceHub.tsx` (lines 17-307). It renders a UI for listing, creating, and opening workspaces and uses the Electron API (`window.electronAPI`) for workspace and GitHub operations.

Key changes

- **Imports** – added React hooks (`useCallback`, `useEffect`, `useState`) and icons (`FolderGit2`, `Loader2`, `Plus`) R1-R3 .
- **Types** – declared `WorkspaceHubProps` (lines 6-13) and `RepoMode` enum (line 15).
- **Component** – `WorkspaceHub` (lines 17-307) now manages local state for workspace creation, error handling, and mode selection.
- **API interactions** – uses `window.electronAPI` for `workspaceList`, `workspaceCreate`, `workspaceSetActive`, `githubListRepos`, `workspaceMatchLocal`, and `onWorkspaceHistoryProgress` .
- **UI** – renders a workspace list, mode tabs, input fields, and a create button with a loading indicator.
- **Logic** – `createWorkspace` handles three modes (`local`, `clone`, `github`) with validation and payload construction; `openExisting` activates a workspace via `workspaceSetActive` .
- **Side-effects** – `useEffect` hooks refresh the workspace list on history progress and fetch GitHub repos when mode is `github` .

Impact

- **Runtime dependency** – the component requires the Electron API; absence of any method will cause runtime errors.
- **Centralization** – workspace UI logic is now in a single component, simplifying future maintenance.
- **Performance** – asynchronous calls to `githubListRepos` and `workspaceList` may introduce UI lag if the API is slow.
- **User feedback** – `historyMsg` and `error` states provide visible messages; no additional logging is added.

Risks & follow-ups

- **API availability** – confirm that all referenced Electron API methods exist in the current desktop build; the diff does not show their implementation.
- **Type alignment** – ensure `NovaWorkspace` and `WorkspaceSessionState` match the API responses; mismatches could break `onOpenWorkspace` .

- **Error messages** – verify that the error strings shown to users are clear and do not expose internal details.
- **Large GitHub lists** – monitor the size of `ghRepos` ; consider pagination or debouncing if the list grows large.