

src/main.tsx

Kind: added · Baseline: a9c34bfb03fe · Target: NovaDiff · Generated: 2026-05-20T04:35:48.918Z

Overview

A new entry point `src/main.tsx` (lines R1-R9) bootstraps the React app. It imports `StrictMode` from `react`, `createRoot` from `react-dom/client`, and the top-level `App` component, then mounts `App` into the DOM element with id `root`.

Key changes

- New file `src/main.tsx` (R1-R9).
- Imports:
 - `StrictMode` (R1).
 - `createRoot` (R2).
 - `App` (R3).
- Calls `createRoot(document.getElementById("root") as HTMLElement).render()` (R5).
- Wraps the tree in `<StrictMode>` (R6-R8).
- Renders `<App />` as the root component (R7).

Impact

- Provides a defined entry point; without an element `id="root"` the app will fail to mount.
- Centralizes rendering logic, simplifying future changes to the mounting strategy.
- Uses the modern `createRoot` API, the current recommended way to mount React apps.

Risks & follow-ups

- If the HTML template lacks an element with `id="root"`, `document.getElementById("root")` returns `null`, causing a runtime error.
- The type assertion `as HTMLElement` assumes the element exists; verify the DOM contains the expected node.
- Ensure `react`, `react-dom`, and matching type definitions are installed and compatible with `createRoot`.