

src/vite-env.d.ts

Kind: added · Baseline: a9c34bfb03fe · Target: NovaDiff · Generated: 2026-05-20T04:36:22.688Z

Overview

A new `src/vite-env.d.ts` file (added at line 1) declares TypeScript typings for the Electron API and several payload interfaces used across the project.

Key changes

- **Imports** – type definitions are pulled from `./app/types`, `./app/llmStorage`, and `./app/gitTypes` (diff lines 3-16).
- **Payload interfaces** – added `SummaryPrefetchPayload`, `FileSummaryExportPayload`, `FileSummaryMarkdownReadPayload`, `SelectionSummaryExportPayload`, `SelectionSummaryMarkdownReadPayload`, `NovadiffDocsWritePayload`, and `NovadiffDocsReadPayload` (lines 33-104).
- **ElectronAPI interface** – declares a comprehensive set of methods for folder comparison, file diffing, window control, summary prefetching, artifact persistence, codebase scanning, LLM interactions, Git tooling, workspace management, and more (lines 104-383).
- **Global augmentation** – extends `Window` with an optional `electronAPI` property (lines 385-388).
- **Module export** – exports an empty object to satisfy module resolution (line 391).

Impact

- **Type safety** – compile-time checks and IDE autocompletion for all Electron API calls are now available.
- **Consistency** – payload shapes are centralized, reducing duplication.
- **Consumer updates** – modules that use `electronAPI` must import the new types and adjust method calls to match the declared signatures.

Risks & follow-ups

- **Signature mismatches** – verify that the runtime Electron implementation matches the declared `ElectronAPI` methods; mismatches will surface at runtime.
- **Global conflicts** – ensure no other global declarations clash with the added `Window` augmentation.
- **Testing** – run the full test suite and the TypeScript compiler to confirm no new type errors or runtime failures.