

BFS Traversal

Step 1: Start at A (Seeking target node K (Eager Short-Circuit))

Legend

Complete


Processing

Discovered

Unseen

Queue: A

Visited: (none)



BFS Traversal

Step 2: Process node A

Legend


Complete

Processing

Discovered

Unseen

Queue: (empty)
Visited: (none)



BFS Traversal

Step 3: Discover B, D, I, L, M, O from A

Legend

Complete


Processing

Discovered

Unseen

Queue: B → D → I → L → M → O

Visited: A



BFS Traversal

Step 4: Process node B

Legend

Complete


Processing

Discovered

Unseen

Queue: D → I → L → M → O

Visited: A



BFS Traversal

Step 5: TARGET NODE K FOUND (SHORT-CIRCUITED)! Path (2 hops): A → B → K

Legend

Complete


Processing

Discovered

Unseen

Queue: D → I → L → M → O → C → J

Visited: A, B, K



DFS Traversal

Step 1: Start at A (Seeking target node K (Eager Short-Circuit))

Legend


Complete

Processing

Discovered

Unseen

Stack (top at right): A
Visited: (none)



DFS Traversal

Step 2: Process node A

Legend


Complete

Processing

Discovered

Unseen

Stack (top at right): (empty)
Visited: (none)



DFS Traversal

Step 3: Discover O, M, L, I, D, B from A

Legend


Complete

Processing

Discovered

Unseen

Stack (top at right): O | M | L | I | D | B
Visited: A



DFS Traversal

Step 4: Process node B

Legend

Complete


Processing

Discovered

Unseen

Stack (top at right): O | M | L | I | D

Visited: A



DFS Traversal

Step 5: TARGET NODE K FOUND (SHORT-CIRCUITED)! Path (2 hops): A → B → K

