

BFS Traversal

Step 1: Start at A (Seeking target node K (Eager Short-Circuit))

Legend

Complete


Processing

Discovered

Unseen

Queue: A

Visited: (none)



BFS Traversal

Step 2: Process node A

Legend


Complete

Processing

Discovered

Unseen

Queue: (empty)
Visited: (none)



BFS Traversal

Step 3: Discover B, C, I, J, N from A

Legend

Complete


Processing

Discovered

Unseen

Queue: B → C → I → J → N

Visited: A



BFS Traversal

Step 4: Process node B

Legend

Complete


Processing

Discovered

Unseen

Queue: C → I → J → N


Visited: A



BFS Traversal


Step 5: TARGET NODE K FOUND (SHORT-CIRCUITED)! Path (2 hops): A → B → K

Legend



Queue: C → I → J → N → D → E → F

Visited: A, B, K



DFS Traversal

Step 1: Start at A (Seeking target node K (Eager Short-Circuit))

Legend


Complete

Processing

Discovered

Unseen

Stack (top at right): A
Visited: (none)



DFS Traversal

Step 2: Process node A

Legend

Complete


Processing

Discovered

Unseen

Stack (top at right): (empty)


Visited: (none)



DFS Traversal


Step 3: Discover N, J, I, C, B from A

Legend



Stack (top at right): N | J | I | C | B

Visited: A



DFS Traversal

Step 4: Process node B

Legend


Complete

Processing

Discovered

Unseen

Stack (top at right): N | J | I | C
Visited: A



DFS Traversal

Step 5: TARGET NODE K FOUND (SHORT-CIRCUITED)! Path (2 hops): A → B → K

Legend

Complete

Processing

Discovered

Unseen

Stack (top at right): N | J | I | C
Visited: A, B, K

