


BFS Traversal


Step 1: Start at A (Seeking target node K (Eager Short-Circuit))

Legend



Queue: A


Visited: (none)



BFS Traversal


Step 2: Process node A

Legend



Queue: (empty)


Visited: (none)



BFS Traversal


Step 3: Discover B, C, D, H, M from A

Legend



Queue: B → C → D → H → M

Visited: A



BFS Traversal

Step 4: Process node B

Legend

Complete


Processing

Discovered

Unseen

Queue: C → D → H → M

Visited: A



BFS Traversal

Step 5: TARGET NODE K FOUND (SHORT-CIRCUITED)! Path (2 hops): A → B → K

Legend

Complete


Processing

Discovered

Unseen

Queue: C → D → H → M


Visited: A, B, K




DFS Traversal

Step 1: Start at A (Seeking target node K (Eager Short-Circuit))

Legend



Stack (top at right): A
Visited: (none)



DFS Traversal

Step 2: Process node A

Legend


Complete

Processing

Discovered

Unseen


Stack (top at right): (empty)
Visited: (none)



DFS Traversal


Step 3: Discover M, H, D, C, B from A

Legend



Stack (top at right): M | H | D | C | B

Visited: A



DFS Traversal

Step 4: Process node B

Legend


Complete

Processing

Discovered

Unseen


Stack (top at right): M | H | D | C
Visited: A



DFS Traversal

Step 5: TARGET NODE K FOUND (SHORT-CIRCUITED)! Path (2 hops): A → B → K

Legend



Stack (top at right): M | H | D | C | O

Visited: A, B, K

