
# Vacuum Blocks VCBL-K2

Height 50 mm, 75 mm, 100 mm and 125 mm

WOOD



Vacuum Blocks VCBL-K2




System design Vacuum Blocks VCBL-K2



Vacuum blocks VCBL-K2 for clamping a workpiece

## Suitability for industry specific applications

### Application

- Hose-free vacuum clamping system for CNC machining centers with console table (2-circuit system)
- The vacuum blocks are pre-fixed to the consoles by means of vacuum and secured against movement during setup
- Safe and precise clamping of the workpiece and the vacuum blocks on the console with the second vacuum circuit
- The optional touch valve allows unneeded vacuum blocks to remain on the machine table
- Damage-free clamping with highest precision and holding force

### Design

- Top suction plate (1) for fixing the workpiece
- Robust main body (2) made of plastic
- Guide strip (3) for easy positioning on the console
- Bottom suction plate (4) for fixing the vacuum block on the console
- Optional touch valve (5)

### Product highlights

- Highest holding forces in wood applications thanks to optimized seals and friction pads
- Highest dimensional accuracy for more precision in the production process
- Wide range of products offers maximum flexibility and enables short set-up times
- Suction plates can be replaced quickly, easily and economically without tools

© J. Schmalz GmbH / Reserve technical changes / generated on: 26.06.2026



**Contact Schmalz:** J. Schmalz GmbH, Johannes-Schmalz-Str. 1 • 72293 Glatten • +49 7443 2403-105 • kundencenter@schmalz.de

# Vacuum Blocks VCBL-K2

Height 50 mm, 75 mm, 100 mm and 125 mm

## Designation code Vacuum Blocks VCBL-K2

| VCBL-K2 | – | 125x75 | – | x50 | – | Q | – | TV |
|---|---|---|---|---|---|---|---|---|
| 1 | | 2 | | 3 | | 4 | | 5 |

**1 – Abbreviated designation**

| Code | Type |
|---|---|
| VCBL-K2 | Vacuum block, 2-circuit console system |

**2 – Suction area**

| Code | LxW in mm |
|---|---|
| 140x115… 130x30 | 140x115 to 130x30 |

**3 – Height**

| Code | Height in mm |
|---|---|
| x50… x200 | 50 to 125 |

**4 – Product addition**

| Code | Type |
|---|---|
| D-360 | Rotatable by 360° |
| L | Mounted lengthwise |
| Q | Mounted crosswise |

**5 – Product addition**

| Code | Type |
|---|---|
| AS | With lifting system |

The vacuum block VCBL-K2 is delivered assembled. The assembly consists of:

- Top suction plate type VCSP-O - elastomer part, available in different dimensions and suction areas
- Main body made of plastic
- Bottom suction plate type VCSP-U - elastomer part

Available spare parts: suction plate (top), wear part set, suction plate (bottom), sealing frame, friction plate, spare part set with steel inserts
Available accessories: suction plate foam rubber

## Ordering data Vacuum Blocks VCBL-K2

| Type | | | Dimension (LxW): 140x115 | 125x75 | 120x50 | 130x30 |
|---|---|---|---|---|---|---|
| VCBL-K2 | 50 | - | 10.01.12.00626 | - | - | - |
| VCBL-K2 | 50 | D-360 | - | 10.01.12.00629 | 10.01.12.00874 | - |
| VCBL-K2 | 50 | L | - | 10.01.12.00628 | 10.01.12.00771 | 10.01.12.00647 |
| VCBL-K2 | 50 | Q | - | 10.01.12.00644 | 10.01.12.00772 | 10.01.12.00646 |

| Type | | | Dimension (LxW): 140x115 | 125x75 | 120x50 | 130x30 |
|---|---|---|---|---|---|---|
| VCBL-K2 | 75 | - | 10.01.12.02136 | - | - | - |
| VCBL-K2 | 75 | Q | - | 10.01.12.02199 | 10.01.12.02203 | 10.01.12.02207 |

| Type | | | | Dimension (LxW): 140x115 | 125x75 | 120x50 | 130x30 |
|---|---|---|---|---|---|---|---|
| VCBL-K2 | 100 | - | - | 10.01.12.00445 | - | - | - |
| VCBL-K2 | 100 | - | AS | 10.01.12.00446 | - | - | - |
| VCBL-K2 | 100 | D-360 | - | - | 10.01.12.01079 | 10.01.12.01020 | - |
| VCBL-K2 | 100 | L | - | - | 10.01.12.00506 | 10.01.12.00853 | 10.01.12.00855 |
| VCBL-K2 | 100 | Q | - | - | 10.01.12.00447 | 10.01.12.00126 | 10.01.12.00854 |

| Type | | | Dimension (LxW): 140x115 | 125x75 | 120x50 | 130x30 |
|---|---|---|---|---|---|---|
| VCBL-K2 | 125 | - | 10.01.12.02116 | - | - | - |
| VCBL-K2 | 125 | D-360 | - | 10.01.12.02593 | 10.01.12.02594 | - |
| VCBL-K2 | 125 | L | - | 10.01.12.02124 | 10.01.12.02125 | 10.01.12.02126 |
| VCBL-K2 | 125 | Q | - | 10.01.12.02118 | 10.01.12.02119 | 10.01.12.02120 |



**Contact Schmalz:** J. Schmalz GmbH, Johannes-Schmalz-Str. 1 • 72293 Glatten • +49 7443 2403-105 • kundencenter@schmalz.de

# Vacuum Blocks VCBL-K2

Height 50 mm, 75 mm, 100 mm and 125 mm

## Ordering data Spare parts Vacuum Blocks VCBL-K2

| Type | | | Spare parts | | Part no. |
|---|---|---|---|---|---|
| VCBL-K2 | 140 x 115 | 50 | Suction plate (top) | VCSP-O 140x115x16.5 TPE | 10.01.12.00488 |
| VCBL-K2 | 125 x 75 | 50 | Suction plate (top) | VCSP-O 125x75x15.5 TPE | 10.01.12.00011 |
| VCBL-K2 | 120 x 50 | 50 | Suction plate (top) | VCSP-O 120x50x15.5 TPE | 10.01.12.00012 |
| VCBL-K2 | 130 x 30 | 50 | Set of parts subject to wear | VST VCSP | 10.01.12.00702 |
| VCBL-K2 | 140 x 115 | 75 | Suction plate (top) | VCSP-O 140x115x16.5 TPE | 10.01.12.00488 |
| VCBL-K2 | 125 x 75 | 75 | Suction plate (top) | VCSP-O 125x75x15.5 TPE | 10.01.12.00011 |
| VCBL-K2 | 130 x 30 | 75 | Set of parts subject to wear | VST VCSP 130x30 | 10.01.12.02348 |
| VCBL-K2 | 140 x 115 | 100 | Suction plate (top) | VCSP-O 140x115x16.5 TPE | 10.01.12.00488 |
| VCBL-K2 | 125 x 75 | 100 | Suction plate (top) | VCSP-O 125x75x15.5 TPE | 10.01.12.00011 |
| VCBL-K2 | 120 x 50 | 100 | Suction plate (top) | VCSP-O 120x50x15.5 TPE | 10.01.12.00012 |
| VCBL-K2 | 130 x 30 | 100 | Set of parts subject to wear | VST VCSP | 10.01.12.00723 |
| VCBL-K2 | 140 x 115 | 125 | Suction plate (top) | VCSP-O 140x115x16.5 TPE | 10.01.12.00488 |
| VCBL-K2 | 125 x 75 | 125 | Suction plate (top) | VCSP-O 125x75x15.5 TPE | 10.01.12.00011 |
| VCBL-K2 | 120 x 50 | 125 | Suction plate (top) | VCSP-O 120x50x15.5 TPE | 10.01.12.00012 |
| VCBL-K2 | 130 x 30 | 125 | Set of parts subject to wear | VST VCSP 130x30 | 10.01.12.02348 |

| Type | | Spare parts | | Part no. |
|---|---|---|---|---|
| VCBL-K2 | 140 x 115 | Suction plate (bottom) | VCSP-U 140x115x16.5 VCBL-K2 TPE | 10.01.12.00798 |
| VCBL-K2 | 125 x 75 | Suction plate (bottom) | VCSP-U 140x115x16.5 VCBL-K2 TPE | 10.01.12.00798 |
| VCBL-K2 | 120 x 50 | Suction plate (bottom) | VCSP-U 140x115x16.5 VCBL-K2 TPE | 10.01.12.00798 |
| VCBL-K2 | 130 x 30 | Suction plate (bottom) | VCSP-U 140x115x16.5 VCBL-K2 TPE | 10.01.12.00798 |

| Type | | Sealing frame | Friction plate |
|---|---|---|---|
| VCBL-K2 | 130x30 | 10.01.12.00804 | 10.01.12.00805 |

| Type | Spare parts | | | Part no. |
|---|---|---|---|---|
| VCBL-K2 | Set of spare parts | Metal strips for bottom suction plate | ERS VCBL-Einleger | 10.01.12.00618 |

## Ordering data Accessories Vacuum Blocks VCBL-K2

| Type | | Accessories | | | Part no. |
|---|---|---|---|---|---|
| VCBL-K2 | 140x115 | Suction plate (top) | Foam rubber suction plate | VCSP-O 140x115x18.5 MOS TPE | 10.01.12.03507 |
| VCBL-K2 | 125x75 | Suction plate (top) | Foam rubber suction plate | VCSP-O 125x75x17.7 MOS TPE | 10.01.12.03511 |




**Contact Schmalz:** J. Schmalz GmbH, Johannes-Schmalz-Str. 1 • 72293 Glatten • +49 7443 2403-105 • kundencenter@schmalz.de


# Vacuum Blocks VCBL-K2

Height 50 mm, 75 mm, 100 mm and 125 mm


## Design data Vacuum Blocks VCBL-K2





VCBL-K2 140x115




VCBL-K2 Q




VCBL-K2 D-360




VCBL-K2 L



**Contact Schmalz:** J. Schmalz GmbH, Johannes-Schmalz-Str. 1 • 72293 Glatten • +49 7443 2403-105 • kundencenter@schmalz.de

# Vacuum Blocks VCBL-K2

Height 50 mm, 75 mm, 100 mm and 125 mm

## Design data Vacuum Blocks VCBL-K2

| Type | B [mm] | H [mm] | H2 [mm] | L [mm] | L1 [mm] | L2 [mm] | R1 [mm] |
|---|---|---|---|---|---|---|---|
| VCBL-K2 140x115x50 | 115 | 50 | 17 | 140 | 170 | 26 | - |
| VCBL-K2 125x75x50 D-360 | 75 | 50 | 16 | 125 | 145 | - | 24 |
| VCBL-K2 125x75x50 L | 75 | 50 | 17 | 125 | 145 | 21 | - |
| VCBL-K2 125x75x50 Q | 75 | 50 | 17 | 125 | 145 | 68 | - |
| VCBL-K2 120x50x50 D-360 | 50 | 50 | 16 | 120 | 145 | - | 12 |
| VCBL-K2 120x50x50 L | 50 | 50 | 17 | 120 | 145 | 23 | - |
| VCBL-K2 120x50x50 Q | 50 | 50 | 17 | 120 | 145 | 94 | - |
| VCBL-K2 130x30x50 L | 30 | 50 | 17 | 130 | 145 | 103 | - |
| VCBL-K2 130x30x50 Q | 30 | 50 | 17 | 130 | 145 | 18 | - |
| VCBL-K2 140x115x75 | 115 | 75 | 54 | 140 | 166 | 26 | - |
| VCBL-K2 125x75x75 Q | 75 | 75 | 38 | 125 | 146 | 71 | - |
| VCBL-K2 120x50x75 Q | 50 | 75 | 38 | 120 | 142 | 91 | - |
| VCBL-K2 130x30x75 Q | 30 | 75 | 38 | 130 | 140 | 100 | - |
| VCBL-K2 140x115x100 | 115 | 100 | 75 | 140 | 166 | 26 | - |
| VCBL-K2 140x115x100 AS | 115 | 100 | 75 | 140 | 166 | 26 | - |
| VCBL-K2 125x75x100 D-360 | 75 | 100 | 65 | 125 | 145 | - | 24 |
| VCBL-K2 125x75x100 L | 75 | 100 | 63 | 125 | 145 | 21 | - |
| VCBL-K2 125x75x100 Q | 75 | 100 | 63 | 125 | 145 | 68 | - |
| VCBL-K2 120x50x100 D-360 | 50 | 100 | 65 | 120 | 145 | - | 35 |
| VCBL-K2 120x50x100 L | 50 | 100 | 63 | 120 | 145 | 23 | - |
| VCBL-K2 120x50x100 Q | 50 | 100 | 63 | 120 | 145 | 68 | - |
| VCBL-K2 130x30x100 L | 30 | 100 | 63 | 130 | 149 | 16 | - |
| VCBL-K2 130x30x100 Q | 30 | 100 | 63 | 130 | 140 | 101 | - |
| VCBL-K2 140x115x125 | 115 | 125 | 105 | 140 | 166 | 26 | - |
| VCBL-K2 125x75x125 D-360 | 75 | 125 | 90 | 125 | 145 | - | 24 |
| VCBL-K2 125x75x125 L | 75 | 125 | 88 | 125 | 146 | 21 | - |
| VCBL-K2 125x75x125 Q | 75 | 125 | 88 | 125 | 146 | 72 | - |
| VCBL-K2 120x50x125 D-360 | 50 | 125 | 90 | 120 | 145 | - | 35 |
| VCBL-K2 120x50x125 L | 50 | 125 | 88 | 120 | 143 | 23 | - |
| VCBL-K2 120x50x125 Q | 50 | 125 | 88 | 120 | 142 | 92 | - |



**Contact Schmalz:** J. Schmalz GmbH, Johannes-Schmalz-Str. 1 • 72293 Glatten • +49 7443 2403-105 • kundencenter@schmalz.de

# Vacuum Blocks VCBL-K2

Height 50 mm, 75 mm, 100 mm and 125 mm

| Type | B [mm] | H [mm] | H2 [mm] | L [mm] | L1 [mm] | L2 [mm] | R1 [mm] |
|---|---|---|---|---|---|---|---|
| VCBL-K2 130x30x125 L | 30 | 125 | 88 | 130 | 148 | 18 | - |
| VCBL-K2 130x30x125 Q | 30 | 125 | 88 | 130 | 140 | 100 | - |

## Multimedia product presentation

| Medium | Link |
|---|---|
| Product video | https://vimeo.com/178568576<br>https://vimeo.com/213842949<br>https://vimeo.com/260009196 |



**Contact Schmalz:** J. Schmalz GmbH, Johannes-Schmalz-Str. 1 • 72293 Glatten • +49 7443 2403-105 • kundencenter@schmalz.de