



ANDROID STATIC ANALYSIS REPORT




 XS4 Com

File Name:	XS4_Com_1.14.1_APKPure.xapk
Package Name:	com.saltosystems.intercom.indoor
Scan Date:	Aug. 12, 2026, 7:32 p.m.

App Security Score:

44/100 (MEDIUM RISK)

Grade:



Trackers Detection:

1/432

 FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
6	23	3	2	1

 FILE INFORMATION

File Name: XS4_Com_1.14.1_APKPure.xapk
Size: 79.52MB

MD5: 88b381c6f6c204fe0a165c4b56de77e1
SHA1: b57018e70f188406142d057c7bb736f24997cf44
SHA256: 274ddfd366d2d46b3eec7b409e239205413b7056d2b9bfeea0a63f6f2184fc27

i APP INFORMATION

App Name: XS4 Com
Package Name: com.saltosystems.intercom.indoor
Main Activity: com.saltosystems.intercom.indoor.CustomCallScreenActivity
Target SDK:
Min SDK:
Max SDK:
Android Version Name:
Android Version Code:

APP COMPONENTS

Activities: 9
Services: 15
Receivers: 16
Providers: 7
Exported Activities: 2
Exported Services: 2
Exported Receivers: 8
Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed
v1 signature: False
v2 signature: True
v3 signature: True
v4 signature: False
v3.1 signature: False
v3.2 signature: False
X.509 Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2023-01-18 12:30:56+00:00
Valid To: 2053-01-18 12:30:56+00:00
Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android
Serial Number: 0x6691b4772bc6a73302490ff894a7e907549c3d80
Hash Algorithm: sha256
md5: 87f1e00550111773c2df03d704829696
sha1: 40ea18d4a8fbc2c8332fc82780ad105e1aa2e945
sha256: 77779aeccee89a518dcaf4777959bd00d838880b95c13830352e3f0465eed09f
sha512: 37b5dd7e8f48c2c5a9238c1f40fd1e7b650c9190f81e47ee3fb6bed1ffdf1b2a445a48b1385b8d1f1ba7427530b024c30034b016674dc686279df4a94513df7
PublicKey Algorithm: rsa
Bit Size: 4096
Fingerprint: 4dff600db6801f55fd7e29bfd1601917bccfeb713ae2753c4bf72235162c193

Found 1 unique certificates

≡ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.READ_PHONE_STATE	dangerous	read phone state and identity	Allows the application to access the phone features of the device. An application with this permission can determine the phone number and serial number of this phone, whether a call is active, the number that call is connected to and so on.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.RECORD_AUDIO	dangerous	record audio	Allows application to access the audio record path.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.CHANGE_NETWORK_STATE	normal	change network connectivity	Allows applications to change network connectivity state.
android.permission.MODIFY_AUDIO_SETTINGS	normal	change your audio settings	Allows application to modify global audio settings, such as volume and routing.
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.BLUETOOTH_CONNECT	dangerous	necessary for connecting to paired Bluetooth devices.	Required to be able to connect to paired Bluetooth devices.
android.permission.BLUETOOTH_ADMIN	normal	bluetooth administration	Allows applications to discover and pair bluetooth devices.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.
android.permission.ACCESS_NOTIFICATION_POLICY	normal	marker permission for accessing notification policy.	Marker permission for applications that wish to access notification policy.
android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS	normal	permission for using Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS.	Permission an application must hold in order to use Settings.ACTION_REQUEST_IGNORE_BATTERY_OPTIMIZATIONS.
android.permission.MANAGE_OWN_CALLS	normal	enables a calling app to manage its own calls.	Allows a calling application which manages its own calls through the self-managed ConnectionService APIs.
android.permission.CALL_PHONE	dangerous	directly call phone numbers	Allows the application to call phone numbers without your intervention. Malicious applications may cause unexpected calls on your phone bill. Note that this does not allow the application to call emergency numbers.
android.permission.ANSWER_PHONE_CALLS	dangerous	permits an app to answer incoming phone calls.	Allows the app to answer an incoming phone call.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
android.permission.DISABLE_KEYGUARD	normal	disable keyguard	Allows applications to disable the keyguard if it is not secure.
android.permission.USE_FULL_SCREEN_INTENT	normal	required for full screen intents in notifications.	Required for apps targeting Build.VERSION_CODES.Q that want to use notification full screen intents.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.SYSTEM_ALERT_WINDOW	dangerous	display system-level alerts	Allows an application to show system-alert windows. Malicious applications can take over the entire screen of the phone.
android.permission.ADD_ID	unknown	Unknown permission	Unknown permission from android reference
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
com.saltsystems.intercom.indoor.permission.C2D_MESSAGE	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
com.saltsystems.intercom.indoor.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.BRAND check Build.DEVICE check Build.PRODUCT check Build.HARDWARE check possible VM check
	Compiler	r8
classes2.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.HARDWARE check Build.BOARD check Build.TAGS check SIM operator check
	Compiler	r8 without marker (suspicious)
classes3.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check possible Build.SERIAL check possible VM check
	Compiler	r8 without marker (suspicious)

FILE	DETAILS	
classes4.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check possible VM check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	r8 without marker (suspicious)
classes5.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.HARDWARE check
	Compiler	r8 without marker (suspicious)

 BROWSABLE ACTIVITIES

ACTIVITY	INTENT
net.openid.appauth.RedirectUriReceiverActivity	Schemes: com.saltosystems.intercom.indoor://,

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

 CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

MANIFEST ANALYSIS

HIGH: 5 | WARNING: 13 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	Clear text traffic is Enabled For App[android:usesCleartextTraffic=true]	high	The app intends to use cleartext network traffic, such as cleartext HTTP, FTP stacks, DownloadManager, and MediaPlayer. The default value for apps that target API level 27 or lower is "true". Apps that target API level 28 or higher default to "false". The key reason for avoiding cleartext traffic is the lack of confidentiality, authenticity, and protections against tampering; a network attacker can eavesdrop on transmitted data and also modify it without being detected.
2	Broadcast Receiver (com.saltosystems.intercom.indoor.CustomFirebaseMessagingReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
3	Broadcast Receiver (com.saltosystems.intercom.indoor.RestartBroadcastReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.RECEIVE_BOOT_COMPLETED [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
4	Broadcast Receiver (com.saltosystems.intercom.indoor.CallReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Service (com.saltosystems.intercom.indoor.IntercomConnectionService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_TELECOM_CONNECTION_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
6	Activity (com.saltosystems.intercom.indoor.CustomCallScreenActivity) is vulnerable to StrandHogg 2.0	high	Activity is found to be vulnerable to StrandHogg 2.0 task hijacking vulnerability. When vulnerable, it is possible for other applications to place a malicious activity on top of the activity stack of the vulnerable application. This makes the application an easy target for phishing attacks. The vulnerability can be remediated by setting the launch mode attribute to "singleInstance" and by setting an empty taskAffinity (taskAffinity=""). You can also update the target SDK version (26) of the app to 29 or higher to fix this issue at platform level.
7	Activity (com.saltosystems.intercom.indoor.MainActivity) is vulnerable to StrandHogg 2.0	high	Activity is found to be vulnerable to StrandHogg 2.0 task hijacking vulnerability. When vulnerable, it is possible for other applications to place a malicious activity on top of the activity stack of the vulnerable application. This makes the application an easy target for phishing attacks. The vulnerability can be remediated by setting the launch mode attribute to "singleInstance" and by setting an empty taskAffinity (taskAffinity=""). You can also update the target SDK version (26) of the app to 29 or higher to fix this issue at platform level.

NO	ISSUE	SEVERITY	DESCRIPTION
8	Activity (com.saltosystems.intercom.indoor.MainActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
9	Broadcast Receiver (com.pusher.pushnotifications.reporting.FCMMMessageReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
10	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
11	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
12	Broadcast Receiver (io.flutter.plugins.firebase.messaging.FlutterFirebaseMessagingReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
13	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
14	Activity (net.openid.appauth.RedirectUriReceiverActivity) is vulnerable to StrandHogg 2.0	high	Activity is found to be vulnerable to StrandHogg 2.0 task hijacking vulnerability. When vulnerable, it is possible for other applications to place a malicious activity on top of the activity stack of the vulnerable application. This makes the application an easy target for phishing attacks. The vulnerability can be remediated by setting the launch mode attribute to "singleInstance" and by setting an empty taskAffinity (taskAffinity=""). You can also update the target SDK version (26) of the app to 29 or higher to fix this issue at platform level.
15	Activity (net.openid.appauth.RedirectUriReceiverActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
16	Launch Mode of activity (net.openid.appauth.AuthorizationManagementActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.

NO	ISSUE	SEVERITY	DESCRIPTION
17	Activity (net.openid.appauth.AuthorizationManagementActivity) is vulnerable to Android Task Hijacking/StrandHogg.	high	An Activity should not be having the launch mode attribute set to "singleTask". It is then possible for other applications to place a malicious activity on top of the activity stack resulting in Task Hijacking/StrandHogg 1.0 vulnerability. This makes the application an easy target for phishing attacks. The vulnerability can be remediated by setting the launch mode attribute to "singleInstance" or by setting an empty taskAffinity (taskAffinity="") attribute. You can also update the target SDK version (26) of the app to 28 or higher to fix this issue at platform level.
18	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 1 | WARNING: 8 | INFO: 3 | SECURE: 2 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/baseflow/geolocator/GeolocatorLocationService.java com/baseflow/geolocator/GeolocatorPlugin.java com/baseflow/geolocator/GeolocatorServiceHandlerImpl.java com/baseflow/geolocator/MethodCallHandlerImpl.java com/baseflow/geolocator/StreamHandlerImpl.java com/baseflow/geolocator/location/FusedLocationClient.java com/baseflow/geolocator/permission/PermissionManager.java com/baseflow/permissionhandler/AppSettingsManager.java com/baseflow/permissionhandler/PermissionManager.java com/baseflow/permissionhandler/PermissionUtils.java com/baseflow/permissionhandler/ServiceManager.java com/beust/klaxon/Klaxon.java com/beust/klaxon/KlaxonParser.java com/beust/klaxon/Lexer.java com/cloudwebRTC/webRTC/CameraEventsHandler.java com/cloudwebRTC/webRTC/FlutterRTCVideoRenderer.java com/cloudwebRTC/webRTC/FlutterWebRTCPlugin.java com/cloudwebRTC/webRTC/GetUserMediaImpl.java com/cloudwebRTC/webRTC/MethodCallHandlerImpl.java com/cloudwebRTC/webRTC/PeerConnectionObserver.java com/cloudwebRTC/webRTC/audio/AudioUtils.java com/cloudwebRTC/webRTC/record/AudioFileRenderer.java com/cloudwebRTC/webRTC/record/MediaRecorderImpl.java com/cloudwebRTC/webRTC/record/VideoFileRenderer.java com/cloudwebRTC/webRTC/utils/MediaConstraintsUtils.java com/cloudwebRTC/webRTC/video/camera/CameraUtils.java com/datadog/android/core/internal/data/upload/CurlInterceptor.java a com/datadog/android/ndk/internal/NdkCrashLog.java com/datadog/android/rum/DdRumContentProvider.java com/datadoghq/flutter/DatadogLogsPlugin.java com/datadoghq/flutter/DatadogRumPlugin.java

NO	ISSUE	SEVERITY	STANDARDS	com/datadoghq/flutter/DatadogSdkPlugin.java FILES nomads/fluttersecurestorage/FlutterSecureStorage.java com/it_nomads/fluttersecurestorage/FlutterSecureStoragePlugin.jav a com/it_nomads/fluttersecurestorage/ciphers/StorageCipher18Imple mentation.java com/mr/flutter/plugin/filepicker/FilePickerDelegate.java com/mr/flutter/plugin/filepicker/FileUtils.java com/msh/flutter_google_places_sdk/FlutterGooglePlacesSdkPlugin.j ava com/pusher/pushnotifications/logging/Logger.java com/saltosystems/intercom/indoor/CallConnection.java com/saltosystems/intercom/indoor/CallListenerManager\$register\$1 .java com/saltosystems/intercom/indoor/CallListenerManager.java com/saltosystems/intercom/indoor/CallReceiver.java com/saltosystems/intercom/indoor/CustomFirebaseMessagingRecei ver.java com/saltosystems/intercom/indoor/IntercomConnectionService.java com/saltosystems/intercom/indoor/RestartBroadcastReceiver.java com/saltosystems/intercom/indoor/ServiceManager.java com/twillio/audioswitch/android/ProductionLogger.java de/ffuf/in_app_update/InAppUpdatePlugin.java io/flutter/Log.java io/flutter/embedding/android/FlutterActivity.java io/flutter/embedding/android/FlutterActivityAndFragmentDelegate.j ava io/flutter/embedding/android/FlutterFragment.java io/flutter/embedding/android/FlutterFragmentActivity.java io/flutter/embedding/android/FlutterImageView.java io/flutter/embedding/android/FlutterSurfaceView.java io/flutter/embedding/android/FlutterTextureView.java io/flutter/embedding/android/FlutterView.java io/flutter/embedding/android/KeyEmbedderResponder.java io/flutter/embedding/android/KeyboardManager.java io/flutter/embedding/android/SurfaceHolderCallbackCompat.java io/flutter/embedding/engine/FlutterEngine.java io/flutter/embedding/engine/FlutterEngineConnectionRegistry.java io/flutter/embedding/engine/FlutterJNI.java io/flutter/embedding/engine/dart/DartExecutor.java io/flutter/embedding/engine/dart/DartMessenger.java io/flutter/embedding/engine/deferredcomponents/PlayStoreDeferre dComponentManager.java io/flutter/embedding/engine/loader/FlutterLoader.java io/flutter/embedding/engine/loader/ResourceExtractor.java io/flutter/embedding/engine/plugins/util/GeneratedPluginRegister.ja va io/flutter/embedding/engine/renderer/FlutterRenderer.java io/flutter/embedding/engine/systemchannels/AccessibilityChannel.ja va io/flutter/embedding/engine/systemchannels/BackGestureChannel.j ava io/flutter/embedding/engine/systemchannels/DeferredComponentC hannel.java io/flutter/embedding/engine/systemchannels/KeyEventChannel.java io/flutter/embedding/engine/systemchannels/LifecycleChannel.java io/flutter/embedding/engine/systemchannels/LocalizationChannel.ja va
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	

NO	ISSUE	SEVERITY	STANDARDS	FILES
				io/flutter/embedding/engine/systemchannels/MouseCursorChannel.java io/flutter/embedding/engine/systemchannels/NavigationChannel.java io/flutter/embedding/engine/systemchannels/PlatformChannel.java io/flutter/embedding/engine/systemchannels/PlatformViewsChannel.java io/flutter/embedding/engine/systemchannels/PlatformViewsChannel2.java io/flutter/embedding/engine/systemchannels/RestorationChannel.java io/flutter/embedding/engine/systemchannels/ScribeChannel.java io/flutter/embedding/engine/systemchannels/SensitiveContentChannel.java io/flutter/embedding/engine/systemchannels/SettingsChannel.java io/flutter/embedding/engine/systemchannels/SpellCheckChannel.java io/flutter/embedding/engine/systemchannels/SystemChannel.java io/flutter/embedding/engine/systemchannels/TextInputChannel.java io/flutter/plugin/common/BasicMessageChannel.java io/flutter/plugin/common/EventChannel.java io/flutter/plugin/common/MethodChannel.java io/flutter/plugin/editing/InputConnectionAdaptor.java io/flutter/plugin/editing/ListenableEditingState.java io/flutter/plugin/editing/TextEditingDelta.java io/flutter/plugin/editing/TextInputPlugin.java io/flutter/plugin/platform/ImageReaderPlatformViewRenderTarget.java io/flutter/plugin/platform/PlatformPlugin.java io/flutter/plugin/platform/PlatformViewWrapper.java io/flutter/plugin/platform/PlatformViewsController.java io/flutter/plugin/platform/PlatformViewsController2.java io/flutter/plugin/platform/SingleViewPresentation.java io/flutter/plugin/platform/SingleViewWindowManager.java io/flutter/plugins/GeneratedPluginRegistrant.java io/flutter/plugins/firebase/firestore/FlutterFirebaseFirestoreMessageCodec.java io/flutter/plugins/firebase/firestore/FlutterFirebaseFirestorePlugin.java io/flutter/plugins/firebase/firestore/Utils/ExceptionConverter.java io/flutter/plugins/firebase/firestore/Utils/PigeonParser.java io/flutter/plugins/firebase/messaging/ContextHolder.java io/flutter/plugins/firebase/messaging/FlutterFirebaseMessagingBackgroundExecutor.java io/flutter/plugins/firebase/messaging/FlutterFirebaseMessagingBackgroundService.java io/flutter/plugins/firebase/messaging/FlutterFirebaseMessagingReceiver.java io/flutter/plugins/firebase/messaging/JobIntentService.java io/flutter/plugins/pathprovider/PathProviderPlugin.java io/flutter/plugins/sharedpreferences/LegacySharedPreferencesPlugin.java io/flutter/plugins/sharedpreferences/SharedPreferencesBackend.java io/flutter/plugins/sharedpreferences/SharedPreferencesPlugin.java io/flutter/plugins/urllauncher/UrlLauncherPlugin.java io/flutter/plugins/webviewflutter/AndroidWebkitLibraryPigeonInstant

NO	ISSUE	SEVERITY	STANDARDS	FILES
				ceManager.java io/flutter/plugins/webviewflutter/AndroidWebkitLibraryPigeonProxy ApiBaseCodec.java io/flutter/plugins/webviewflutter/AndroidWebkitLibraryPigeonProxy ApiRegistrar.java io/flutter/plugins/webviewflutter/DisplayListenerProxy.java io/flutter/plugins/webviewflutter/ProxyApiRegistrar.java io/flutter/plugins/webviewflutter/SslCertificateProxyApi.java io/flutter/view/AccessibilityBridge.java io/flutter/view/AccessibilityViewEmbedder.java io/grpc/android/AndroidChannelBuilder.java io/livekit/audio/krisp/core/KrispAudioProcessorCore.java io/livekit/livekit_noise_filter/LiveKitKrispNoiseFilter.java io/sentry/SystemOutLogger.java io/sentry/android/core/AndroidFatalLogger.java io/sentry/android/core/AndroidLogger.java io/sentry/android/core/SentryLogcatAdapter.java io/sentry/android/replay/WindowManagerSpy.java io/sentry/android/replay/WindowSpy.java io/sentry/clientreport/ClientReportRecorder.java io/sentry/flutter/SentryFlutter.java io/sentry/flutter/SentryFlutterPlugin.java io/sentry/flutter/SentryFlutterReplayRecorder.java io/sentry/transport/StdoutTransport.java io/sentry/util/ScopesUtil.java net/openid/appauth/internal/Logger.java org/slf4j/helpers/Util.java org/webrtc/audio/WebRtcAudioTrackUtils.java
2	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	io/grpc/internal/DnsNameResolver.java io/grpc/internal/ExponentialBackoffPolicy.java io/grpc/internal/PickFirstLeafLoadBalancer.java io/grpc/internal/PickFirstLoadBalancer.java io/grpc/internal/RetriableStream.java io/grpc/util/OutlierDetectionLoadBalancer.java io/grpc/util/RoundRobinLoadBalancer.java
3	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	io/flutter/plugin/editing/InputConnectionAdaptor.java io/flutter/plugin/platform/PlatformPlugin.java
				com/baseflow/permissionhandler/PermissionUtils.java com/datadog/android/api/net/RequestFactory.java com/datadog/android/core/internal/metrics/BatchMetricsDispatcher.java com/datadog/android/log/internal/LogsFeature.java com/datadog/android/rum/internal/FeaturesContextResolver.java com/datadog/android/rum/internal/RumAnonymousIdentifierManager.java com/datadog/android/rum/internal/domain/accessibility/DefaultAccessibilityReader.java com/datadog/android/rum/internal/domain/event/RumEventMeta.java com/datadog/android/rum/internal/domain/scope/ExternalResourceTimingsKt.java com/datadog/android/rum/internal/domain/scope/RumRawEvent.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/datadog/android/rum/internal/domain/scope/RumSessionScope.java com/datadog/android/rum/internal/domain/scope/RumViewInfo.java com/datadog/android/rum/internal/metric/SessionEndedMetric.java com/datadog/android/rum/internal/net/RumRequestFactory.java com/datadog/android/telemetry/internal/TelemetryEventHandler.java com/datadoghq/flutter/DatadogLogsPlugin.java com/datadoghq/flutter/DatadogRumPlugin.java com/it_nomads/fluttersecurestorage/ciphers/StorageCipherFactory.java com/pusher/pushnotifications/internal/DeviceStateStore.java com/pusher/pushnotifications/internal/InstanceDeviceStateStore.java com/pusher/pushnotifications/reporting/ReportingWorker.java com/saltosystems/intercom/indoor/StorageManager.java io/flutter/embedding/android/FlutterActivityAndFragmentDelegate.java io/flutter/embedding/android/FlutterActivityLaunchConfigs.java io/flutter/embedding/engine/loader/ApplicationInfoLoader.java io/flutter/embedding/engine/loader/FlutterLoader.java io/flutter/embedding/engine/systemchannels/SettingsChannel.java io/flutter/plugin/editing/SpellCheckPlugin.java io/flutter/plugins/firebase/messaging/FlutterFirebaseMessagingBackgroundExecutor.java io/flutter/plugins/firebase/messaging/FlutterFirebaseMessagingUtils.java io/grpc/PersistentHashMapArrayMappedTrie.java io/grpc/internal/DnsNameResolver.java io/grpc/internal/PickFirstLoadBalancerProvider.java io/grpc/internal/TransportFrameUtil.java io/sentry/Baggage.java io/sentry/RequestDetailsResolver.java io/sentry/SpanDataConvention.java io/sentry/TraceContext.java io/sentry/protocol/User.java net/openid/appauth/ClientSecretPost.java net/openid/appauth/RegistrationResponse.java net/openid/appauth/TokenRequest.java org.slf4j/LoggerFactory.java org.slf4j/helpers/Reporter.java
5	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/mr/flutter/plugin/filepicker/FileUtils.java io/flutter/plugins/pathprovider/Messages.java io/flutter/plugins/pathprovider/PathProviderPlugin.java io/sentry/android/core/DeviceInfoUtil.java
6	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	io/sentry/android/core/DeviceInfoUtil.java io/sentry/android/core/internal/util/RootChecker.java
7	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	com/pusher/pushnotifications/api/PushNotificationsAPI.java com/pusher/pushnotifications/reporting/api/ReportingAPI.java io/grpc/util/AdvancedTlsX509TrustManager.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
8	The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks.	high	CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	com/it_nomads/fluttersecurestorage/ciphers/StorageCipher18Implementation.java
9	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/mr/flutter/plugin/filepicker/FileUtils.java xyz/luan/audioplayers/source/UrlSource.java
10	This App may request root (Super User) privileges.	warning	CWE: CWE-250: Execution with Unnecessary Privileges OWASP MASVS: MSTG-RESILIENCE-1	io/sentry/android/core/internal/util/RootChecker.java
11	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/datadog/android/rum/internal/net/RumRequestFactory.java io/sentry/util/StringUtils.java
12	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	io/sentry/SpotlightIntegration.java
13	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/pusher/pushnotifications/internal/ServerSyncProcessHandler.java
14	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	com/lyft/kronos/AndroidClockFactory.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00208	Capture the contents of the device screen	collection screen	com/cloudwebtrc/webtrc/OrientationAwareScreenCapturer.java org/webtrc/ScreenCapturerAndroid.java

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	com/cloudwebtrc/webtrc/record/MediaRecorderImpl.java com/datalog/android/core/internal/persistence/BatchId.java com/datalog/android/ndk/internal/DatalogNdkCrashHandler.java com/datalog/android/ndk/internal/NdkCrashReportsFeature.java com/getkeepsafe/relinker/ReLinkerInstance.java com/mr/flutter/plugin/filepicker/FileUtils.java io/flutter/embedding/engine/deferredcomponents/PlayStoreDeferredComponentManager.java io/flutter/embedding/engine/loader/FlutterLoader.java io/flutter/plugins/pathprovider/PathProviderPlugin.java io/sentry/DirectoryProcessor.java io/sentry/EnvelopeSender.java io/sentry/OutboxSender.java io/sentry/PreviousSessionFinalizer.java io/sentry/SentryOptions.java io/sentry/android/core/AndroidOptionsInitializer.java io/sentry/android/core/DeviceInfoUtil.java io/sentry/android/core/cache/AndroidEnvelopeCache.java io/sentry/android/replay/ReplayCache.java io/sentry/android/replay/capture/BufferCaptureStrategy.java io/sentry/cache/CacheStrategy.java io/sentry/cache/CacheUtils.java io/sentry/cache/EnvelopeCache.java io/sentry/instrumentation/file/FileIOSpanManager.java xyz/luan/audioplayers/source/UrlSource.java
00013	Read file and put it into a stream	file	com/beust/klaxon/Parser.java com/datalog/android/core/internal/persistence/file/batch/PlainBatchFileReaderWriter.java com/getkeepsafe/relinker/elf/ElfParser.java com/mr/flutter/plugin/filepicker/FileUtils.java io/grpc/TlsChannelCredentials.java io/grpc/TlsServerCredentials.java io/grpc/util/AdvancedTlsX509KeyManager.java io/grpc/util/AdvancedTlsX509TrustManager.java io/sentry/EnvelopeSender.java io/sentry/OutboxSender.java io/sentry/PreviousSessionFinalizer.java io/sentry/android/core/SentryPerformanceProvider.java io/sentry/android/replay/ReplayCache.java io/sentry/cache/CacheStrategy.java io/sentry/cache/CacheUtils.java io/sentry/cache/EnvelopeCache.java io/sentry/config/FileSystemPropertiesLoader.java io/sentry/instrumentation/file/FileInputStreamInitData.java io/sentry/instrumentation/file/SentryFileInputStream.java io/sentry/util/FileUtils.java okio/OkioJvmOkioKt.java

RULE ID	BEHAVIOUR	LABEL	FILES
00012	Read data and put it into a buffer stream	file	com/datadog/android/core/internal/persistence/file/batch/PlainBatchFileReaderWriter.java com/mr/flutter/plugin/filepicker/FileUtils.java io/sentry/EnvelopeSender.java io/sentry/OutboxSender.java io/sentry/cache/CacheStrategy.java io/sentry/cache/EnvelopeCache.java io/sentry/config/FilesystemPropertiesLoader.java io/sentry/util/FileUtils.java
00063	Implicit intent(view a web page, make a phone call, etc.)	control	com/baseflow/geolocator/Utils/Utils.java com/baseflow/permissionhandler/AppSettingsManager.java com/baseflow/permissionhandler/PermissionManager.java com/baseflow/permissionhandler/ServiceManager.java com/mr/flutter/plugin/filepicker/FileUtils.java com/saltosystems/intercom/indoor/NotificationHelper.java io/crossingthestreams/flutterappauth/FlutterAppauthPlugin.java io/flutter/plugins/urllauncher/UrlLauncher.java net/openid/appauth/AuthorizationException.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	com/baseflow/geolocator/Utils/Utils.java com/baseflow/permissionhandler/AppSettingsManager.java com/baseflow/permissionhandler/PermissionManager.java com/baseflow/permissionhandler/ServiceManager.java io/flutter/plugins/urllauncher/UrlLauncher.java
00036	Get resource file from res/raw directory	reflection	com/baseflow/geolocator/Utils/Utils.java com/baseflow/permissionhandler/AppSettingsManager.java com/baseflow/permissionhandler/PermissionManager.java com/saltosystems/intercom/indoor/NotificationHelper.java io/flutter/plugins/urllauncher/UrlLauncher.java
00091	Retrieve data from broadcast	collection	com/datadog/android/rum/_RumInternalProxy.java com/saltosystems/intercom/indoor/IntercomConnectionService.java net/openid/appauth/AuthorizationManagementActivity.java
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	com/raincal/blurhash/BlurhashPlugin.java
00192	Get messages in the SMS inbox	sms	com/mr/flutter/plugin/filepicker/FileUtils.java
00121	Create a directory	file command	com/mr/flutter/plugin/filepicker/FileUtils.java
00125	Check if the given file path exist	file	com/mr/flutter/plugin/filepicker/FileUtils.java io/flutter/embedding/engine/loader/FlutterLoader.java
00104	Check if the given path is directory	file	com/mr/flutter/plugin/filepicker/FileUtils.java io/flutter/embedding/engine/deferredcomponents/PlayStoreDeferredComponentManager.java

RULE ID	BEHAVIOUR	LABEL	FILES
00183	Get current camera parameters and change the setting.	camera	com/cloudwebrtc/webrtc/video/camera/CameraUtils.java org/webrtc/Camera1Session.java
00163	Create new Socket and connecting to it	socket	io/grpc/android/UdsSocket.java io/grpc/android/UdsSocketFactory.java
00123	Save the response to JSON after connecting to the remote server	network command	net/openid/appauth/AuthorizationServiceConfiguration.java
00209	Get pixels from the latest rendered image	collection	io/flutter/embedding/android/FlutterImageView.java
00210	Copy pixels from the latest rendered image into a Bitmap	collection	io/flutter/embedding/android/FlutterImageView.java
00028	Read file from assets directory	file	io/flutter/embedding/engine/loader/ResourceExtractor.java io/livekit/audio/krisp/core/KrispAudioProcessorCore.java
00161	Perform accessibility service action on accessibility node info	accessibility service	io/flutter/view/AccessibilityBridge.java io/flutter/view/AccessibilityViewEmbedder.java
00202	Make a phone call	control	com/baseflow/permissionhandler/ServiceManager.java
00203	Put a phone number into an intent	control	com/baseflow/permissionhandler/ServiceManager.java
00173	Get bounds in screen of an AccessibilityNodeInfo and perform action	accessibility service	io/flutter/view/AccessibilityViewEmbedder.java
00096	Connect to a URL and set request method	command network	io/sentry/transport/HttpConnection.java net/openid/appauth/AuthorizationService.java
00089	Connect to a URL and receive input stream from the server	command network	io/sentry/transport/HttpConnection.java net/openid/appauth/AuthorizationService.java
00109	Connect to a URL and get the response code	network command	io/sentry/transport/HttpConnection.java net/openid/appauth/AuthorizationService.java
00056	Modify voice volume	control	org/webrtc/audio/WebRtcAudioTrack.java
00102	Set the phone speaker on	command	xyz/luan/audioplayers/AudioplayersPlugin.java
00162	Create InetAddress object and connecting to it	socket	io/grpc/android/UdsSocketFactory.java
00030	Connect to the remote server through the given URL	network	io/sentry/transport/HttpConnection.java

🚩: ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	12/25	android.permission.INTERNET, android.permission.READ_PHONE_STATE, android.permission.VIBRATE, android.permission.WAKE_LOCK, android.permission.CAMERA, android.permission.RECORD_AUDIO, android.permission.ACCESS_NETWORK_STATE, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.ACCESS_FINE_LOCATION, android.permission.ACCESS_COARSE_LOCATION, android.permission.SYSTEM_ALERT_WINDOW, android.permission.ACCESS_WIFI_STATE
Other Common Permissions	9/44	android.permission.CHANGE_NETWORK_STATE, android.permission.MODIFY_AUDIO_SETTINGS, android.permission.BLUETOOTH, android.permission.BLUETOOTH_ADMIN, android.permission.ACCESS_NOTIFICATION_POLICY, android.permission.REQUEST_IGNORE_BATTERY_OPTIMIZATIONS, android.permission.CALL_PHONE, android.permission.FOREGROUND_SERVICE, com.google.android.c2dm.permission.RECEIVE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

🔍 DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
docs.sentry.io	ok	IP: 66.33.60.66 Country: Canada Region: Ontario City: Etobicoke Latitude: 43.623768 Longitude: -79.559723 View: Google Map
issuetracker.google.com	ok	IP: 142.251.215.14 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
github.com	ok	IP: 140.82.112.3 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
10.0.2.2	ok	IP: 10.0.2.2 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
www.slf4j.org	ok	IP: 159.100.250.151 Country: Switzerland Region: Vaud City: Lausanne Latitude: 46.515999 Longitude: 6.632820 View: Google Map
developer.android.com	ok	IP: 172.217.165.206 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
docs.flutter.dev	ok	IP: 199.36.158.100 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

EMAILS

EMAIL	FILE
your.email@example.org	io/sentry/SentryFeedbackOptions.java

EMAIL	FILE
support@pusher.com	com/pusher/pushnotifications/internal/ServerSyncProcessHandler.java

TRACKERS

TRACKER	CATEGORIES	URL
Sentry	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/447

HARDCODED SECRETS

POSSIBLE SECRETS
051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00
115792089210356248762697446949407573529996955224135760342422259061068512044369
115792089210356248762697446949407573530086143415290314195533631308867097853951
11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afb17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a
23456789abcdefghijklmnopqrstuvwxyz
258EAFa5-E914-47DA-95CA-C5AB0DC85B11
3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f
39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643
39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319
4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5
5181942b9ebc31ce68dacb56c16fd79f
5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b
6864797660130609714981900799081393217269435300143305409394463459185543183397655394245057746333217197532963996371363321113864768612440380340372808892707005449

POSSIBLE SECRETS
6864797660130609714981900799081393217269435300143305409394463459185543183397656052122559640661454554977296311391480858037121987999716643812574028291115057151
6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296
7fmduHKTdHHrIMvdlEqAIIISfii1tl35bxj1OXN5Ve8c4IU6URVu4xtSHc3BVZxS6WWJnxMDhIfQN0N0K2NDJg==
aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7
ABi2ftb8vkzj7SJ8aD5jc4xjFTDFntdkMrYXL3itsvqY1Qlw
ae2044fb577e65ee8bb576ca48a2f06e
b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef
bb392ec0-8d4d-11e0-a896-0002a5d5c51b
c06c8400-8e06-11e0-9cb6-0002a5d5c51b
c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66
dZozdop5rgKNxjbrQAd5nntAGpgh9w84O1Xgg==
f4967efc183c371ff984632f8909ba022ee275cd
VGhpcyBpcyB0aGUga2V5IGZvciBhIHNIY3VyZSBzdG9yYWdlIEFFUyBLZXkk
VGhpcyBpcyB0aGUga2V5IGZvciBhIHNIY3XyZZBzdG9yYWdlIEFFUyBLZXkk
VGhpcyBpcyB0aGUgcHJlZml4IGZvciBCaWdlbnRlZ2Vy
VGhpcyBpcyB0aGUgcHJlZml4IGZvciBhIHNIY3VyZSBzdG9yYWdlCg

PLAYSTORE INFORMATION

Title: XS4 Com

Score: None **Installs:** 1,000+ **Price:** 0 **Android Version Support:** **Category:** Business **Play Store URL:** [com.salto&hl=en](https://play.google.com/store/apps/details?id=com.salto&hl=en)

Developer Details: Salto Cloudworks B.V., Salto+Cloudworks+B.V., None, <https://salto.com/>, mobile@my-clay.com,

Release Date: Oct 30, 2023 **Privacy Policy:** [Privacy link](#)

Description:

XS4 Com is a smart intercom solution for your building, powered by SALTO Systems. With the XS4 Com Mobile App, you can seamlessly manage access to your building with secure, two-way HD video calls.. Instantly grant visitors remote access with just a tap—whether you're at home, at work or on the go. What can you do with the XS4 Com App? - Instant Video Calls: See who's at your door before letting them in with secure, high-definition video calls. - Remote Access:

Grant access to visitors from anywhere, at any time. - Flexible Communication: Easily switch between video or voice-only calls. - Stay in Control: Set up your profile and manage notifications easily. Security, simplicity, and control—everything you need in an intercom app.

☰ SCAN LOGS

Timestamp	Event	Error
2026-08-12 19:32:22	Generating Hashes	OK
2026-08-12 19:32:22	Extracting APK	OK
2026-08-12 19:32:22	Unzipping	OK
2026-08-12 19:32:22	Parsing APK with androguard	OK
2026-08-12 19:32:22	Extracting APK features using aapt/aapt2	OK
2026-08-12 19:32:22	Getting Hardcoded Certificates/Keystores	OK
2026-08-12 19:32:24	Parsing AndroidManifest.xml	OK
2026-08-12 19:32:24	Extracting Manifest Data	OK
2026-08-12 19:32:24	Manifest Analysis Started	OK
2026-08-12 19:32:24	Performing Static Analysis on: XS4 Com (com.saltosystems.intercom.indoor)	OK
2026-08-12 19:32:24	Fetching Details from Play Store: com.saltosystems.intercom.indoor	OK
2026-08-12 19:32:24	Checking for Malware Permissions	OK

2026-08-12 19:32:24	Fetching icon path	OK
2026-08-12 19:32:24	Library Binary Analysis Started	OK
2026-08-12 19:32:24	Reading Code Signing Certificate	OK
2026-08-12 19:32:25	Running APKiD 3.1.0	OK
2026-08-12 19:32:30	Detecting Trackers	OK
2026-08-12 19:32:33	Decompiling APK to Java with JADX	OK
2026-08-12 19:32:56	Converting DEX to Smali	OK
2026-08-12 19:32:56	Code Analysis Started on - java_source	OK
2026-08-12 19:32:58	Android SBOM Analysis Completed	OK
2026-08-12 19:33:05	Android SAST Completed	OK
2026-08-12 19:33:06	Android API Analysis Started	OK
2026-08-12 19:33:07	Android API Analysis Completed	OK
2026-08-12 19:33:07	Android Permission Mapping Started	OK
2026-08-12 19:33:17	Android Permission Mapping Completed	OK
2026-08-12 19:33:18	Android Behaviour Analysis Started	OK

2026-08-12 19:33:22	Android Behaviour Analysis Completed	OK
2026-08-12 19:33:22	Extracting Emails and URLs from Source Code	OK
2026-08-12 19:33:26	Email and URL Extraction Completed	OK
2026-08-12 19:33:26	Extracting String data from APK	OK
2026-08-12 19:33:26	Extracting String data from Code	OK
2026-08-12 19:33:26	Extracting String values and entropies from Code	OK
2026-08-12 19:33:31	Performing Malware check on extracted domains	OK
2026-08-12 19:33:32	Saving to Database	OK

Report Generated by - MobSF v4.5.2

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).