

SGLT2

- SGLT2i CKD
SGLT2i CKD

PubMed 2026 RCT PICO CKD SGLT2i
≥12 RCT

579 560 / 1 RCT Miyamoto
2024 n=98 eGFR ≥50% eGFR
4.4 mL/min/1.73 m² 95% 1.6-7.3 UACR -30.8% 95% -42.6 -16.8

RCT SGLT2i CKD SGLT2i
RCT

CKD CKD
CKD
- 2 SGLT2 4
5

SGLT2 RCT 15 2
SGLT2 15 DAPA-HF EMPEROR-Reduced
6 meta 2 SGLT2
7 SGLT2 CKD 24

2 CKD CKD e
GFR SGLT2 PICO
meta 2 CKD 5 7 9
32 RCT

SGLT2 CKD
RCT
4 32

SGLT2 CKD eGFR
≥50% ESKD eGFR<15 mL/min/1.73 m²
2

■ ■

■ ■ ■ ■ ■ SGLT2 ■ ■ ■ ■ ■ CKD ■ ■ ■ ■ ■
■ ■ ■ ■ ■ 579 ■ ■ ■ ■ ■ 560 ■ ■ ■ ■ ■ 1
■ ■ ■ ■ ■ CKD
■ ■ ■ ■ ■ CANPIONE 2024 ■ ■ ■ ■ ■ 2 ■ ■ ■ ■ ■
eGFR ■ ■ ■ ■ UACR ■ ■ ■ ■ ■ eGFR≥45 ml/min/1.73 m²
■ ■ ■ ■ ■ 1 ■ ■ ■ ■ ■ eGFR
■ ■ ■ ≥50% ■ ■ ■ ■ ■

■ ■ ■ ■ ■ DAPA-CKD ■ EMPA-KIDNEY ■ ■ ■ ■ ■ SGLT2 ■ ■ ■ ■ ■ CKD
■ ■ ■ ■ ■ eGFR ■ ■ ■ ■ ■ 2
■ ■ ■ ■ ■ 24 ■ ■ ■ ■ ■ CKD ■ eGFR<60 ml/min/1.73 m² ■ UACR≥30
mg/g ■ ■ ■ ■ ■ SGLT2
■ ■ ■ ■ ■ CKD
■ ■ ■ ■ ■ SGLT2 ■ ■ ■ ■ ■ CKD
■ ■ ■ ■ ■ RCT ■ ■ ■ ■ ■

■ ■ ■ ■ ■ SGLT2 ■ ■ ■ ■ ■ eGFR
■ ■ ■ ■ ■ 32 ■ ■ ■ ■ ■ CANPIONE 2024 ■ ■ ■ ■ ■ eGFR
■ ■ ■ ■ ■
■ ■ ■ ■ ■ SGLT2 ■ ■ ■ ■ ■

■ ■ ■ ■ ■ GRADE ■ ■ ■ ■ ■ PICO ■ ■ ■ ■ ■
RCT ■ ■ ■ ■ ■ 32 ■ ■ ■ ■ ■ CANPIONE 2024 ■ ■ ■ ■ ■
■ ■ ■ ■ ■
■ ■ ■ ■ ■ 30-32 ■ ■ ■ ■ ■

■ ■ ■ ■ ■ 4-6 ■ ■ ■ ■ ■ PRISMA 2020 ■ ■ ■ ■ ■ curated literature index ■ PubMed ■ OpenAlex ■
ClinicalTrials.gov ■ ■ ■ ■ ■ CKD ■ ■ ■ ■ ■ SGLT2
■ ■ ■ ■ ■ PICO ■ ■ ■ ■ ■ 12 ■ ■ ■ ■ ■ RCT ■ ■ ■ ■ ■ 32 ■ ■ ■ ■ ■
■ ■ ■ ■ ■ “■ ■ ■ ■ ■” ■ ■ ■ ■ ■

■ ■ ■ ■ ■ RCT ■ ■ ■ ■ ■ 32 ■ ■ ■ ■ ■ RCT
■ ■ ■ ■ ■ 1
■ ■ ■ ■ ■ 2026 ■ ■ ■ ■ ■
■ ■ ■ ■ ■ 32 ■ ■ ■ ■ ■

■ ■ ■ ■ ■ CKD ■ ■ ■ ■ ■ SGLT2
■ ■ ■ ■ ■ RCT
■ ■ ■ ■ ■ 2 ■ 3 ■ 5 ■ 6 ■ ■ ■ ■ ■ CKD ■ ■ ■ ■ ■ SGLT2
■ ■ ■ ■ ■ 1 ■ ■ ■ ■ ■ eGFR
■ ■ ■ ■ ■

■ ■ ■ ■ ■ CKD ■ eGFR ■ ■ ■ ■ ■
RCT ■ ■ ■ ■ ■ 2
■ ■ ■ ■ ■ eGFR
■ ■ ■ ■ ■ 1 ■ 17 ■ ■ ■ ■ ■ RCT
■ ■ ■ ■ ■ 2 ■ ■ ■ ■ ■

curated literature index PubMed OpenAlex ClinicalTrials.gov PRISMA 2020
 RCT CANPIONE 2024 N=98 2
 eGFR / UACR
 SGLT2
 CKD SGLT2
 1 17


■■■ S1■■■■■

GRADE

■ ■ / ■ ■	■ ■ #	■ ■ ■ ■	■ ■ ■ ■
■ ■			
■ ■	1	■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■
■ ■			
■ ■	2	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■
■ ■			
■ ■ ■ ■	3	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■
■ ■ ■ ■	4	■ ■ ■ ■ ■ ■ ■ PICO ■ ■ ■ ■ ■ ■	■ ■
■ ■			
■ ■ ■ ■ ■ ■ ■	5	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■
■ ■ ■ ■	6	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■
■ ■ ■ ■	7	■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■
■ ■ ■ ■	8	■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■
■ ■ ■ ■	9	■ ■ ■ ■ ■ ■ ■ ■ ■	■ ■



PRISMA 2020 文献筛选流程图



1. PRISMA

1. PRISMA



1. PRISMA 2020



CRediT CRediT taxonomy



- 1■ Miyamoto Satoshi, Heerspink Hiddo J L, de Zeeuw Kota, Yoshida Michihiro, Toyoda Masao, et al.. A randomized, open-label, clinical trial examined the effects of canagliflozin on albuminuria and eGFR decline using an individual pre-intervention eGFR slope.. *Kidney international*. 2024;106(5):972-984. doi: 10.1016/j.kint.2024.08.019
- 2■ Virani Salim S, Newby L Kristin, Arnold Suzanne V, Bittner Vera, Brewer LaPrincess C, Demeter Susan Halli, et al.. 2023 AHA/ACC/ACCP/ASPC/NLA/PCNA Guideline for the Management of Patients With Chronic Coronary Disease: A Report of the American Heart Association/American College of Cardiology Joint Committee on Clinical Practice Guidelines.. *Circulation*. 2023;148(9):e9-e119. doi: 10.1161/CIR.0000000000001168
- 3■ Campbell Patricia, Rutten Frans H, Lee Matthew My, Hawkins Nathaniel M, Petrie Mark C. Heart failure with preserved ejection fraction: everything the clinician needs to know.. *Lancet (London, England)*. 2024;403(10431):1083-1092. doi: 10.1016/S0140-6736(23)02756-3
- 4■ Berg David D, Patel Siddharth M, Haller Paul M, Cange Abby L, Palazzolo Michael G, Bellavia Andrea, et al.. Dapagliflozin in Patients Hospitalized for Heart Failure: Primary Results of the DAPA ACT HF-TIMI 68 Randomized Clinical Trial and Meta-Analysis of Sodium-Glucose Cotransporter-2 Inhibitors in Patients Hospitalized for Heart Failure.. *Circulation*. 2025;152(20):1411-1422. doi: 10.1161/CIRCULATIONAHA.125.076575
- 5■ Aldafas Rami, Crabtree Tomas, Alkharaiji Mohammed, Vinogradova Yana, Idris Iskandar. Sodium-glucose cotransporter-2 inhibitors (SGLT2) in frail or older people with type 2 diabetes and heart failure: a systematic review and meta-analysis.. *Age and ageing*. 2024;53(1):afad254. doi: 10.1093/ageing/afad254
- 6■ Zannad Faiez, Ferreira João Pedro, Pocock Stuart J, Anker Stefan D, Butler Javed, Filippatos Gerasimos, et al.. SGLT2 inhibitors in patients with heart failure with reduced ejection fraction: a meta-analysis of the EMPEROR-Reduced

and DAPA-HF trials.. *Lancet* (London, England). 2020;396(10254):819-829. doi: 10.1016/S0140-6736(20)31824-9

■7■ Palmer Suetonia C, Tendal Britta, Mustafa Reem A, Vandvik Per Olav, Li Sheyu, Hao Qiukui, et al.. Sodium-glucose cotransporter protein-2 (SGLT-2) inhibitors and glucagon-like peptide-1 (GLP-1) receptor agonists for type 2 diabetes: systematic review and network meta-analysis of randomised controlled trials.. *BMJ* (Clinical research ed.). 2021;372:m4573. doi: 10.1136/bmj.m4573

■8■ Tomasoni Daniela, Adamo Marianna, Lombardi Carlo Mario, Metra Marco. Highlights in heart failure.. *ESC heart failure*. 2019;6(6):1105-1127. doi: 10.1002/ehf2.12555

■9■ Tsapas Apostolos, Avgerinos Ioannis, Karagiannis Thomas, Malandris Konstantinos, Manolopoulos Apostolos, Andreadis Panagiotis, et al.. Comparative Effectiveness of Glucose-Lowering Drugs for Type 2 Diabetes: A Systematic Review and Network Meta-analysis.. *Annals of internal medicine*. 2020;173(4):278-286. doi: 10.7326/M20-0864

■10■ Neuen Brendon L, Fletcher Robert A, Heath Lauren, Perkovic Adam, Vaduganathan Muthiah, Badve Sunil V, et al.. Cardiovascular, Kidney, and Safety Outcomes With GLP-1 Receptor Agonists Alone and in Combination With SGLT2 Inhibitors in Type 2 Diabetes: A Systematic Review and Meta-Analysis.. *Circulation*. 2024;150(22):1781-1790. doi: 10.1161/CIRCULATIONAHA.124.071689

■11■ Lava Sebastiano A G, Laurence Craig, Di Deo Alessandro, Sekarski Nicole, Burch Michael, Della Pasqua Oscar. Dapagliflozin and Empagliflozin in Paediatric Indications: A Systematic Review.. *Paediatric drugs*. 2024;26(3):229-243. doi: 10.1007/s40272-024-00623-z

■12■ Park Jin Joo. Epidemiology, Pathophysiology, Diagnosis and Treatment of Heart Failure in Diabetes.. *Diabetes & metabolism journal*. 2021;45(2):146-157. doi: 10.4093/dmj.2020.0282

■13■ Shin HoJin, Paik Julie M, Everett Brendan M, DiCesare Elyse, Alix Caroline, Glynn Robert J, et al.. Comparative Effectiveness of Individual Sodium-Glucose Cotransporter 2 Inhibitors.. *JAMA internal medicine*. 2025;185(3):302-313. doi: 10.1001/jamainternmed.2024.7357

■14■ Jhund Pardeep S, Kondo Toru, Butt Jawad H, Docherty Kieran F, Claggett Brian L, Desai Akshay S, et al.. Dapagliflozin across the range of ejection fraction in patients with heart failure: a patient-level, pooled meta-analysis of DAPA-HF and DELIVER.. *Nature medicine*. 2022;28(9):1956-1964. doi: 10.1038/s41591-022-01971-4

■15■ Toyama Tadashi, Neuen Brendon L, Jun Min, Ohkuma Toshiaki, Neal Bruce, Jardine Meg J, et al.. Effect of SGLT2 inhibitors on cardiovascular, renal and safety outcomes in patients with type 2 diabetes mellitus and chronic kidney disease: A systematic review and meta-analysis.. *Diabetes, obesity & metabolism*. 2019;21(5):1237-1250. doi: 10.1111/dom.13648

■16■ Qaseem Amir, Obley Adam J, Shamliyan Tatyana, Hicks Lauri A, Harrod Curtis S, Crandall Carolyn J, et al.. Newer Pharmacologic Treatments in Adults With Type 2 Diabetes: A Clinical Guideline From the American College of Physicians.. *Annals of internal medicine*. 2024;177(5):658-666. doi: 10.7326/M23-2788

■17■ Usman Muhammad Shariq, Siddiqi Tariq Jamal, Anker Stefan D, Bakris George L, Bhatt Deepak L, Filippatos Gerasimos, et al.. Effect of SGLT2 Inhibitors on Cardiovascular Outcomes Across Various Patient Populations.. *Journal of the American College of Cardiology*. 2023;81(25):2377-2387. doi: 10.1016/j.jacc.2023.04.034

■18■ Drake Tyler, Landsteiner Adrienne, Langsetmo Lisa, MacDonald Roderick, Anthony Maylen, Kalinowski Caleb, et al.. Newer Pharmacologic Treatments in Adults With Type 2 Diabetes: A Systematic Review and Network Meta-analysis for the American College of Physicians.. *Annals of internal medicine*. 2024;177(5):618-632. doi: 10.7326/M23-1490

- 19■ Usman Muhammad Shariq, Bhatt Deepak L, Hameed Ishaque, Anker Stefan D, Cheng Alice Y Y, Hernandez Adrian F, et al.. Effect of SGLT2 inhibitors on heart failure outcomes and cardiovascular death across the cardiometabolic disease spectrum: a systematic review and meta-analysis.. *The lancet. Diabetes & endocrinology*. 2024;12(7):447-461. doi: 10.1016/S2213-8587(24)00102-5
- 20■ Banerjee Mainak, Pal Rimesh, Nair Kirthana, Mukhopadhyay Satinath. SGLT2 inhibitors and cardiovascular outcomes in heart failure with mildly reduced and preserved ejection fraction: A systematic review and meta-analysis.. *Indian heart journal*. 2023;75(2):122-127. doi: 10.1016/j.ihj.2023.03.003
- 21■ Ali Ahmed E, Mazroua Muhammad Sabry, ElSaban Mariam, Najam Nadia, Kothari Aditi S, Mansoor Taha, et al.. Effect of Dapagliflozin in Patients with Heart Failure: A Systematic Review and Meta-Analysis.. *Global heart*. 2023;18(1):45. doi: 10.5334/gh.1258
- 22■ Theodorakis Nikolaos, Nikolaou Maria. Integrated Management of Cardiovascular-Renal-Hepatic-Metabolic Syndrome: Expanding Roles of SGLT2is, GLP-1RAs, and GIP/GLP-1RAs.. *Biomedicines*. 2025;13(1):135. doi: 10.3390/biomedicines13010135
- 23■ Agarwal Arnav, Mustafa Reem, Manja Veena, Agoritsas Thomas, Macdonald Helen, Li Sheyu, et al.. Cardiovascular, kidney related, and weight loss effects of therapeutics for type 2 diabetes: a living clinical practice guideline.. *BMJ (Clinical research ed.)*. 2025;390:e082071. doi: 10.1136/bmj-2024-082071
- 24■ Agarwal Arnav, Zeng Xiaoxi, Li Sheyu, Rayner Daniel, Foroutan Farid, Aertgeerts Bert, et al.. Sodium-glucose cotransporter-2 (SGLT-2) inhibitors for adults with chronic kidney disease: a clinical practice guideline.. *BMJ (Clinical research ed.)*. 2024;387:e080257. doi: 10.1136/bmj-2024-080257
- 25■ Kongmalai Tanawan, Hadnorntun Phorntida, Leelahavarong Pattara, Kongmalai Pinkawas, Srinonprasert Varalak, Chirakarnjanakorn Srisakul, et al.. Comparative cardiovascular benefits of individual SGLT2 inhibitors in type 2 diabetes and heart failure: a systematic review and network meta-analysis of randomized controlled trials.. *Frontiers in endocrinology*. 2023;14:1216160. doi: 10.3389/fendo.2023.1216160
- 26■ Marilly Elisa, Cottin Judith, Cabrera Natalia, Cornu Catherine, Boussageon Remy, Moulin Philippe, et al.. SGLT2 inhibitors in type 2 diabetes: a systematic review and meta-analysis of cardiovascular outcome trials balancing their risks and benefits.. *Diabetologia*. 2022;65(12):2000-2010. doi: 10.1007/s00125-022-05773-8
- 27■ Li Sheyu, Vandvik Per Olav, Lytvyn Lyubov, Guyatt Gordon H, Palmer Suetonia C, Rodriguez-Gutierrez René, et al.. SGLT-2 inhibitors or GLP-1 receptor agonists for adults with type 2 diabetes: a clinical practice guideline.. *BMJ (Clinical research ed.)*. 2021;373:n1091. doi: 10.1136/bmj.n1091
- 28■ Neuen Brendon L, Oshima Megumi, Agarwal Rajiv, Arnott Clare, Cherney David Z, Edwards Robert, et al.. Sodium-Glucose Cotransporter 2 Inhibitors and Risk of Hyperkalemia in People With Type 2 Diabetes: A Meta-Analysis of Individual Participant Data From Randomized, Controlled Trials.. *Circulation*. 2022;145(19):1460-1470. doi: 10.1161/CIRCULATIONAHA.121.057736
- 29■ Hamid Abdulrahman Khaldoon, Tayem AbdulJaber A'Ed, Al-Aish Sandra Thair, Al Sakini Ahmed Sermed, Hadi Dalia Dhia, Al-Aish Rami Thair. Empagliflozin and other SGLT2 inhibitors in patients with heart failure and preserved ejection fraction: a systematic review and meta-analysis.. *Therapeutic advances in cardiovascular disease*. 2024;18:17539447241289067. doi: 10.1177/17539447241289067
- 30■ Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ*. 2021;372:n71. doi: 10.1136/bmj.n71

■31■ Rethlefsen ML, Kirtley S, Waffenschmidt S, Ayala AP, Moher D, Page MJ. PRISMA-S: an extension to the PRISMA Statement for Reporting Literature Searches in Systematic Reviews. *Systematic Reviews*. 2021;10:39. doi: 10.1186/s13643-020-01542-z

■32■ Higgins JPT, Thomas J, Chandler J, Cumpston M, Li T, Page MJ. *Cochrane Handbook for Systematic Reviews of Interventions*. Cochrane. 2023. <https://training.cochrane.org/handbook>

■33■ Sterne JAC, Savovic J, Page MJ, Elbers RG, Blencowe NS, Boutron I. RoB 2: A revised Cochrane risk-of-bias tool for randomized trials. *BMJ*. 2019;366:l4898. doi: 10.1136/bmj.l4898

■34■ DerSimonian R, Laird N. Meta-analysis in clinical trials. *Controlled Clinical Trials*. 1986;7(3):177-188. doi: 10.1016/0197-2456(86)90046-2

■35■ Higgins JPT, Thompson SG, Deeks JJ, Altman DG. Measuring inconsistency in meta-analyses. *BMJ*. 2003;327(7414):557-560. doi: 10.1136/bmj.327.7414.557