

csplit(1) — Linux manual page

[NAME](#) | [SYNOPSIS](#) | [DESCRIPTION](#) | [AUTHOR](#) | [REPORTING BUGS](#) | [COPYRIGHT](#) | [SEE ALSO](#) | [COLOPHON](#)

 CSPLIT(1)

User Commands

CSPLIT(1)

NAME [top](#)

csplit – split a file into sections determined by context lines

SYNOPSIS [top](#)

csplit [*OPTION*]... *FILE PATTERN*...

DESCRIPTION [top](#)

Output pieces of FILE separated by PATTERN(s) to files 'xx00', 'xx01', ..., and output byte counts of each piece to standard output.

Read standard input if FILE is –

Mandatory arguments to long options are mandatory for short options too.

–b, --suffix-format=FORMAT
use sprintf FORMAT instead of %02d

–f, --prefix=PREFIX
use PREFIX instead of 'xx'

–k, --keep-files
do not remove output files on errors

--suppress-matched
suppress the lines matching PATTERN

–n, --digits=DIGITS
use specified number of digits instead of 2

–s, --quiet, --silent
do not print counts of output file sizes

–z, --elide-empty-files
suppress empty output files

--help display this help and exit

--version
output version information and exit

Each PATTERN may be:

INTEGER
copy up to but not including specified line number

/REGEXP/[OFFSET]
copy up to but not including a matching line

%REGEXP%[OFFSET]
skip to, but not including a matching line

{INTEGER}
repeat the previous pattern specified number of times

{*}
repeat the previous pattern as many times as possible

A line OFFSET is an integer optionally preceded by '+' or '-'

AUTHOR [top](#)

Written by Stuart Kemp and David MacKenzie.

REPORTING BUGS [top](#)

Report bugs to: bug-coreutils@gnu.org
GNU coreutils home page: <<https://www.gnu.org/software/coreutils/>>
General help using GNU software: <<https://www.gnu.org/gethelp/>>
Report any translation bugs to
<<https://translationproject.org/team/>>

COPYRIGHT [top](#)

Copyright © 2026 Free Software Foundation, Inc. License GPLv3+:
GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law.

SEE ALSO [top](#)

Full documentation <<https://www.gnu.org/software/coreutils/csplit>>
or available locally via: `info '(coreutils) csplit invocation'`

COLOPHON [top](#)

This page is part of the *coreutils* (basic file, shell and text manipulation utilities) project. Information about the project can be found at <<http://www.gnu.org/software/coreutils/>>. If you have a bug report for this manual page, see

<<http://www.gnu.org/software/coreutils/>>. This page was obtained from the tarball coreutils-9.11.tar.xz fetched from <<http://ftp.gnu.org/gnu/coreutils/>> on 2026-05-24. If you discover any rendering problems in this HTML version of the page, or you believe there is a better or more up-to-date source for the page, or you have corrections or improvements to the information in this COLOPHON (which is *not* part of the original manual page), send a mail to man-pages@man7.org

GNU coreutils 9.11

April 2026

CSPLIT(1)

HTML rendering created 2026-05-30 by [Michael Kerrisk](#), author of *The Linux Programming Interface*.

For details of in-depth **Linux/UNIX system programming training courses** that I teach, look [here](#).

Hosting by [jambit GmbH](#).

