Please check the examination det	ails below	/ before entering yo	our candidate information
Candidate surname		Othe	r names
Pearson Edexcel International Advanced Level	Centr	e Number	Candidate Number
Wednesday 6	5 M	ay 202	20
Afternoon (Time: 1 hour 20 minu	utes)	Paper Refere	nce WPH13/01
Physics Advanced Subsidiary Unit 3: Practical Skills	in Ph	ysics l	
You must have: Scientific calculator, ruler			Total Marks

Instructions

- Use **black** ink or **black** ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Show all your working in calculations and include units where appropriate.

Information

- The total mark for this paper is 50.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- The list of data, formulae and relationships is printed at the end of this booklet.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.


Turn over ▶





Answer ALL questions.

A student is investigating the effect of temperature on the viscosity of oil by measuring how fast the oil flows through a funnel. He uses the apparatus shown.




(a) (i) State a piece of apparatus the student could use to vary the temperature of the oil.

(1)

(ii) State a piece of apparatus the student could use to measure the time taken for the oil to flow through the funnel.

(1)

(b) The two thermometers shown below are available.



liquid-in-glass thermometer

digital thermometer

He chooses to use the digital thermometer.

Justify his choice.

(2)




c) (i) Identify one control variable in this investigation.	(1)
(ii) Describe how this variable can be controlled.	(1)
d) The student initially measures the time from starting to pour the oil into the funnel the last drop of oil falling from the funnel.(i) State how the rate of flow of the oil should be calculated.	to (1)
(ii) Describe how the same apparatus could be used to calculate a more accurate value for the rate of flow of the oil.	(2)
(Total for Question 1 = 9 m	arks)



A student investigated how the intensity of light emitted by a light emitting diode (LED) varied with the potential difference (p.d.) applied across the LED. She measured the intensity of the light using a lightmeter which was shielded from external light sources.

She plotted her results on a graph as shown.



(a) Add a line of best fit to the graph.

(1)

(b) (i) Give the value of the p.d. at which the LED starts to conduct.

(1)

(ii) Calculate the minimum energy that must be transferred to an electron in the LED for light to be emitted.

(2)

(c) Light is emitted when the electron releases energy as a photon.	
The student tested a second LED which emitted light of wavelength 625 nm.	
From her results she determined the minimum electron energy to be 3.1×10^{-1}	⁹ J.
Calculate the value of the Planck constant from this data.	
	(3)
The Planck constant =	
(d) The LED does not produce monochromatic light.	
Explain how this would affect the value of the Planck constant calculated.	
Explain flow this would affect the value of the Flanck constant calculated.	(3)
e) The accuracy of the value of the Planck constant calculated depends on the min determined from the graph.	nimum p.d.
Explain how the student could reduce the uncertainty in her value of the minim	num p.d. (2)
(Total for Question 2 = 1	12 marks)



3 A student investigated how the power output of a solar cell is affected by temperature. The intensity of light incident on the solar cell remained constant.


He used a square solar cell, as shown.



The student determined the power output of the solar cell at different temperatures.

(a) Complete the diagram to show a circuit that would allow him to determine the power output of the solar cell.





(b) Describe how the student could ensure that the intensity of light incident on the solar cell remained constant.





(c) State a method the student could use to increase the temperature of the solar cell.	(1)
(d) At room temperature, the student measured a potential difference of 2.74V and a current of 45 mA for the solar cell.Calculate the power output of the solar cell.	(2)
Power output =	
(e) He measured the intensity of the light incident on the solar cell to be 200 W m ⁻² . Calculate the efficiency of the solar cell at room temperature.	
dimensions of solar cell = $60 \mathrm{mm} \times 60 \mathrm{mm}$	(3)



(f) The student made measurements of the potential difference V and current I for the solar cell over a range of temperatures.

His results are recorded in the table.

Temperature/°C	V/V	I/mA
15	2.76	45.8
20	2.62	47
30	2.46	48
50	2.05	51.5

(i) Criticise these result	ts.
----------------------------	-----

(2)

(ii) Over the range of temperatures shown, the relationship between the power output of the solar cell and its temperature is linear.

Describe how the student could use a graphical method to determine the change in power output for each 1°C of temperature increase.

(3)

(Total for Question 3 = 15 marks)

(2)


4 When an object is in contact with a horizontal surface, there is a maximum frictional force *F* between the object and the surface before sliding occurs.

F is given by the equation

$$F = \mu N$$

where μ is a constant and N is the normal contact force between the object and the surface.

A student investigated this relationship for a rubber block on a concrete surface. She set up the apparatus as shown in the diagram.



(8	a)	Describe	how	the	student	can	determ	ine	F	for	the	situati	on	sho	wn
----	----	----------	-----	-----	---------	-----	--------	-----	---	-----	-----	---------	----	-----	----

(b) The student varied the mass m placed on top of the rubber block and determined corresponding values of F.

Her results are shown in the table.

<i>m</i> /g	N/N	F/N
0	2.45	1.4
200	4.41	2.5
400	6.38	4.0
600	8.34	4.6
800	10.3	5.8


(i) Explain how the values of N are calculated.

(2)



(ii)	Plot a graph of F	on the v-axis	s against N or	the r-axis	using the	orid below
(11)	I lot a graph of T	on the y -axis	s against IV Oi	$1 \text{ till } \lambda$ -axis	using the	grid below.

(5)



(c)	Determine	a	value	for	μ.
-----	-----------	---	-------	-----	----

(3)

 $\mu = \dots$



(d) A tyre manufacturer carries out similar tests on samples of the rubber used for tyres.	
Suggest why these tests are necessary.	(2)
(Total for Question 4 = 14 marks)	

TOTAL FOR PAPER = 50 MARKS