

CSS

Links and Lists



Agenda



Links and Lists



Links and Lists



Objectives

In this module, you will

- Learn how to style a link
- Set List Item markers

CSS Links

You can use CSS styles to style any link. Links can be styled in different ways by using any CSS property like color, font-family etc.

Links can be in one of the following states:

- > a: link Unvisited link
- a: visited A link that the user has visited
- a: hover A link over which the mouse pointer is moving
- a: active A link, which has been just clicked

Links can be styled according to their states.

Demo 1: CSS Links

```
<html>
<head>
<style>
a:link {color:yellow;}
a:visited {color:blue;}
a:hover {color:red;}
a:active {color:green;}
</style>
</head>
<body>
>
<a href="css16.html">Click here to open the html document css16</a>
</body>
</html>
```

Demo 2: CSS Links

You can use text-decoration property for links.

```
<html><head>
<style>
a:link {text-decoration:none;}
a:visited {text-decoration:none;}
a:hover {text-decoration:underline;color:blue;}
a:active {color:red}
</style>
</head>
<body>
>
<a href="css16.html">Click here to open the html document css16</a>
</body></html>
```

Demo 3: CSS Links

You can also use background-color property for links.

```
<html><head>
<style>
a:link {background-color:blue;}
a:visited {background-color:yellow;}
a:hover {background-color:cyan;}
a:active {background-color:red;}
</style>
</head>
<body>
<a href="css16.html">Click here to open the html document css16
 /a>
</body></html>
```

Quiz

- 1. To remove underline from a hyperlink, you will have to use the following css syntax:
 - a) a:link{text-decoration:no-underline;}
 - b) a:link{text-underline:none;}
 - c) a:link{text-decoration:none;}
 - d) a:hyperlink(text:no-underline;}
- 2. To set the color of the text for a hyperlink, when the mouse pointer moves over it, we have to use :
 - a) a:hover {background-color:cyan;}
 - b) a:mouseover {background-color:cyan;}
 - c) a:mousehover {background-color:cyan;}
 - d) a:hover {color-cyan;}

CSS List

You can use CSS list properties for

- Setting different list item markers for ordered lists
- Setting different list item markers for unordered lists
- Set an image as the list item marker

You can use the following properties to set item markers:

- list-style-type
- list-style-image

Demo: Different List Item markers for Unordered Lists

```
<html><head><style>
ul.a {list-style-type:circle;}
ul.b {list-style-type:square;}
p{text-decoration:underline;}
</style></head><body>
<h1>Courses offered :</h1>
 Category A 
Java
<li>C++</li>
SQL
 Category B 
Struts
Hibernate
Spring
</body></html>
```

Output:

Courses offered:

Category A

- o Java
- o C++
- o SQL

Category B

- Struts
- Hibernate
- Spring

Demo: Different List Item markers for Ordered Lists

```
<html><head><style>
ol.a {list-style-type:upper-roman;}
ol.b {list-style-type:lower-alpha;}
p{text-decoration:underline;}
</style></head><body>
<h1>Courses Offered :</h1>
Category A
class="a">
 Java
 <li>C++</li>
 SQL
Category B
Struts
 Hibernate
 Spring
</body></html>
```

Output:

Courses Offered:

Category A

- Java
- II. C++
- III. SQL

Category B

- a. Struts
- Hibernate
- c. Spring

Demo: Image as list Item Marker

You can also specify an image as the list item marker.

```
<html><head><style>
ul {
list-style-image:url('animal1.bmp');
p {text-decoration:underline;}
</style></head><body>
<h1>Animals :</h1>
 Domestic 
ul>
Dog
Cat
Cow
 Wild 
ul>
Tiger
Lion
Leopard
</body></html>
```

Output : Animals :

<u>Domestic</u>







Wild





Leopard

Quiz

 State whether the following statement is TRUE or FALSE

Using CSS, you can set an image as a list item marker

- 2. To set an ordered list with the type of list item marker as Upper Case Roman Letter, we have to define the style as follows:
 - a) ol.a{list-type:upper-roman;}
 - b) ol.a{list-type:UPPER_ROMAN;}
 - c) ol.a{list-style-type:roman_upper;}
 - d) ol.a {list-style-type:upper-roman;}

Summary

In this module, you were able to:

- Learn how to style a link
- Set List Item markers



Thank You

