

## Task 6:

Host 3 more web sites in your newly created instance & access the web site.

Site1.Sappio1.tk  
Site2.Sappio1.tk

### 1) Adding IP to DNS settings

The screenshot shows a web browser window with the URL <https://my.freenom.com/clientarea.php?managedns=sappio1.tk&domainid=1112429224>. The page title is "DNS MANAGEMENT for sappio1.tk". Below the title is a button labeled "Back to domain details". The main section is titled "Modify Records" and contains a table with the following data:

Name	Type	TTL	Target	
	A	300	18.191.58.82	Delete
WWW	A	300	18.191.58.82	Delete
SITE1	CNAME	3600	sappio1.tk	Delete

At the bottom right of the table area is a button labeled "Save Changes". Below the table is a section titled "Add Records". The Windows taskbar at the bottom shows the time as 03:59 PM on 04-Apr-21.

Instant: f Clie x G mariad Client L How To Use PH Installi Table v G databa How to: mysql How to: Show I G mysql +

← → ↻ https://my.freedom.com/clientarea.php?managedns=sappio2.tk&domainid=1112623676 ☆ 👤 ⋮

Apps Gmail YouTube Maps Red Hat Exam Sche... MILMA VMware vs. VirtualB... Dual Boot Windows... networking - No int... Instances | EC2 Ma... » Reading list

**freedom**  
A Name for Everyone

Services ▾ Partners ▾ About Freedom ▾ Support ▾ Hello Vishnu ▾ English ▾

DNS MANAGEMENT for sappio2.tk

« Back to domain details

Modify Records


Name	Type	TTL	Target	
	A	300	18.191.58.82	Delete
WWW	A	300	18.191.58.82	Delete
SITE2	CNAME	3600	sappio2.tk	Delete

Save Changes

Search the web and Windows

04:00 PM  
04-Apr-21

## 2) Adding to configuration



The screenshot shows the MobaXterm application window with a terminal session. The terminal displays the configuration for two virtual hosts. The first virtual host is for sappio1.tk, and the second is for sappio2.tk. The configuration includes servername, ServerAlias, documentroot, ErrorLog, and CustomLog directives, as well as a <Directory> block for each site.

```
~Virtualhost *:80>
servername sappio1.tk
ServerAlias site1.sappio1.tk
documentroot /var/www/html/site1
ErrorLog /var/www/html/site1/error.log
CustomLog /var/www/html/site1/access.log combined
</Virtualhost>

<Directory /var/www/html/site1>
require all granted
</Directory>

~Virtualhost *:80>
servername sappio2.tk
ServerAlias site2.sappio2.tk
documentroot /var/www/html/site2
ErrorLog /var/www/html/site2/error.log
CustomLog /var/www/html/site2/access.log combined
</Virtualhost>

<Directory /var/www/html2>
require all granted
</Directory>
```

The MobaXterm interface includes a menu bar (Terminal, Sessions, View, X server, Tools, Games, Settings, Macros, Help), a toolbar, a left sidebar with a file explorer showing the home directory structure, and a bottom status bar indicating the version (UNREGISTERED VERSION) and system time (11:41 AM, 04-Apr-21).

### 3) Accessing the webserver

