Add Customer: First Name validation (numbers)

Priority	Behavior	Type	Layer
o Medium	Negative	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Fill First name field with invalid data
Input data	123
Expected result	Data displayed in field and info message Numbers are not allowed is appeared

Add Customer: First Name validation (empty value)

Priority	Behavior	Type	Layer
○ Medium	Negative	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
Last name: Romanova
E-mail: test@mail.ru
Adress: Kaliningrad
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Click on First Name field
Input data	
Expected result	Field colors with blue frame

Step	2
Action	Let First Name field empty and click any place on page
Input data	
Expected result	Under field info message First Name must not be blank appears

Step	3
Action	Click submit button
Input data	
Expected result	Info message First Name must not be blank appears

Add Customer: Last Name validation (special characters)

Priority	Behavior	Type	Layer
○ Medium	Negative	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Fill Last name field with invalid data (special characters)
Input data	$%
Expected result	Data displayed in Last name field and info message Special characters are not allowed was appeared

Add Customer: Last Name validation (cyrillic letters)

Priority	Behavior	Type	Layer
○ Medium	Negative	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Fill Last name field with invalid data (cyrillic)
Input data	Петя
Expected result	Data displayed in Last name field and info message Cyrillic letters are not allowed is appeared

Add Customer: Email Adress validation (Input just numbers)

Priority	Behavior	Type	Layer
○ Medium	Negative	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Adress: Kaliningrad
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Fill Email Adress field with invalid data (Input just numbers)
Input data	123
Expected result	Data displayed in Email adress field and info message Email is not valid is appeared

Add Customer: Email Adress validation (Input just numbers, cyrillic and special characters)

Priority	Behavior	Type	Layer
o Medium	Negative	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Adress: Kaliningrad
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Fill Email Adress field with invalid data (Input just numbers, cyrillic and special characters)
Input data	аня87№
Expected result	Data displayed in Email adress field and info message Email is not valid is appeared

Add Customer: Adress validation (empty value)

Priority	Behavior	Type	Layer
↑ High	Negative	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Email Adress: test@mail.ru
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Click Adress field
Input data	
Expected result	Field colors with blue frame

Step	2
Action	Let Adress field empty and click any place on page
Input data	
Expected result	Under field info message Address Field must not be blank is appeared

Step	3
Action	Click submit button
Input data	
Expected result	Info message Address Field must not be blank appears

Add Customer: Mobile number validation (Input latin letters)

Priority	Behavior	Type	Layer
○ Medium	Negative	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Email adress: test@mail.ru
Adress: Kaliningrad

Steps to reproduce

Step	1
Action	Fill Mobile number field with invalid data (latin letters)
Input data	null seven five
Expected result	Data displayed in field and info message Latin letters are not allowed is appeared

Add Customer: Mobile number validation (Input special characters)

Priority	Behavior	Type	Layer
o Medium	Negative	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Email adress: test@mail.ru
Adress: Kaliningrad

Steps to reproduce

Step	1
Action	Fill Mobile number field with invalid data (special characters)
Input data	!@#
Expected result	Data displayed in field and info message Special characters are not allowed is appeared

Home page: Guru99 Telecom button reloads the home page

Priority	Behavior	Type	Layer
↓ Low	Not set	Functional	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open the link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Click on Guru99 Telecom button
Input data	
Expected result	The home page is reloaded

Add Customer: Mobile number validation (numbers)

Priority	Behavior	Type	Layer
↑ High	Positive	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Email adress: test@mail.ru
Adress: Kaliningrad

Steps to reproduce

Step	1
Action	Fill Mobile number field with valid data (numbers)
Input data	998977051580
Expected result	Data displayed in field and field changed color to blue, no info message is appeared

Hamburger menu closes by click X button or any empty space on page

Priority	Behavior	Type	Layer
↑ High	Not set	Functional	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open the link https://demo.guru99.com/telecom/addcustomer.php

Attachments

chrome_kROich60..

Steps to reproduce

Step	1
Action	Click Hamburger menu
Input data	
Expected result	Hamburger menu is opened

Step	2
Action	Click X button
Input data	
Expected result	Hamburger menu is closed

Step	3
Action	Click Hamburger menu
Input data	
Expected result	Hamburger menu is opened

Step	4
Action	Click any empty space on page
Input data	
Expected result	Hamburger menu is closed

Home page: Add Customer button redirects to the page with the specified action

Priority	Behavior	Type	Layer
↑ High	Not set	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open the link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Click on Add Customer button
Input data	
Expected result	The Add Customer page is opened

Home page: Add Tariff Plan button redirects to the page with the specified action

Priority	Behavior	Type	Layer
↓ Low	Not set	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open the link https://demo.guru99.com/telecom/addcustomer.php

Attachments

r09be5toqx.png

Steps to reproduce

Step	1
Action	Click Add Tariff Plan button
Input data	
Expected result	Add Tariff Plan page is opened

Home page: Add Tariff Plan to Customer button redirects to the page with the specified action

Priority	Behavior	Type	Layer
↑ High	Not set	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open the link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Click Add Tariff Plan to Customer button
Input data	
Expected result	Click Add Tariff Plan to Customer page is opened

Home page: Pay Billing button redirects to the page with the specified action

Priority	Behavior	Type	Layer
↑ High	Not set	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open the link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Click Pay Billing button
Input data	
Expected result	Pay Billing button is opened

Home page: Pay Billing button redirects to the page with the specified action

Home page: Hamburger menu contains Add Customer, Add Tariff Plan, Add Tariff Plan to Customer and Pay Billing buttons

Priority	Behavior	Type	Layer
o Medium	Not set	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open the link https://demo.guru99.com/telecom/addcustomer.php

Attachments

BvAdRtCj1M.png

Steps to reproduce

Step	1
Action	Click Hamburger menu
Input data	
Expected result	Hamburger menu contains Add Customer, Add Tariff Plan, Add Tariff Plan to Customer and Pay Billing buttons

Step	2
Action	Compare button names
Input data	
Expected result	Button names has the same as on homepage

Buttons from hamburger menu have the same names as on home page

Open the link https://demo.guru99.com/telecom/addcustomer.php

Priority	Behavior	Type	Layer
↓ Low	Not set	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open the link https://demo.guru99.com/telecom/addcustomer.php

Attachments

BvAdRtCj1M.png

Steps to reproduce

Step	1
Action	Click on hamburger menu
Input data	
Expected result	Hamburger menu with Add Customer, Add Tariff Plans, Add Tariff Plan to Customer and Pay Billing buttons is opened

Step	2
Action	Compare button names from home page and hamburger menu
Input data	
Expected result	Buttons from hamburger have the same names as on home page

Buttons from hamburger menu redirect to the page with the specified action

Priority	Behavior	Type	Layer
↑ High	Not set	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open the link https://demo.guru99.com/telecom/addcustomer.php

Attachments

mp4

Buttons from ham..

Steps to reproduce

Step	1
Action	Click Hamburger menu
Input data	
Expected result	Hamburger menu with Add Customer, Add Tariff Plans, Add Tariff Plan to Customer and Pay Billing buttons is opened

Step	2
Action	Click Add Customer button
Input data	
Expected result	Add Customer page is opened

Step	3
Action	Click Hamburger menu
Input data	
Expected result	Hamburger menu with Add Customer, Add Tariff Plans, Add Tariff Plan to Customer and Pay Billing buttons is opened

Step	4
Action	Click Add Tariff Plans button
Input data	

Expected result	Add Tariff Plans page is opened

Step	5
Action	Click Hamburger menu
Input data	
Expected result	Hamburger menu with Add Customer, Add Tariff Plans, Add Tariff Plan to Customer and Pay Billing buttons is opened

Step	6
Action	Click Add Tariff Plan to Customer button
Input data	
Expected result	Add Tariff Plan to Customer page is opened

Step	7
Action	Click Hamburger menu
Input data	
Expected result	Hamburger menu with Add Customer, Add Tariff Plans, Add Tariff Plan to Customer and Pay Billing buttons is opened

Step	8
Action	Click Pay Billing button
Input data	
Expected result	Pay Billing page is opened

Add Customer: Click Guru99 Telecom logo redirects to home page

Priority	Behavior	Type	Layer
↓ Low	Not set	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open the link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Click Guru99 Telecom logo
Input data	
Expected result	Home page is opened

Hamburger menu opened from Add Customer page has buttons and redirect to the pages with the specified action

Priority	Behavior	Type	Layer
o Medium	Not set	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open the link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Click Hamburger menu
Input data	
Expected result	Hamburger menu with Add Customer, Add Tariff Plans, Add Tariff Plan to Customer and Pay Billing buttons is opened

Step	2
Action	Click Add Customer button
Input data	
Expected result	Add Customer page is opened

Step	3
Action	Click Hamburger menu
Input data	
Expected result	Hamburger menu with Add Customer, Add Tariff Plans, Add Tariff Plan to Customer and Pay Billing buttons is opened

Step	4
Action	Click Add Tariff Plans button
Input data	
Expected result	Add Tariff Plans page is opened

Step	5

Action	Click Hamburger menu
Input data	
Expected result	Hamburger menu with Add Customer, Add Tariff Plans, Add Tariff Plan to Customer and Pay Billing buttons is opened

Step	6
Action	Click Add Tariff Plan to Customer button
Input data	
Expected result	Add Tariff Plan to Customer page is opened

Step	7
Action	Click Hamburger menu
Input data	
Expected result	Hamburger menu with Add Customer, Add Tariff Plans, Add Tariff Plan to Customer and Pay Billing buttons is opened

Step	8
Action	Click Pay Billing button
Input data	
Expected result	Pay Billing page is opened

Add customer: Background Check allows to choose Done or Pending radio buttons

Priority	Behavior	Type	Layer
↓ Low	Positive	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

https://demo.guru99.com/telecom/addcustomer.php

Attachments

mp4

chrome_dqbIt0yG..

Steps to reproduce

Step	1
Action	Click Done radio button
Input data	
Expected result	Done radio button is filled with red circle and check mark on it

Step	2
Action	Click Pending radio button
Input data	
Expected result	Pending radio button is filled with red circle and check mark on it and red circle and check mark on it disappears from done radiobutton

Add customer: Background check with no chosen radio button

Priority	Behavior	Type	Layer
↓ Low	Negative	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information
First name: Ann
Last name: Romanova
E-mail: test@mail.ru
Adress: Kaliningrad
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Leave fields blank Background check with no chosen radio button and click submit
Input data	
Expected result	pop-up window with text fill Background check appears

Add customer: All fields on billing adress must be filled to submit

Priority	Behavior	Type	Layer
o Medium	Positive	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information
First name: Ann
Last name: Romanova
E-mail: test@mail.ru
Adress: Kaliningrad
Mobile number: 998977051580

Attachments

mp4

Add customer All ...

Steps to reproduce

Step	1
Action	Click submit button
Input data	
Expected result	Access Details to Guru99 Telecom page with Customer ID numbers opened

Add customer: No filled Billing adress restricts submit

Priority	Behavior	Type	Layer
↑ High	Negative	Functional	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Attachments

mp4

Add customer No ..

Steps to reproduce

Step	1
Action	Check that all fields in billing adress are empty
Input data	
Expected result	All fields in billing adress are empty

Step	2
Action	Click on submit button
Input data	
Expected result	Pop-up window with text "please fill all fields" appears

Add Customer: First Name validation (latin letters)

Priority	Behavior	Type	Layer
↑ High	Positive	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Fill First name field with valid data
Input data	Ann
Expected result	Data displayed in field and field changed color to blue, no info message was appeared

Add Customer: First Name validation (special characters)

Priority	Behavior	Type	Layer
↓ Low	Not set	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Fill First name field with invalid data
Input data	%$#
Expected result	Data displayed in First name field and info message Special characters are not allowed was appeared

Add Customer: First Name validation (cyrillic letters)

Priority	Behavior	Type	Layer
○ Medium	Negative	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Fill First name field with invalid data
Input data	Аня
Expected result	Data displayed in field and info message Cyrillic letters are not allowed is appeared

Add Customer: First Name validation (numbers, cyrillic and special characters)

Priority	Behavior	Type	Layer
o Medium	Negative	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Fill First name field with invalid data
Input data	Аня12?
Expected result	Data displayed in First name field and info message Numbers, Cyrillic and special characters are not allowed is appeared

Add Customer: Last Name validation (latin letters)

Priority	Behavior	Type	Layer
↑ High	Not set	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Fill Last name field with valid data (latin letters)
Input data	Romanova
Expected result	Data displayed in field and field changed color to blue, no info message is appeared

Add Customer: Last Name validation (numbers)

Priority	Behavior	Type	Layer
○ Medium	Not set	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Fill Last name field with invalid data (numbers)
Input data	456
Expected result	Data displayed in Last name field and info message Numbers are not allowed is appeared

Add Customer: Last Name validation (numbers, cyrillic and special characters)

Priority	Behavior	Type	Layer
↓ Low	Not set	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Steps to reproduce

Step	1
Action	Fill First name field with invalid data (numbers, cyrillic and special characters
Input data	Петров12;%
Expected result	Data displayed in Last name field and info message Numbers, Cyrillic and special characters are not allowed is appeared

Add Customer: Last Name validation (empty value)

Priority	Behavior	Type	Layer
o Medium	Not set	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
E-mail: test@mail.ru
Adress: Kaliningrad
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Click on Last Name field
Input data	
Expected result	Field colors with blue frame

Step	2
Action	Let Last Name field empty and click any place on page
Input data	
Expected result	Under field info message Customer name must not be blank is appeared is appeared

Step	3
Action	Click submit button
Input data	
Expected result	Info message Last Name must not be blank appears

Add Customer: Email Adress validation (input email adress with @ and domain zone)

Priority	Behavior	Type	Layer
↑ High	Positive	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Adress: Kaliningrad
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Fill Email Adress field with valid data (input email adress with @ and domain zone)
Input data	test@mail.ru
Expected result	Data displayed in field and field changed color to blue, no info message was appeared

Add Customer: Email Adress validation (Input just latin letters)

Priority	Behavior	Type	Layer
o Medium	Negative	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Adress: Kaliningrad
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Fill Email Adress field with invalid data (Input just latin letters)
Input data	test
Expected result	Data displayed in Email adress field and info message Email is not valid is appeared

Add Customer: Email Adress validation (Input just special characters)

Priority	Behavior	Type	Layer
o Medium	Negative	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Adress: Kaliningrad
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Fill Email Adress field with invalid data (Input just special characters
Input data	$%
Expected result	Data displayed in Email adress field and info message Email is not valid is appeared)

Add Customer: Email Adress validation (Input just cyrillic letters)

Priority	Behavior	Type	Layer
o Medium	Not set	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Adress: Kaliningrad
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Fill Email Adress field with invalid data (Input just cyrillic letters)
Input data	аня
Expected result	Data displayed in Email adress field and info message Email is not valid is appeared

Add Customer: Email Adress validation (Empty value)

Priority	Behavior	Type	Layer
○ Medium	Negative	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Adress: Kaliningrad
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Click on Email Adress field
Input data	
Expected result	Field colors with blue frame

Step	2
Action	Let Email Adress field empty and click any place on page
Input data	
Expected result	Under field info message Email must not be blank is appeared is appeared

Step	3
Action	Click submit button
Input data	
Expected result	Info message Email must not be blank appears

Add Customer: Adress validation (Input latin letters and "dot" , "comma" special characters)

Priority	Behavior	Type	Layer
↑ High	Positive	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Email Adress: test@mail.ru
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Fill Email Adress field with valid data (Input latin letters and "dot" , "comma" special characters)
Input data	Kaliningrad, Leninsky prospekt.
Expected result	Data displayed in field and field changed color to blue, no info message was appeared

Add Customer: Adress validation (Input numbers)

Priority	Behavior	Type	Layer
↑ High	Negative	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Email Adress: test@mail.ru
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Fill Adress field with invalid data (Input numbers)
Input data	789
Expected result	Data displayed in adress field and info message Numbers are not allowed is appeared

Add Customer: Adress validation (Input special characters)

Priority	Behavior	Type	Layer
o Medium	Negative	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Email Adress: test@mail.ru
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Fill Adress field with invalid data (Input special characters)
Input data	$%
Expected result	Data displayed in adress field and info message special characters are not allowed is appeared

Add Customer: Adress validation (Input cyrillic letters)

Priority	Behavior	Type	Layer
○ Medium	Negative	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Email Adress: test@mail.ru
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Fill Adress field with invalid data (Input cyrillic letters)
Input data	Роман
Expected result	Data displayed in adress field and info message Cyrillic letters are not allowed is appeared

Add Customer: Adress validation (Input numbers, cyrillic and special characters)

Priority	Behavior	Type	Layer
o Medium	Negative	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Email Adress: test@mail.ru
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Fill Adress field with invalid data (Input numbers, cyrillic and special characters)
Input data	Калининград 12 *№
Expected result	Data displayed in adress field and info message numbers, cyrillic and special characters are not allowed is appeared

Add Customer: Adress validation (Input cyrillic and special characters)

Priority	Behavior	Type	Layer
O Medium	Negative	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Email Adress: test@mail.ru
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Fill Adress field with invalid data (cyrillic and special characters)
Input data	Калининград *№
Expected result	Data displayed in adress field and info message cyrillic and special characters are not allowed is appeared

Add Customer: Mobile number validation (Input cyrillic letters)

Priority	Behavior	Type	Layer
━ Not set	Not set	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Email adress: test@mail.ru
Adress: Kaliningrad

Steps to reproduce

Step	1
Action	Fill Mobile number field with invalid data (Input cyrillic letters)
Input data	пять семь десять
Expected result	Data displayed in field and info message Cyrillic letters are not allowed is appeared

Add Customer: Mobile number validation (numbers and special characters)

Priority	Behavior	Type	Layer
o Medium	Negative	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Email adress: test@mail.ru
Adress: Kaliningrad

Steps to reproduce

Step	1
Action	Fill Mobile number field with invalid data (numbers and special characters)
Input data	+7950#
Expected result	Data displayed in field and info message numbers and special characters are not allowed is appeared

Add Customer: Mobile number validation (empty value)

Priority	Behavior	Type	Layer
○ Medium	Negative	Other	Not set

Is Flaky	Milestone	Automation	Status
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information:
First name: Ann
Last name: Romanova
Email adress: test@mail.ru
Adress: Kaliningrad

Steps to reproduce

Step	1
Action	Click Mobile number field
Input data	
Expected result	Field colors with blue frame

Step	2
Action	Let Mobile number field empty and click any place on page
Input data	
Expected result	Under field info message Mobile number must not be blank is appeared is appeared

Step	3
Action	Click submit button
Input data	
Expected result	Info message Mobile number must not be blank appears

Reset button resets all fields

Priority	Behavior	Type	Layer
○ Medium	Positive	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information
First name: Ann
Last name: Romanova
E-mail: test@mail.ru
Adress: Kaliningrad
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Click reset button
Input data	
Expected result	All fields are empty

Step	2
Action	Fill Billing adress with some valid information
Input data	First name: Ann Last name: Romanova E-mail: test@mail.ru
Expected result	First name, Last name, e-mail fields are filled with data

Step	3
Action	Click reset button
Input data	
Expected result	All fields are empty

Step	4
Action	Click reset button
Input data	all fields are empty
Expected result	Page is not reloaded, all fields are empty

Submit button restricts to info about Customer ID, message Please Note Down Your Customer ID and Home button

Priority	Behavior	Type	Layer
↑ High	Positive	Other	Not set
Is Flaky	**Milestone**	**Automation**	**Status**
No	-	Not automated	Actual

Pre-conditions

Open link https://demo.guru99.com/telecom/addcustomer.php

Billing adress is filled with valid information
First name: Ann
Last name: Romanova
E-mail: test@mail.ru
Adress: Kaliningrad
Mobile number: 998977051580

Steps to reproduce

Step	1
Action	Click submit button
Input data	
Expected result	Page with info about Customer ID, message Please Note Down Your Customer ID and Home button is opened

Step	2
Action	Open link https://demo.guru99.com/telecom/addcustomer.php
Input data	
Expected result	Add customer page is opened

Step	3
Action	Click submit button
Input data	all fields are empty
Expected result	Pop-up window with text "please fill all fields" appears

Step	4
Action	Open link https://demo.guru99.com/telecom/addcustomer.php
Input data	First name: Ann Last name: Romanova E-mail: test@mail.ru

Expected result	Pop-up window with text "please fill all fields" appears