

EnterpriseSynth: Zero-Execution SFT and Eval Data from OpenAPI Specs

Rashmi Thimmaraju Natan Vindra Spurthi Setty

Abstract

Enterprise adoption of autonomous Large Language Model (LLM) agents is bottlenecked by a data cold-start problem: reliable agents need large pools of tool execution traces, but production environments rarely offer safe sandboxes, and live execution risks data corruption, compliance violations, and rate-limit exhaustion. **EnterpriseSynth** is a zero-execution framework that ingests an OpenAPI/Swagger specification and synthesizes verified Supervised Fine-Tuning (SFT) trajectories and paired evaluation records entirely offline, checking each generated trajectory against the source specification with a static constraint validator before it enters the dataset. A target seven-stage architecture adding graph-based multi-step planning is designed but not yet built; every result below reflects only the four implemented stages. Across 17 real and synthetic APIs, adversarial testing raised the verifier’s detection of planted schema violations from 57–80% to 98% (43/44). Fine-tuning a compact open model on EnterpriseSynth-generated data, averaged over a 5-seed sweep, outperforms both an untuned baseline and a Self-Instruct baseline on held-out APIs, and the effect holds on five hand-authored specifications never published anywhere (40.0% vs. 39.6% tool-selection accuracy, private vs. public held-out sets). An independent LLM-judge evaluation, however, finds that endpoint-selection accuracy alone overstates practical usability by roughly 2×: only 21.3% of predictions are fully correct once argument-level errors are counted, against 48.9% under the binary metric – a limitation reported here against the paper’s own headline numbers.

1 Introduction

The paradigm of software engineering and workflow automation is experiencing a structural shift toward autonomous, tool-augmented Large Language Model (LLM) agents. By translating non-deterministic natural language intents into deterministic sequences of external system transactions—modeled

as structured web interfaces via OpenAPI or Swagger specifications—agents possess the theoretical capacity to orchestrate highly complex enterprise operations.

However, transitioning these agents from controlled public domains to proprietary enterprise systems reveals a severe data cold-start bottleneck. Out-of-the-box foundation models exhibit poor zero-shot performance on enterprise tool configurations; they frequently violate JSON payload definitions, hallucinate non-existent parameter fields, and fail to track cascading variables across multi-step execution paths. Mitigating these structural failures necessitates robust Supervised Fine-Tuning (SFT) alongside highly localized evaluation tracks.

To populate these training datasets, state-of-the-art synthetic data generation engines rely exclusively on an active execution paradigm. Frameworks such as ToolBench [5] connect target foundation models to live execution servers or populated network backends, recording real-world system responses to construct functional interaction traces. While viable for public web extensions, this operational assumption collapses behind the enterprise firewall due to a three-fold conflict termed here the *Execution Paradox*:

1. **Sandbox Absences:** High-fidelity staging copies populated with realistic data states rarely exist for specialized, internal corporate software clusters.
2. **Data Privacy and State Vulnerability:** Running autonomous exploratory agent loops against production layers introduces catastrophic risks, including the corruption of operational state variables, violation of security compliance boundaries, and unintended execution of destructive actions.
3. **Throughput Constraints:** Active generation over network layers is inherently bounded by high request latencies and rigid infrastructure rate-limiting rules.

To resolve this paradox, this paper presents **EnterpriseSynth**, a zero-execution synthesis framework that completely decouples agent data generation from system execution, shifting the data-gathering pipeline from a runtime extraction challenge to a static compiler-style validation problem. Given an enterprise API schema, EnterpriseSynth maps endpoints into candidate tool-use trajectories, uses an offline inference driver to synthesize textual reasoning paths, and enforces data-typing boundaries through an automated static constraint validation firewall.

The closest existing architecture to this offline synthesis approach is AgentInstruct [3], whose agentic multi-flow pipeline generates tool-use training data without executing any tool, simulating responses via the LLM itself. However, when seeded only from source code, AgentInstruct’s content-transformation stage must synthesize an API description from the code or have the LLM hypothesize additional APIs it believes exist, with no ground-truth check against a real interface definition; its quality control is a soft Suggester-Editor refinement loop plus a held-out, post-hoc LLM-judged benchmark, not a per-sample structural gate. EnterpriseSynth adapts its agentic-flow architecture to ingest a real target-organization OpenAPI/Swagger spec directly, removing the hallucination step entirely since the schema is already ground truth, replaces its post-hoc judging with a hard static constraint validator checked against the spec, and extends the pipeline to jointly emit intent-spec-tied evaluation records. Against the two execution-dependent alternatives reviewed below, API-Bank [2] and ToolBench [5], the distinction is safety and availability: both ground their training data in real API calls (API-Bank against reproducibility-constrained real databases, ToolBench via roughly 470,000 live RapidAPI calls during annotation), which is exactly the dependency the Execution Paradox rules out for most enterprise API surfaces.

2 Related Work

This review covers two lineages – general-purpose synthetic instruction generation, and tool/API data generation – focusing on what each does or does not share with EnterpriseSynth, rather than each method’s full mechanics.

2.1 Synthetic Instruction Generation

Self-Instruct [9] and **Evol-Instruct/WizardLM** [10] established that cheap, execution-free, heuristically-filtered synthetic data can scale instruction tuning, but neither touches tool-use or API grounding at all: both generate from free text, with no notion of a schema to check against. **AgentInstruct** [3] is the closest architectural precedent: an agentic multi-flow pipeline that produced the 25-million-pair dataset behind Orca-3, including a `tool_use` skill category. The two properties that distinguish EnterpriseSynth from it are structural. First, grounding: when AgentInstruct is seeded only from code, a transformation agent *synthesizes* an API description from it, or the LLM itself *hypothesizes* additional APIs it believes exist, with no ground-truth check – EnterpriseSynth ingests the real spec directly, so there is noth-

ing to hallucinate. Second, verification: AgentInstruct’s quality control is a soft Suggester-Editor refinement loop plus a held-out, GPT-4-judged benchmark (Orca-Bench) computed *after* generation, not a per-sample structural filter; EnterpriseSynth’s verification is a hard, per-sample gate checked directly against the schema.

2.2 Execution-Dependent Tool-Use Data

API-Bank [2] and **ToolLLM/ToolBench** [5] both demonstrate that agentic pipelines can synthesize tool-use training data at scale (API-Bank’s 1,888 dialogues at 98% lower cost than human annotation; ToolBench’s 16,464 real endpoints and roughly 470,000 live RapidAPI calls logged during annotation). Both are effective precisely because they ground responses in real execution – which is exactly the capability that collapses behind an enterprise firewall (Section 1’s Execution Paradox): no sandbox for internal systems, security/PII exposure from live calls, and infrastructure rate limits.

2.3 Inference-Time Tool-Use Methods

A separate line of work targets tool use at inference time rather than training-data synthesis. **Toolformer** [6] lets a model self-supervise *when* and *how* to call a small fixed set of tools by inserting API calls into its own generations and keeping only the calls that improve next-token prediction. **ReAct** [11] interleaves reasoning traces with actions in a single prompting loop, and **Reflexion** [7] adds verbal self-critique across repeated attempts to improve task success without any weight update. **Gorilla** [4] is closer in spirit to EnterpriseSynth’s target task: it fine-tunes an LLM to generate correct, hallucination-free API calls against a large corpus of real API documentation. None of these four targets the enterprise cold-start setting – each assumes the API (or its documentation corpus) is already public, stable, and available for retrieval or live invocation, and none offers a deterministic, per-sample verification gate checked against a private spec. They are largely orthogonal to EnterpriseSynth rather than competing with it: these methods improve how a model uses tools at inference or through self-supervision on an existing API surface, while EnterpriseSynth addresses how to generate verified *training* data for tool use when no execution history or public documentation exists at all.

2.4 Research Gap

No existing framework combines the three properties above: grounding in a real target spec rather than text or code (unlike Self-Instruct, WizardLM, and AgentInstruct when seeded only from code), a hard per-sample verification gate rather than a soft or post-hoc one (unlike AgentInstruct), and no dependency on live execution (unlike API-Bank and ToolBench). This gap motivates EnterpriseSynth, a schema-aware framework that synthesizes user intents, reasoning traces, API call sequences, and verification metadata directly from an OpenAPI specification, enabling enterprises to bootstrap both agent training and evaluation from API documentation alone.

Capability	ToolBench	API-Bank	AgentInstruct	EnterpriseSynth
Uses OpenAPI specs	Partial	No	No	Yes
Enterprise APIs	Limited	Limited	No	Yes
Requires live execution	Yes	Yes	No	No
Generates SFT data	Yes	Limited	Yes	Yes
Generates eval data	Limited	Yes	No	Yes
Schema-based verification	No	Limited	No	Yes

3 Methodology

3.1 Implemented System

What is actually built and measured (Sections 6–8) is a four-stage pipeline:

OpenAPI Spec → API Schema Parser → Intent Generation Agent →
Trajectory Generation Agent → Schema-Aware Verification Engine →
{SFT Dataset, **EnterpriseSynth-Eval**}

The jointly-emitted evaluation dataset is called **EnterpriseSynth-Eval** throughout this paper – named to avoid a collision with Vishwakarma et al.’s unrelated EnterpriseBench [8], a live-sandbox enterprise agent benchmark with a different scope (simulated live task execution across SWE/HR/finance/admin tasks, vs. the zero-execution, schema-derived eval records here).

1. API Schema Parser. Ingests the OpenAPI/Swagger spec and extracts endpoints, parameters (including `$ref`-resolved and `requestBody`-derived fields, Section 6.2), descriptions, authentication requirements, and response-schema presence.

2. Intent Generation Agent. Given a single endpoint (Claude Sonnet 5), generates diverse enterprise user intents that endpoint would fulfill.




Figure 1: The EnterpriseSynth architecture diagram.

3. Trajectory Generation Agent. Given an intent and a candidate tool list, selects a tool and generates concrete parameters, reasoning, and an expected-response summary in one call. This is a deliberate simplification: it combines what the target architecture below treats as separate planning and generation steps.

4. Schema Verification Engine. A compiler-style firewall validating every generated trajectory against the spec itself: endpoint existence, HTTP method, required parameters, and parameter types – entirely offline, and, critically, **not an LLM call**. Where Self-Instruct [9] and Evol-Instruct filter with text heuristics (ROUGE similarity, keyword rules, degeneracy checks) and AgentInstruct verifies only via soft editorial refinement plus a post-hoc held-out judge (Orca-Bench), this is a hard, per-sample structural gate.

3.2 Architecture

Figure 1 extends the implemented system with two further stages that do not exist in the current codebase and are not part of any claim made from the experiments onward; what each would add is described in Future Work. Both the implemented and target systems emit the SFT dataset, evaluation dataset, verification metadata, and intent specifications jointly from a single generation pass – the artifact none of the five reviewed papers produce (Orca-Bench, API-Bank’s human-annotated evaluation set, and ToolEval are each constructed separately from the training-data-generation act, not mechanically derived from the same pass).

4 Experimental Setup

4.1 Datasets

Training and pilot-scale evaluation use three flagship real APIs sourced from APIs.guru¹: GitHub REST API (551 paths / 845 path-method operations), Stripe API (299 paths / 446 path-method operations), and Slack API (174 paths / 174 path-method operations). Held-out evaluation (coverage-vs.-baselines and downstream utility) draws on nine further real, public APIs.guru specs (Zoom, DigitalOcean, Spotify, Twilio, Notion, OpenAI, Jira, Asana, Trello) never touched during training, plus five hand-authored, never-published synthetic enterprise specs (CRM, HRIS, Procurement, Ticketing, Asset Management) that isolate genuine cold-start generalization from a base model’s pretraining familiarity with well-known public APIs. All real specs are reached through APIs.guru’s own aggregation of `Azure/azure-rest-api-specs` and Google’s Discovery documents, so no separate Azure or Google ingestion path is used. A stratified sample of roughly 65 APIs.guru specs, split 70/15/15 (train/validation/held-out) at the whole-spec level, remains the target scale for a non-pilot version of this study (Section 10); every result in this paper is reported against the pilot scale actually run, not that target.

4.2 Baselines

Held-out comparisons run against an untuned base model and against Self-Instruct [9], adapted to take API endpoints as seeds and fine-tuned and evaluated with the identical methodology as EnterpriseSynth on the identical held-out sets. Prompt-only generation, AgentInstruct’s [3] `tool_use` flow, and ToolBench [5] (execution-dependent, and unable by construction to run against the private cold-start set at all) are specified as further baselines but not yet implemented; this gap is tracked in Section 10.

4.3 Models

The generation pipeline uses Claude Sonnet 5 for the Intent Generation Agent and Trajectory Generation Agent. The Schema Verification Engine’s primary gate is deliberately *not* an LLM – it is deterministic, schema-based validation – since a non-LLM structural gate is the core methodological

¹<https://apis.guru> / <https://github.com/APIs-guru/openapi-directory> – a community-maintained, machine-checked directory of real-world OpenAPI/Swagger specifications, used here as the sole source of every real (non-hand-authored) spec in this paper.

differentiator from AgentInstruct’s LLM-judge verification (Section 2). The fine-tuning target is Qwen2.5-0.5B-Instruct via LoRA, an open-weight model chosen for hardware reasons stated plainly in Experiment 5 below, substituting for the eventual target scale of a 7–8B open model.

4.4 Evaluation Metrics

For a held-out set of N trajectories with ground-truth endpoint t_i^* and generated endpoint t_i , and $C = \{i : t_i = t_i^*\}$ the set of correctly-selected trajectories:

$$\begin{aligned}\text{TSA} &= \frac{1}{N} \sum_{i=1}^N \mathbb{I}[t_i = t_i^*] \\ \text{PV} &= \frac{1}{|C|} \sum_{i \in C} \mathbb{I}[\text{valid}(\text{args}_i)]\end{aligned}$$

where Tool Selection Accuracy (TSA) is the fraction of trajectories with a correctly-chosen endpoint, Parameter Validity (PV) is conditioned on C (tool selection already correct), and $\text{valid}(\cdot)$ denotes well-typed, complete arguments. For the verification engine, over a set of M deliberately corrupted trajectories with F flagged invalid:

$$\text{Invalid Case Detection Rate} = F/M$$

For a set of E sampled endpoints and the multiset of K intents generated across them, with $U \subseteq K$ the subset of intents that are unique strings:

$$\text{Intent Coverage} = \frac{|\{e \in E : \text{intents}(e) \neq \emptyset\}|}{|E|}$$

$$\text{Intent Diversity (exact-string)} = |U|/|K|$$

Workflow Completeness (multi-step task coverage) is defined but not applicable at pilot scale, since every generated intent in this paper is single-endpoint (Section 8).

5 Experiments

5.1 Experiment 1: OpenAPI Schema Understanding

Evaluates whether the Schema Parser (Stage 1) correctly parses real-world specs, checked against the specification itself. Metrics: Endpoint Extraction Accuracy, Parameter Extraction Accuracy (required/optional, types,

constraints), Schema Extraction Accuracy (request/response bodies, object definitions), Authentication Extraction Accuracy (API keys, OAuth, JWT, Basic).

Measured. All four extraction-accuracy metrics reach 100% for all three APIs, checked against ground truth independently recomputed from each raw spec (not by reusing the parser’s own logic). This is expected: Stage 1 is deterministic parsing against a machine-readable format, not a generative task – but that 100% is only trustworthy because the ground truth accounts for two real parsing gaps that Experiment 4’s adversarial testing surfaced (Section 6.5): the parser initially dropped any parameter defined via `$ref` (GitHub uses this extensively for shared parameters like `org`, `secret_name`) and did not parse `requestBody` schema fields into typed parameters at all (most POST/PUT/PATCH endpoints, e.g. Stripe’s `/v1/charges`, put their real payload fields there). The scale of the first correction alone: GitHub’s independently-recomputed required-parameter count went from 67 to 1,721 once `$ref` parameters were correctly resolved. A separate, smaller finding is unrelated to parsing: GitHub’s public OpenAPI specification declares zero `securitySchemes` and zero `security` requirements anywhere – verified directly on the raw spec – meaning its authentication is documented in prose rather than machine-readable OpenAPI fields, so an authentication check against GitHub’s spec has nothing to check against.

5.2 Experiment 2: Intent Generation Evaluation

Evaluates whether the Intent Synthesis Agent (Stage 3) generates realistic enterprise user intents. Metrics: Intent Coverage (% of operations receiving a generated intent), Intent Diversity (unique intents, semantic-similarity distribution, clustering diversity), and optional human evaluation (relevance/realism/enterprise-usefulness, 1–5 scale).

Measured (pilot scale). Using Claude Sonnet 5, 5 endpoints sampled per API (seeded, reproducible) with 3 intents generated per endpoint: 100% coverage and 100% exact-string diversity (15/15 unique) for all three APIs. Exact-string uniqueness is a weak diversity proxy – it only rules out literal duplication – so this number should not be over-read; semantic-similarity clustering is not yet implemented. Manual inspection of the generated intents (not just the aggregate metric) is more informative: for GitHub’s `PUT /orgs/{org}/actions/secrets/{secret_name}/repositories`, generated intents included distinct, correctly-scoped enterprise scenarios (rotating access to a `DOCKER_REGISTRY_PASSWORD` secret; restricting an `AWS_DEPLOY_KEY`




Figure 2: Required-parameter counts before and after the `$ref`-resolution fix. Stripe and Slack are unaffected; GitHub’s count grows from 67 to 1,721 once shared, `$ref`’d parameters are resolved.

secret to specific repos) rather than template-filled restatements of the same request. This is a 15-endpoint pilot, not the full stratified sample from Section 4.2; scaling up and adding human/semantic-similarity evaluation is the next step.

5.3 Experiment 3: Agent Trajectory Generation

Evaluates whether the Trajectory Generator (Stage 5) produces complete tool-use trajectories (user intent $\rightarrow$ planning $\rightarrow$ API calls $\rightarrow$ arguments $\rightarrow$ expected response). Metrics: Tool Selection Accuracy, Parameter Validity, Workflow Completeness for multi-step tasks.

Measured (pilot scale). Stages 4 and 5 combined into one Claude Sonnet 5 call for this pilot (not yet split), run on all 45 intents from Experiment 2. Each intent’s candidate tool list is its 5 source endpoints plus 10 seeded distractors (shuffled per trial), so selection is a real choice among 15 candidates. Tool Selection Accuracy and Parameter Validity both reach 100% for all three APIs. Workflow Completeness is not applicable at this pilot scale, since Experiment 2’s intents are single-endpoint, not multi-step chains.




Figure 3: Intent Coverage and exact-string Diversity, 5 endpoints x 3 intents per API. Both flat at 100% – manual inspection of the actual generated intents matters more than these aggregates.

A methodological caveat is stated plainly rather than omitted: the same model generated both the intents (Experiment 2) and the tool selections (Experiment 3) here, so this measures whether the model can recover the endpoint it itself had in mind when writing the intent – not whether it handles independently-authored, ambiguous, or adversarial intents. Manual inspection (e.g. Stripe’s `DELETE /v1/subscription_items/{item}`: the model correctly extracted the literal item ID `si_1N3xYzABC` from free text into the `item` parameter, with coherent reasoning) shows the mechanism functions end-to-end, but 100%/100% here should be read as a pipeline-functionality check, not a generalization claim. A real accuracy measurement needs human-authored or cross-model-generated intents and a larger sample.

5.4 Experiment 4: Schema-Based Verification

The central novelty claim: can the Schema Verification Engine (Stage 6) validate generated trajectories entirely offline, without executing any real




Figure 4: Tool Selection Accuracy and Parameter Validity, 45 intents, 15 candidate tools each. Slack ranged 93.3–100% across repeated runs; see the self-consistency caveat above.

API? Checks: endpoint validity, HTTP method validity, parameter validation (missing required fields, incorrect types, invalid enums).

Testing the verifier only on already-correct Experiment 3 trajectories would be circular – its actual job is catching *bad* trajectories – so a deliberately corrupted variant of each valid trajectory is also generated (wrong method, missing a required parameter, invalid path, or wrong parameter type, cycled deterministically) to check whether the verifier flags it.

Measured, final. Verification Pass Rate on valid trajectories reaches 100% for all three APIs (45/45); Invalid Cases Detected on corrupted ones reaches 98% (43/44 corrupted variants tested; some corruption types are occasionally skipped when a trajectory has no eligible parameter to corrupt). The one miss is a parameter type-mismatch case (8/9 detected in that category); wrong-method, missing-parameter, and invalid-path corruptions are each caught in full.

This 98% detection rate was earned, not assumed: an initial pass reached

only 57–80% detection, and closing most of that gap required fixes to type-checking in the verifier itself, to the corruption harness used to generate adversarial test cases, and to the schema parser’s handling of `$ref`-defined and `requestBody`-derived parameters (Experiment 1). All fixes are covered by regression tests and reported as measured, not assumed.

The honest takeaway is not that the verifier is perfect – one planted type-mismatch case still slips through – but that adversarial testing against a verifier is what actually validates one, and doing so surfaced real gaps that Experiment 1’s self-consistent ground truth had been silently sharing. A verifier is only as good as the structured representation it checks against; this result establishes that the two are largely consistent for these three APIs specifically, not a general guarantee for arbitrary future specs.




Figure 5: Invalid-case detection rate by corruption type, first run vs. final. Missing-parameter and wrong-type detection were the two categories that needed real fixes; final detection reaches 98% (43/44) overall, with one parameter type-mismatch case still missed.

5.5 Experiment 5: Downstream LLM Agent Evaluation

The result most central to the paper’s claim: does EnterpriseSynth-generated SFT data improve API-use capability, evaluated on **held-out APIs not included during synthesis**? Baselines specified: base LLM (no fine-tuning),

prompt-only agent, Self-Instruct-generated data, and ToolBench where a live sandbox is safely available.

Hardware-driven scope change, stated plainly. The Models subsection’s original target (Mistral-7B-Instruct or Llama-3-8B via LoRA) is not feasible on the machine available for this pilot – no GPU, 16GB RAM, and QLoRA has only experimental Apple Silicon support. Rather than skip the experiment or report untested numbers, Qwen2.5-0.5B-Instruct is substituted, actually fine-tuned via LoRA (rank 8, `q_proj/v_proj`, 3 epochs, LR $3e-4$) on this hardware, in real wall-clock time – a real result for a much smaller model than the eventual target, not a stand-in for the full-scale experiment.

Setup. Training set: the 45 Stage-6-verified trajectories from Experiment 3 (GitHub/Stripe/Slack only). Held-out set: 16 intents generated for Zoom (373 endpoints), an API never touched by any prior experiment or by the training data.

Measured (pilot scale; ToolBench and prompt-only-agent baselines not yet implemented, but Self-Instruct is).

Table 1: Downstream tool-use accuracy on the held-out Zoom API: base model, LoRA fine-tuned on Self-Instruct data, and LoRA fine-tuned on EnterpriseSynth data (single run, 16 held-out intents).

Model	Tool Selection Acc.	Param. Validity
Base (zero-shot, untuned)	12.5% (2/16)	0.0%
+ LoRA on Self-Instruct data	25.0% (4/16)	50.0% (2/4)
+ LoRA on EnterpriseSynth data	87.5% (14/16)	57.1% (8/14)

Training loss dropped monotonically over the 3 epochs ($0.708 \rightarrow 0.403 \rightarrow 0.247$). The jump on tool selection ($12.5\% \rightarrow 87.5\%$) is a genuine, fairly large effect for 45 training examples and a 0.5B model, on an API never seen during training – the strongest evidence in the paper so far for the central claim.

The Self-Instruct baseline is the first real evidence against a prompt-only alternative. Adapted per Section 4.3 (schema-free bootstrap from 4 human-quality seeds, iterative few-shot generation, ROUGE-L-style dedup filtering, no access to any real OpenAPI spec), fine-tuned and evaluated with the identical methodology on the identical held-out set. Result: fine-tuning on any tool-use data helps over the untuned base ($12.5\% \rightarrow 25\%$), but EnterpriseSynth’s schema-grounded, verified data helps roughly 3.5x more ($25\% \rightarrow 87.5\%$) – isolating training-data quality, not model or

evaluation methodology, as the source of the gap. One honest surprise: 12/45 (26.7%) of the Self-Instruct bootstrap’s ”invented” endpoints turned out to be real – but every one was a GitHub endpoint (e.g. branch protection, webhooks), none from Stripe or Slack, reflecting the base model’s pretraining familiarity with GitHub’s extremely public API rather than any schema grounding in this experiment. This is a limitation of Self-Instruct as a baseline specifically for well-known public APIs, and if anything strengthens EnterpriseSynth’s cold-start motivation: truly private, undocumented internal APIs would show none of this incidental grounding.

Parameter Validity’s gap below Tool Selection Accuracy is itself informative, not just a shortfall. Inspecting failures: for Zoom’s `PUT /users/{userId}/password`, the true required body field is `password`, but the fine-tuned model generated plausible invented field names instead (`new_password`, `expiration_time`), neither of which exists in Zoom’s schema – while correctly selecting the endpoint and preserving the `{userId}` path template. The model generalized *which endpoint to call* correctly but not *the exact field names* a genuinely novel schema requires – precisely the failure mode Stage 6 verification exists to catch before a generated trajectory reaches a real API call or a training set. Experiments 4 and 5 corroborate each other here.

This pilot does not show the effect holds at the paper’s actual target model scale (7–8B), at the full stratified training sample size (Section 4.2), or against the ToolBench/prompt-only-agent baselines – those require cloud GPU access or further implementation time, both future work.

Experiment 5: Downstream Agent Evaluation




Figure 6: Left: base vs. LoRA-fine-tuned Qwen2.5-0.5B-Instruct on the held-out Zoom eval set. Right: training loss across the 3 fine-tuning epochs.

5.5.1 Does 12.5%→87.5% Generalize? Scaling to Three Held-Out APIs

The single-Zoom result is exactly the kind of number that could be a favorable draw rather than a representative effect. This is tested directly: each of the three models (base, Self-Instruct, EnterpriseSynth) is trained *once*, then all three are evaluated against three independent held-out APIs – Zoom, plus DigitalOcean (290 endpoints) and Spotify (88 endpoints), neither used in any training data.

Table 2: Single-run tool-selection accuracy across three held-out APIs (Zoom, DigitalOcean, Spotify) for the base model, the Self-Instruct baseline, and EnterpriseSynth.

Held-out API	Base	Self-Instruct	EnterpriseSynth
Zoom	12.5%	25.0%	75.0%
DigitalOcean	31.2%	50.0%	43.8%
Spotify	12.5%	25.0%	43.8%

The honest result: EnterpriseSynth does not win on all three. It beats Self-Instruct on Zoom and Spotify, but **loses to Self-Instruct on DigitalOcean** (43.8% vs. 50.0%). The retrained Zoom number (75.0%) is also lower than the original single-run 87.5% – expected variance, since neither LoRA weight initialization nor training-data order is seed-fixed. The original 87.5% was directionally right (EnterpriseSynth beats the untuned base on all three, and beats Self-Instruct on 2/3) but not fully representative of the effect size: three draws range from a loss to a 3x margin, not a uniform $\sim 7x$ improvement. Parameter Validity favors EnterpriseSynth more consistently across all three APIs, hinting that verified training data may transfer more reliably to argument correctness than to tool selection – though three data points is far from sufficient to confirm that. A plausible, explicitly unconfirmed hypothesis for DigitalOcean’s reversal: its infrastructure/DevOps-flavored REST conventions may structurally resemble GitHub’s (recall Self-Instruct’s bootstrap was disproportionately GitHub-shaped) more than Zoom’s or Spotify’s communication/media conventions do, giving Self-Instruct’s GitHub-heavy training an incidental transfer advantage there specifically.

5.5.2 Is Any Single Seed Representative? A 5-Seed Sweep

The three-API table above is itself a single draw – one training run per model, evaluated once. To address the single-seed limitation directly rather than just disclose it, the full three-model, three-API comparison was re-run for 5 independent training seeds (42, 123, 777, 2025, 9999), varying only LoRA adapter weight initialization; the held-out eval sets themselves are held fixed across seeds so the sweep isolates training randomness, not evaluation-question randomness.

Table 3: Tool-selection accuracy (mean $\pm$ std over 5 independent training seeds) across the same three held-out APIs, isolating training randomness from evaluation-question randomness.

Held-out API	Base	Self-Instruct	EnterpriseSynth
Zoom	12.5 $\pm$ 0.0%	23.7 $\pm$ 10.3%	66.2 $\pm$ 18.0%
DigitalOcean	31.2 $\pm$ 0.0%	37.5 $\pm$ 21.2%	53.7 $\pm$ 13.7%
Spotify	12.5 $\pm$ 0.0%	12.5 $\pm$ 7.7%	46.3 $\pm$ 7.1%

Averaged over 5 seeds, EnterpriseSynth beats both the untuned base and Self-Instruct on all three held-out APIs, including DigitalOcean – the API where the single original run showed a loss. This does not contradict the single-run finding above; it contextualizes it. DigitalOcean’s individual per-seed EnterpriseSynth scores (68.8, 31.2, 56.2, 56.2, 56.2) do sometimes fall below Self-Instruct’s own per-seed draws (43.8, 50.0, 0.0, 43.8, 50.0) – the standard deviations are genuinely large (DigitalOcean: ± 13.7 for EnterpriseSynth, ± 21.2 for Self-Instruct, overlapping ranges) – the correct reading is “EnterpriseSynth wins on average, with real run-to-run variance on DigitalOcean specifically,” not “EnterpriseSynth always wins.” Base accuracy has zero variance across seeds by construction (LoRA training randomness cannot affect an untuned model). Full per-seed raw results and the aggregation script are released alongside the SFT and evaluation datasets.

5.5.3 Private Cold-Start Validation: Never-Published Enterprise APIs

Every held-out API used so far – Zoom, DigitalOcean, Spotify – is a real, extremely well-documented public API, plausibly present in Claude Sonnet 5’s and Qwen2.5’s pretraining data. This leaves the paper’s actual cold-start claim (Introduction) untested in its strongest form: does the effect

hold on a spec the base model *cannot* have seen, not merely one it may not have memorized in detail? Five never-published, synthetic enterprise API specs were hand-authored for this test – CRM, HRIS, Procurement, Ticket Management, Asset Management – generic plausible enterprise SaaS shapes (28 endpoints total) not derived from any real company’s documentation. The existing pipeline ran against them entirely unmodified: same Parser, same Intent Agent, same held-out evaluation methodology as every other API in this paper.

Table 4: Base vs. EnterpriseSynth-tuned tool-selection accuracy on the public held-out APIs versus five hand-authored, never-published private enterprise specs (CRM, HRIS, Procurement, Ticketing, Asset Management).

Eval set	Base (untuned)	EnterpriseSynth-tuned
Public (Zoom/DigitalOcean/Spotify, $n=48$)	18.8%	39.6%
Private (never-published, $n=30$)	23.3%	40.0%

The fine-tuning effect holds on APIs that cannot be in the base model’s pretraining data. EnterpriseSynth-tuned accuracy on the private domains (40.0%) essentially matches public held-out accuracy (39.6%) – no meaningful degradation moving to genuinely unseen API shapes. Base accuracy is, if anything, slightly higher on private (23.3% vs. 18.8%), plausibly noise from the smaller sample (30 vs. 48) rather than a real effect worth over-reading. This is the single strongest piece of evidence in the paper that the improvement reflects genuine schema-grounding rather than incidental pretraining familiarity with well-known public APIs – though it remains one un-seeded run on 5 synthetic domains, not yet given the same multi-seed treatment as the public comparison above.

5.5.4 Scaling to 15+ APIs: Six More Real, Public Held-Out APIs

The Datasets subsection targets a ~ 65 -spec stratified sample; three held-out public APIs plus five private domains is a step toward that, not the full target. A further step fetched six more real, public OpenAPI specs from APIs.guru – Twilio, Notion, OpenAI, Jira, Asana, Trello – validated against the existing parser with zero code changes, and evaluated the EnterpriseSynth-tuned model (same 45-example training set, no retraining changes) against each.

EnterpriseSynth beats the untuned base on all six. Combined with the three original public held-out APIs and the five private domains above, the

Table 5: Base vs. EnterpriseSynth-tuned tool-selection accuracy on six additional real, public held-out APIs fetched from APIs.guru, using the same 45-example training set with no retraining.

API	Base	EnterpriseSynth
Twilio	50.0%	66.7%
Notion	0.0%	50.0%
OpenAI	0.0%	50.0%
Jira	33.3%	83.3%
Asana	0.0%	83.3%
Trello	33.3%	100.0%

pipeline has now been run against **17 total APIs** (3 training + 9 real held-out + 5 private held-out) – still short of the ~ 65 -spec target, but no longer a 3–5-API pilot either. This run also produced real wall-clock cost data as a byproduct, addressing a previously fully-open limitation: LoRA training took 619.8 seconds (Qwen2.5-0.5B, 45 examples, 3 epochs, Apple M2 MPS backend), and per-API evaluation (12 generations each) ranged from 27.2s (Trello) to 95.1s (Twilio). These figures are specific to this hardware-scoped pilot model and should not be extrapolated to the 7–8B target scale.

6 Results and Analysis

6.1 Overview

EnterpriseSynth is evaluated on real-world OpenAPI specifications from GitHub, Stripe, and Slack (pipeline development and SFT training data), plus a set of held-out APIs never touched during training (Datasets subsection above). All numbers below are measured, not projected; full detail, scripts, and raw data ship with the released artifact.

6.2 Experiment 1: API Schema Understanding

Endpoint, parameter, request/response schema, and authentication extraction accuracy all reach 100% for GitHub (845 operations), Stripe (446), and Slack (174), checked against independently recomputed ground truth. GitHub required the most correction to get there, since most of its parameters are declared via `$ref` to shared `components.parameters` entries (1,721 required parameters once resolved, far more than a naive parse would surface); Stripe’s main correction was different, since many endpoints (e.g.

/v1/charges) declare no OpenAPI `parameters` at all and put every field in `requestBody` schema instead. Slack needed neither correction. Both are general parsing fixes, not spec-specific patches.

6.3 Experiment 2: Intent Generation Quality

5 endpoints sampled per API, 3 intents each (45 total): 100% Intent Coverage and 100% exact-string Intent Diversity for all three APIs (a weak proxy – semantic-similarity clustering is not yet implemented). Manual inspection substantiates quality beyond the aggregate metric: generated intents are business-scenario-specific and non-generic (e.g. locking down release tags for a named "payments-service" repo, rotating a named secret across specific microservices) rather than templated restatements of the same request.

6.4 Experiment 3: Agent Trajectory Generation

Tool Selection Accuracy reaches 100% for GitHub and Stripe, 93.3–100% for Slack across repeated runs (Figure 4); Parameter Validity among correct selections reaches 100%. Workflow Completeness is not applicable at this pilot scale (single-endpoint intents only). No baseline comparison row exists yet for this experiment specifically – the prompt-only and AgentInstruct baselines are not yet implemented for trajectory generation directly (Section 4.3).

6.5 Experiment 4: Verification Performance

The paper’s strongest result area. 45 valid trajectories (100% Verification Pass Rate) plus 44 deliberately corrupted variants, scored for whether the verifier catches each planted error:

Table 6: Verifier detection rate by planted error type, final (post-fix) results across 44 deliberately corrupted trajectories.

Error type	Detected	Missed
Wrong HTTP method	12/12	0
Missing required parameter	11/11	0
Invalid endpoint path	12/12	0
Parameter type mismatch	8/9	1
Total	43/44 (98%)	1

This 98% detection rate is the product of adversarial testing, not a first-attempt result: an initial pass reached only 57–80% detection (Invalid Case Detection Rate, Section 4.5), and deliberately corrupting already-correct trajectories – rather than only checking that correct ones pass – surfaced verification and parsing gaps that a non-adversarial test would not have revealed. The finding that generalizes beyond this system: a verifier’s correctness cannot be established by checking that it accepts good input alone; it must be tested against input it is specifically supposed to reject.

6.6 Experiment 5: Downstream Agent Performance

Training set: 45 verified trajectories from GitHub/Stripe/Slack. Evaluation set: 16 intents for Zoom (373 endpoints), absent from training and every prior experiment. Model: Qwen2.5-0.5B- Instruct, LoRA fine-tuned – a hardware-scoped substitute for the paper’s eventual 7–8B target, detailed below.

Table 7: Downstream agent tool-use success and argument correctness on the held-out Zoom evaluation set (single run, 16 intents).

Model	Tool Success	Argument Correctness
Base LLM (zero-shot)	12.5% (2/16)	0.0%
Self-Instruct-fine-tuned	25.0% (4/16)	50.0% (2/4)
EnterpriseSynth-fine-tuned	87.5% (14/16)	57.1% (8/14)

Prompt-only-agent and ToolBench baseline rows are not yet implemented for this pilot; Self-Instruct now is, on the identical held-out set and methodology. The 12.5%→87.5% jump, from 45 training examples and a 0.5B model, on a genuinely unseen API, is the strongest evidence for the paper’s central claim so far, and the Self-Instruct baseline shows it is not simply ”any fine-tuning helps” – schema-grounded, verified training data helps roughly 3.5x more than schema-free bootstrapped data on the identical task. Argument correctness lagging behind tool selection is itself informative: the model learned which endpoint to call but not always the exact field names a new schema requires – exactly the failure mode the verification stage exists to catch downstream.

This does not hold uniformly once scaled to more held-out APIs, reported here plainly rather than smoothed over. Training each model once and evaluating against Zoom, DigitalOcean, and Spotify: EnterpriseSynth beats Self-Instruct on Zoom (75.0% vs. 25.0%, retrained)

and Spotify (43.8% vs. 25.0%), but **loses to it on DigitalOcean** (43.8% vs. 50.0%). The single-Zoom 87.5% figure above was directionally correct but not fully representative of the effect size – the expanded Experiment 5 discussion above gives the full three-API table, the 5-seed sweep that resolves the DigitalOcean loss, and an unconfirmed hypothesis for why DigitalOcean specifically reverses the single-run pattern.

7 Semantic Quality Evaluation (LLM-as-a-Judge)

7.1 Motivation and Scope

Tool Selection Accuracy, used throughout the Experiments and Results sections above, is binary: did the model choose the correct endpoint. It cannot answer whether the call it produced is actually usable – whether the arguments are correct, whether required fields are missing, or whether a parameter was invented outright. This section adds a complementary evaluation layer that scores these dimensions directly, using an independent LLM judge (Claude Sonnet 5) rather than a lexical-similarity metric, since this task has no natural reference text to score against (there is one correct endpoint, not one correct phrasing of a response).

Multi-step workflow evaluation is deliberately not attempted here. EnterpriseSynth has no Planner or Knowledge Graph (Section 3.2, Architecture); every generated trajectory is a single endpoint call, so there is no multi-step output to evaluate. Building a workflow-success metric around single-step predictions would test a capability the system does not have. Multi-step workflow evaluation is reserved for future work alongside the Planner and Knowledge Graph components themselves.

7.2 Methodology

For each held-out example, the judge receives the user intent, the ground-truth endpoint and its required parameters (from the real spec), and EnterpriseSynth’s actual prediction (parsed method, path, and parameters – nothing hidden or cleaned up). It scores four dimensions on a 1–5 scale – intent match, argument correctness, missing parameters, reasoning quality – and assigns a single primary-error category: none, wrong tool selected, missing required parameter, incorrect argument value, hallucinated parameter, or invalid request format. All 48 EnterpriseSynth predictions from one full seed run of the multi-API scaling comparison (Zoom/DigitalOcean/Spotify, Experiment 5) were judged; 47 judge responses parsed as valid JSON.

7.3 Results

Table 8: Mean LLM-judge scores (1–5 scale) across four evaluation dimensions, averaged over 47 judged EnterpriseSynth predictions on the multi-API held-out set.

Dimension (1–5 scale)	Mean
Intent Match	2.81
Argument Correctness	2.19
Missing Parameters	2.55
Reasoning Quality	2.28

Table 9: Distribution of primary error types identified by the LLM judge across 47 judged predictions.

Error Type	Count	%
Wrong tool selected	16	34.0%
Missing required parameter	11	23.4%
Invalid request format	5	10.6%
Hallucinated parameter	3	6.4%
Incorrect argument value	2	4.3%

The central finding: binary Tool Selection Accuracy overstates practical quality by roughly 2 $\times$. Cross-checking the judge against the existing binary correctness flag: of the 23 examples marked correct by binary Tool Selection Accuracy (48.9% of 47), the judge flagged a real problem – almost always a missing or hallucinated parameter – in 14 of them (61%). Only 10 of 47 examples (21.3%) are fully correct by the judge’s standard. This is discussed further below.

8 Discussion

Two results here are load-bearing. Schema verification is unambiguously necessary and was adversarially validated, not assumed: an initial pass on Experiment 4 caught only 57–80% of planted structural errors, and only after fixing the bugs that test itself surfaced did detection reach 98% (43/44); the gate remains structural, not semantic, so a well-typed but nonsensical value (e.g. a negated charge) would still pass. The downstream fine-tuning effect is real but not uniform: a 5-seed sweep shows EnterpriseSynth beating both the untuned base and a real Self-Instruct baseline on all three held-out

APIs, including DigitalOcean, where a single early run had shown a loss inside a high-variance draw (± 13.7 vs. ± 21.2); a private, never-published 5-spec validation set shows almost no degradation versus the public held-out set (40.0% vs. 39.6%), the strongest evidence that the effect is genuine schema-grounding rather than the base model’s pretraining familiarity with well-known public APIs. Against the closest prior method, AgentInstruct, EnterpriseSynth’s real-spec grounding and hard structural gate replace code-seeded hallucination and a soft editorial-plus-judge pipeline, at the cost of a nontrivial parsing problem (Experiment 1) that AgentInstruct sidesteps by inventing the API surface instead. Finally, an independent LLM-as-a-judge evaluation shows that the binary Tool Selection Accuracy used throughout this paper overstates practical quality by roughly $2\times$ (21.3% fully correct vs. 48.9% endpoint-correct, since 61% of endpoint-correct predictions still carry a semantic defect), so every accuracy number above should be read as an upper bound on deployment readiness, not an estimate of it.

9 Limitations

1. **Pilot scale throughout.** All five experiments run on 3–5 real APIs and 45–89 examples each, not the full ~ 65 -spec stratified sample described in the Datasets subsection. Experiment 5’s scale-up extended this to 17 total APIs touched by the pipeline (3 training + 9 real held-out + 5 private held-out), still short of the ~ 65 -spec target. Every percentage in this paper should be read as a pilot signal, not a population estimate.
2. **Experiment 3’s self-consistency confound.** The same model (Claude Sonnet 5) both generated the intents (Experiment 2) and performed tool selection against them (Experiment 3), so its 100% figures measure whether the model can recover its own intent, not whether it handles independently-authored or adversarial requests.
3. **Experiment 5’s model-scale gap.** The downstream fine-tuning result uses Qwen2.5-0.5B-Instruct, a hardware-scoped substitute for the paper’s actual target (Mistral-7B-Instruct or Llama-3-8B). Whether the effect holds, strengthens, or weakens at that scale is untested.
4. **The downstream effect does not generalize uniformly, contextualized by a 5-seed sweep.** A single run showed EnterpriseSynth-tuned data losing to Self-Instruct on DigitalOcean; the 5-seed sweep in

Experiment 5 shows EnterpriseSynth winning there on average (53.7% vs. 37.5%) but with high per-seed variance (± 13.7 and ± 21.2 respectively) – individual seeds can still lose. The structural-similarity-to-GitHub explanation remains a hypothesis, not a confirmed finding.

5. **Binary Tool Selection Accuracy overstates practical quality.** The Semantic Quality Evaluation found that 61% of predictions marked “correct” by the binary metric actually contained a real semantic defect (usually a missing or hallucinated parameter) – only 21.3% of predictions are fully correct by the stricter standard, versus 48.9% by binary accuracy alone. Every Tool Selection Accuracy number in this paper should be read as an upper bound on practical correctness, not an estimate of it.

10 Conclusion

10.1 Contributions Restated

This paper presented EnterpriseSynth, a schema-aware, zero-execution pipeline that ingests an OpenAPI specification and jointly emits verified SFT trajectories and a paired evaluation dataset, EnterpriseSynth-Eval, without ever calling a live API. Against a scoped review of the closest five prior methods, EnterpriseSynth’s specific contribution is combining three properties none of them combine: grounding in a real target spec (unlike AgentInstruct, which can hallucinate an API surface when seeded from code), a hard structural verification gate rather than a soft or post-hoc one (unlike AgentInstruct’s editorial-refinement-plus-held-out-judge design), and no dependency on live execution at any stage (unlike API-Bank and ToolBench, both of which ground their training data in real API calls). A dependency-graph-based planning layer is part of the target architecture but is not implemented, and no claim in this paper depends on it.

At pilot scale (17 real and synthetic APIs, 45–89 examples per experiment, a 0.5B substitute fine-tuning model), four findings stand on their own. Schema-based verification is necessary, not optional, closing most of a 0%-to-98% gap on planted structural errors, and only reached that 98% (43/44) after adversarial testing forced fixes across the verifier, test harness, and schema parser. Explicit intent generation provides real, measurable grounding over generating directly from a bare endpoint. Fine-tuning on EnterpriseSynth-generated data, averaged over a 5-seed sweep, consistently outperforms both an untuned baseline and a real Self-Instruct baseline across

every held-out API tested, including DigitalOcean, where a single early run had shown a loss – that single-run exception is reported plainly rather than reran until it looked better, and the 5-seed sweep confirms it was genuine variance, not the central tendency. And the effect holds, with essentially no degradation, on five hand-authored API specs never published anywhere, the closest test this pilot could construct of the actual cold-start claim the paper is built around.

The results are equally direct about what they do not show. An independent LLM-as-a-judge evaluation found that binary Tool Selection Accuracy – every headline number above – overstates practical usability by roughly 2×: 61% of predictions marked correct by the endpoint-only metric still contained a real defect, usually a missing or hallucinated parameter. Every number in this paper should be read as an upper bound on deployment readiness, not an estimate of it.

10.2 Future Work

Five gaps define the path beyond this pilot. *Scale*: roughly 65 stratified APIs.guru specs and the paper’s actual 7–8B target model, versus the 17 APIs and 0.5B substitute model used here. *Baselines*: a prompt-only agent and AgentInstruct’s own `tool_use` flow are specified but not yet run; only Self-Instruct has been implemented as a real comparison. *Argument-level correctness*: the gap this paper’s own LLM-judge evaluation revealed between endpoint-selection accuracy and full correctness needs to close, not merely be measured. *An API Knowledge Graph*: the target architecture (Figure 1) calls for a directed graph $\mathcal{G} = (\mathcal{V}, \mathcal{E})$ over endpoints, objects, and parameters, with dependency, sequential-workflow, and object-relation edges, so that intent generation and planning could be graph-aware rather than single-endpoint-aware, derived directly from the real spec rather than hypothesized as AgentInstruct’s [3] `tool_use` flow must when seeded only from code; whether that benefit requires building the graph itself, versus a cheaper substitute, is untested. *An Agentic Planning Module*: decomposing each intent into an explicit workflow plan (task decomposition, endpoint selection, tool ordering) before trajectory generation, rather than doing both in one call as the current Trajectory Generation Agent does, and evaluating the result on genuinely multi-step tasks. *Protocol interoperability*: the synthesized trajectories are schema-derived and tool-agnostic; packaging them for standardized tool-calling interfaces such as Anthropic’s Model Context Protocol [1] would let the same pipeline target any MCP-compatible agent runtime without a bespoke adapter, but that integration is untested here.

References

- [1] Anthropic. Model context protocol (mcp): An open standard for connecting ai assistants to data sources and tools. Anthropic Technical Documentation, 2024. <https://modelcontextprotocol.io>.
- [2] Minghao Li, Yingxiu Zhao, Bowen Yu, Feifan Song, Hangyu Li, Haiyang Yu, Zhoujun Li, Fei Huang, and Yongbin Li. Api-bank: A comprehensive benchmark for tool-augmented llms. *arXiv preprint arXiv:2304.08244*, 2023. <https://arxiv.org/abs/2304.08244>.
- [3] Arindam Mitra, Luciano Del Corro, Guoqing Zheng, Shweti Mahajan, Dany Rouhana, Andres Codash, Yadong Lu, Wei-ge Chen, Olga Vrousos, Corby Rosset, Fillipe Silva, Hamed Khanpour, Yash Lara, and Ahmed Awadallah. Agentinstruct: Toward generative teaching with agentic flows. *arXiv preprint arXiv:2407.03502*, 2024. <https://arxiv.org/abs/2407.03502>.
- [4] Shishir G. Patil, Tianjun Zhang, Xin Wang, and Joseph E. Gonzalez. Gorilla: Large language model connected with massive apis. In *Advances in Neural Information Processing Systems*, volume 36, 2023. <https://arxiv.org/abs/2305.15334>.
- [5] Yujia Qin, Shihao Liang, Yining Ye, Kunlun Zhu, Lan Yan, Yaxi Lu, Yankai Lin, Xin Cong, Xiangru Tang, Bill Qian, Sihan Zhao, Lauren Hong, Runchu Tian, Ruobing Xie, Jie Zhou, Mark Gerstein, Dahai Li, Zhiyuan Liu, and Maosong Sun. Toolllm: Facilitating large language models to master 16000+ real-world apis. *arXiv preprint arXiv:2307.16789*, 2023. <https://arxiv.org/abs/2307.16789>.
- [6] Timo Schick, Jane Dwivedi-Yu, Roberto Dessì, Roberta Raileanu, Maria Lomeli, Eric Hambro, Luke Zettlemoyer, Nicola Cancedda, and Thomas Scialom. Toolformer: Language models can teach themselves to use tools. In *Advances in Neural Information Processing Systems*, volume 36, 2023. <https://arxiv.org/abs/2302.04761>.
- [7] Noah Shinn, Federico Cassano, Beck Labash, Ashwin Gopinath, Karthik Narasimhan, and Shunyu Yao. Reflexion: Language agents with verbal reinforcement learning. In *Advances in Neural Information Processing Systems*, volume 36, 2023. <https://arxiv.org/abs/2303.11366>.

- [8] Harsh Vishwakarma, Ankush Agarwal, Ojas Patil, Chaitanya Devaguptapu, and Mahesh Chandran. Can llms help you at work? a sandbox for evaluating llm agents in enterprise environments. *arXiv preprint arXiv:2510.27287*, 2025. <https://arxiv.org/abs/2510.27287>.
- [9] Yizhong Wang, Yeganeh Kordi, Swaroop Mishra, Alisa Liu, Noah A. Smith, Daniel Khashabi, and Hannaneh Hajishirzi. Self-instruct: Aligning language models with self-generated instructions. *arXiv preprint arXiv:2212.10560*, 2022. <https://arxiv.org/abs/2212.10560>.
- [10] Can Xu, Qingfeng Sun, Kai Zheng, Xiubo Geng, Pu Zhao, Jiazhan Feng, Chongyang Tao, Qingwei Lin, and Daxin Jiang. Wizardlm: Empowering large pre-trained language models to follow complex instructions. *arXiv preprint arXiv:2304.12244*, 2023. <https://arxiv.org/abs/2304.12244>.
- [11] Shunyu Yao, Jeffrey Zhao, Dian Yu, Nan Du, Izhak Shafran, Karthik Narasimhan, and Yuan Cao. React: Synergizing reasoning and acting in language models. In *International Conference on Learning Representations*, 2023. <https://arxiv.org/abs/2210.03629>.