

Preliminary migrate analysis of *M. californianus*

MIGRATION RATE AND POPULATION SIZE ESTIMATION

using the coalescent and maximum likelihood or Bayesian inference

Migrate-n version 3.7.2 [April-12-18]

Program started at Tue Jun 1 13:45:41 2021

Program finished at Tue Jun 1 18:42:18 2021



Options

Datatype:

DNA sequence data

Inheritance scalers in use for Thetas:

All loci use an inheritance scaler of 1.0

[The locus with a scaler of 1.0 used as reference]

Random number seed:

(with internal timer)

562639638

Start parameters:

Theta values were generated

from guessed values

Theta = 0.01000

M values were generated

from guessed values

M-matrix:

100000.00 [all are the same]

Connection type matrix:

where m = average (average over a group of Thetas or M,

s = symmetric M, S = symmetric 4Nm, 0 = zero, and not estimated,

* = free to vary, Thetas are on diagonal

Population	1	2	3	4	5	6	7	8	9	10	11	12
1 ElfinCo	m	m	m	m	m	m	m	m	m	m	m	m
2 Bamfiel	m	m	m	m	m	m	m	m	m	m	m	m
3 PortRen	m	m	m	m	m	m	m	m	m	m	m	m
4 WalkOnB	m	m	m	m	m	m	m	m	m	m	m	m
5 BodegaH	m	m	m	m	m	m	m	m	m	m	m	m
6 Davenpo	m	m	m	m	m	m	m	m	m	m	m	m
7 VistaDe	m	m	m	m	m	m	m	m	m	m	m	m
8 HazardR	m	m	m	m	m	m	m	m	m	m	m	m
9 Refugio	m	m	m	m	m	m	m	m	m	m	m	m
10 Carpint	m	m	m	m	m	m	m	m	m	m	m	m

11 WhitePo	*	*	*	*	*	*	*	*	*	*	*	*
12 LaJolla	*	*	*	*	*	*	*	*	*	*	*	*

Order of parameters:

1	Θ_1	=	Θ_1	[m]	<displayed>
2	Θ_2	=	Θ_1	[m]	
3	Θ_3	=	Θ_1	[m]	
4	Θ_4	=	Θ_1	[m]	
5	Θ_5	=	Θ_1	[m]	
6	Θ_6	=	Θ_1	[m]	
7	Θ_7	=	Θ_1	[m]	
8	Θ_8	=	Θ_1	[m]	
9	Θ_9	=	Θ_1	[m]	
10	Θ_{10}	=	Θ_1	[m]	
11	Θ_{11}				<displayed>
12	Θ_{12}				<displayed>
13	$M_{2 \rightarrow 1}$	=	$M_{2 \rightarrow 1}$	[m]	<displayed>
14	$M_{3 \rightarrow 1}$	=	$M_{2 \rightarrow 1}$	[m]	
15	$M_{4 \rightarrow 1}$	=	$M_{2 \rightarrow 1}$	[m]	
16	$M_{5 \rightarrow 1}$	=	$M_{2 \rightarrow 1}$	[m]	
17	$M_{6 \rightarrow 1}$	=	$M_{2 \rightarrow 1}$	[m]	
18	$M_{7 \rightarrow 1}$	=	$M_{2 \rightarrow 1}$	[m]	
19	$M_{8 \rightarrow 1}$	=	$M_{2 \rightarrow 1}$	[m]	
20	$M_{9 \rightarrow 1}$	=	$M_{2 \rightarrow 1}$	[m]	
21	$M_{10 \rightarrow 1}$	=	$M_{2 \rightarrow 1}$	[m]	
22	$M_{11 \rightarrow 1}$	=	$M_{2 \rightarrow 1}$	[m]	
23	$M_{12 \rightarrow 1}$	=	$M_{2 \rightarrow 1}$	[m]	
24	$M_{1 \rightarrow 2}$	=	$M_{2 \rightarrow 1}$	[m]	
25	$M_{3 \rightarrow 2}$	=	$M_{2 \rightarrow 1}$	[m]	
26	$M_{4 \rightarrow 2}$	=	$M_{2 \rightarrow 1}$	[m]	
27	$M_{5 \rightarrow 2}$	=	$M_{2 \rightarrow 1}$	[m]	
28	$M_{6 \rightarrow 2}$	=	$M_{2 \rightarrow 1}$	[m]	
29	$M_{7 \rightarrow 2}$	=	$M_{2 \rightarrow 1}$	[m]	
30	$M_{8 \rightarrow 2}$	=	$M_{2 \rightarrow 1}$	[m]	
31	$M_{9 \rightarrow 2}$	=	$M_{2 \rightarrow 1}$	[m]	
32	$M_{10 \rightarrow 2}$	=	$M_{2 \rightarrow 1}$	[m]	
33	$M_{11 \rightarrow 2}$	=	$M_{2 \rightarrow 1}$	[m]	
34	$M_{12 \rightarrow 2}$	=	$M_{2 \rightarrow 1}$	[m]	
35	$M_{1 \rightarrow 3}$	=	$M_{2 \rightarrow 1}$	[m]	
36	$M_{2 \rightarrow 3}$	=	$M_{2 \rightarrow 1}$	[m]	
37	$M_{4 \rightarrow 3}$	=	$M_{2 \rightarrow 1}$	[m]	
38	$M_{5 \rightarrow 3}$	=	$M_{2 \rightarrow 1}$	[m]	
39	$M_{6 \rightarrow 3}$	=	$M_{2 \rightarrow 1}$	[m]	
40	$M_{7 \rightarrow 3}$	=	$M_{2 \rightarrow 1}$	[m]	

41	M	8->3 =	M	2->1 [m]
42	M	9->3 =	M	2->1 [m]
43	M	10->3 =	M	2->1 [m]
44	M	11->3 =	M	2->1 [m]
45	M	12->3 =	M	2->1 [m]
46	M	1->4 =	M	2->1 [m]
47	M	2->4 =	M	2->1 [m]
48	M	3->4 =	M	2->1 [m]
49	M	5->4 =	M	2->1 [m]
50	M	6->4 =	M	2->1 [m]
51	M	7->4 =	M	2->1 [m]
52	M	8->4 =	M	2->1 [m]
53	M	9->4 =	M	2->1 [m]
54	M	10->4 =	M	2->1 [m]
55	M	11->4 =	M	2->1 [m]
56	M	12->4 =	M	2->1 [m]
57	M	1->5 =	M	2->1 [m]
58	M	2->5 =	M	2->1 [m]
59	M	3->5 =	M	2->1 [m]
60	M	4->5 =	M	2->1 [m]
61	M	6->5 =	M	2->1 [m]
62	M	7->5 =	M	2->1 [m]
63	M	8->5 =	M	2->1 [m]
64	M	9->5 =	M	2->1 [m]
65	M	10->5 =	M	2->1 [m]
66	M	11->5 =	M	2->1 [m]
67	M	12->5 =	M	2->1 [m]
68	M	1->6 =	M	2->1 [m]
69	M	2->6 =	M	2->1 [m]
70	M	3->6 =	M	2->1 [m]
71	M	4->6 =	M	2->1 [m]
72	M	5->6 =	M	2->1 [m]
73	M	7->6 =	M	2->1 [m]
74	M	8->6 =	M	2->1 [m]
75	M	9->6 =	M	2->1 [m]
76	M	10->6 =	M	2->1 [m]
77	M	11->6 =	M	2->1 [m]
78	M	12->6 =	M	2->1 [m]
79	M	1->7 =	M	2->1 [m]
80	M	2->7 =	M	2->1 [m]
81	M	3->7 =	M	2->1 [m]
82	M	4->7 =	M	2->1 [m]
83	M	5->7 =	M	2->1 [m]
84	M	6->7 =	M	2->1 [m]
85	M	8->7 =	M	2->1 [m]

86	M	9->7 =	M	2->1 [m]	
87	M	10->7 =	M	2->1 [m]	
88	M	11->7 =	M	2->1 [m]	
89	M	12->7 =	M	2->1 [m]	
90	M	1->8 =	M	2->1 [m]	
91	M	2->8 =	M	2->1 [m]	
92	M	3->8 =	M	2->1 [m]	
93	M	4->8 =	M	2->1 [m]	
94	M	5->8 =	M	2->1 [m]	
95	M	6->8 =	M	2->1 [m]	
96	M	7->8 =	M	2->1 [m]	
97	M	9->8 =	M	2->1 [m]	
98	M	10->8 =	M	2->1 [m]	
99	M	11->8 =	M	2->1 [m]	
100	M	12->8 =	M	2->1 [m]	
101	M	1->9 =	M	2->1 [m]	
102	M	2->9 =	M	2->1 [m]	
103	M	3->9 =	M	2->1 [m]	
104	M	4->9 =	M	2->1 [m]	
105	M	5->9 =	M	2->1 [m]	
106	M	6->9 =	M	2->1 [m]	
107	M	7->9 =	M	2->1 [m]	
108	M	8->9 =	M	2->1 [m]	
109	M	10->9 =	M	2->1 [m]	
110	M	11->9 =	M	2->1 [m]	
111	M	12->9 =	M	2->1 [m]	
112	M	1->10 =	M	2->1 [m]	
113	M	2->10 =	M	2->1 [m]	
114	M	3->10 =	M	2->1 [m]	
115	M	4->10 =	M	2->1 [m]	
116	M	5->10 =	M	2->1 [m]	
117	M	6->10 =	M	2->1 [m]	
118	M	7->10 =	M	2->1 [m]	
119	M	8->10 =	M	2->1 [m]	
120	M	9->10 =	M	2->1 [m]	
121	M	11->10 =	M	2->1 [m]	
122	M	12->10 =	M	2->1 [m]	
123	M	1->11		<displayed>	
124	M	2->11		<displayed>	
125	M	3->11		<displayed>	
126	M	4->11		<displayed>	
127	M	5->11		<displayed>	
128	M	6->11		<displayed>	
129	M	7->11		<displayed>	
130	M	8->11		<displayed>	

131	M	9->11	<displayed>
132	M	10->11	<displayed>
133	M	12->11	<displayed>
134	M	1->12	<displayed>
135	M	2->12	<displayed>
136	M	3->12	<displayed>
137	M	4->12	<displayed>
138	M	5->12	<displayed>
139	M	6->12	<displayed>
140	M	7->12	<displayed>
141	M	8->12	<displayed>
142	M	9->12	<displayed>
143	M	10->12	<displayed>
144	M	11->12	<displayed>

Mutation rate among loci:

Mutation rate is constant

Analysis strategy:

Bayesian inference

Proposal distributions for parameter

Parameter	Proposal
Theta	Metropolis sampling
M	Slice sampling

Prior distribution for parameter

Parameter	Prior	Minimum	Mean*	Maximum	Delta	Bins
Theta	Exp window	0.000010	0.010000	10.000000	1.000000	500
M	Exp window	0.000100	100000.000000	1000000.000000	100000.000000	500

Markov chain settings:

Long chain

Number of chains	1
Recorded steps [a]	1000
Increment (record every x step [b])	100
Number of concurrent chains (replicates) [c]	3
Visited (sampled) parameter values [a*b*c]	300000
Number of discard trees per chain (burn-in)	1000

Multiple Markov chains:

Static heating scheme

4 chains with temperatures
100000.00 3.00 1.50 1.00
Swapping interval is 1

Print options:

Data file:	../../mcalifornianus_210528.mig
Output file:	outfile.txt
Posterior distribution raw histogram file:	bayesfile
Print data:	No
Print genealogies [only some for some data type]:	None

Data summary

Datatype: Sequence data
 Number of loci: 1

Population	Locus	Gene copies
1 ElfinCo	1	19
2 Bamfiel	1	23
3 PortRen	1	15
4 WalkOnB	1	16
5 BodegaH	1	7
6 Davenpo	1	17
7 VistaDe	1	19
8 HazardR	1	23
9 Refugio	1	16
10 Carpint	1	19
11 WhitePo	1	11
12 LaJolla	1	8
Total of all populations	1	193

Bayesian Analysis: Posterior distribution table

Locus	Parameter	2.5%	25.0%	Mode	75.0%	97.5%	Median	Mean
1	Θ_1	0.00001	0.00001	0.01001	0.06001	0.16001	0.07001	0.00055
1	Θ_2	0.00001	0.00001	0.01001	0.06001	0.16001	0.07001	0.00055
1	Θ_3	0.00001	0.00001	0.01001	0.06001	0.16001	0.07001	0.00055
1	Θ_4	0.00001	0.00001	0.01001	0.06001	0.16001	0.07001	0.00055
1	Θ_5	0.00001	0.00001	0.01001	0.06001	0.16001	0.07001	0.00055
1	Θ_6	0.00001	0.00001	0.01001	0.06001	0.16001	0.07001	0.00055
1	Θ_7	0.00001	0.00001	0.01001	0.06001	0.16001	0.07001	0.00055
1	Θ_8	0.00001	0.00001	0.01001	0.06001	0.16001	0.07001	0.00055
1	Θ_9	0.00001	0.00001	0.01001	0.06001	0.16001	0.07001	0.00055
1	Θ_{10}	0.00001	0.00001	0.01001	0.06001	0.16001	0.07001	0.00055
1	Θ_{11}	0.00001	0.00001	0.01001	0.06001	0.16001	0.07001	0.01031
1	Θ_{12}	0.00001	0.00001	0.01001	0.06001	0.16001	0.07001	0.01131
1	$M_{2 \rightarrow 1}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{3 \rightarrow 1}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{4 \rightarrow 1}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{5 \rightarrow 1}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{6 \rightarrow 1}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{7 \rightarrow 1}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{8 \rightarrow 1}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{9 \rightarrow 1}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{10 \rightarrow 1}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{11 \rightarrow 1}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{12 \rightarrow 1}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{1 \rightarrow 2}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{3 \rightarrow 2}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{4 \rightarrow 2}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{5 \rightarrow 2}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{6 \rightarrow 2}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{7 \rightarrow 2}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{8 \rightarrow 2}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{9 \rightarrow 2}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{10 \rightarrow 2}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{11 \rightarrow 2}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{12 \rightarrow 2}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{1 \rightarrow 3}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	$M_{2 \rightarrow 3}$	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9

Locus	Parameter	2.5%	25.0%	Mode	75.0%	97.5%	Median	Mean
1	M _{4->3}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{5->3}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{6->3}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{7->3}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{8->3}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{9->3}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{10->3}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{11->3}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{12->3}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{1->4}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{2->4}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{3->4}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{5->4}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{6->4}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{7->4}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{8->4}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{9->4}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{10->4}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{11->4}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{12->4}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{1->5}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{2->5}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{3->5}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{4->5}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{6->5}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{7->5}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{8->5}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{9->5}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{10->5}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{11->5}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{12->5}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{1->6}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{2->6}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{3->6}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{4->6}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{5->6}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{7->6}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{8->6}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{9->6}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{10->6}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{11->6}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9

Locus	Parameter	2.5%	25.0%	Mode	75.0%	97.5%	Median	Mean
1	M _{12->6}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{1->7}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{2->7}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{3->7}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{4->7}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{5->7}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{6->7}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{8->7}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{9->7}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{10->7}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{11->7}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{12->7}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{1->8}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{2->8}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{3->8}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{4->8}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{5->8}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{6->8}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{7->8}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{9->8}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{10->8}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{11->8}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{12->8}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{1->9}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{2->9}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{3->9}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{4->9}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{5->9}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{6->9}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{7->9}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{8->9}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{10->9}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{11->9}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{12->9}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{1->10}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{2->10}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{3->10}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{4->10}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{5->10}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{6->10}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{7->10}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9

Locus	Parameter	2.5%	25.0%	Mode	75.0%	97.5%	Median	Mean
1	M _{8->10}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{9->10}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{11->10}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{12->10}	38000.0	50000.0	61000.0	70000.0	86000.0	63000.0	61534.9
1	M _{1->11}	78000.0	108000.0	127000.0	154000.0	202000.0	139000.0	138824.3
1	M _{2->11}	4000.0	24000.0	37000.0	50000.0	78000.0	41000.0	40931.2
1	M _{3->11}	44000.0	132000.0	161000.0	186000.0	242000.0	149000.0	143743.9
1	M _{4->11}	58000.0	72000.0	99000.0	148000.0	192000.0	141000.0	170623.7
1	M _{5->11}	38000.0	56000.0	91000.0	112000.0	138000.0	105000.0	152484.1
1	M _{6->11}	6000.0	20000.0	35000.0	46000.0	68000.0	159000.0	133968.0
1	M _{7->11}	60000.0	122000.0	147000.0	168000.0	192000.0	137000.0	130662.0
1	M _{8->11}	40000.0	74000.0	99000.0	114000.0	180000.0	111000.0	110261.7
1	M _{9->11}	34000.0	56000.0	89000.0	106000.0	168000.0	93000.0	95272.6
1	M _{10->11}	16000.0	52000.0	75000.0	90000.0	110000.0	69000.0	65886.4
1	M _{12->11}	10000.0	28000.0	77000.0	92000.0	116000.0	83000.0	109159.6
1	M _{1->12}	22000.0	36000.0	53000.0	74000.0	156000.0	119000.0	160577.4
1	M _{2->12}	14000.0	26000.0	39000.0	50000.0	130000.0	73000.0	71263.7
1	M _{3->12}	0.0	6000.0	21000.0	40000.0	96000.0	67000.0	81284.2
1	M _{4->12}	0.0	0.0	15000.0	34000.0	86000.0	55000.0	65347.3
1	M _{5->12}	44000.0	66000.0	107000.0	124000.0	234000.0	129000.0	133877.0
1	M _{6->12}	58000.0	154000.0	209000.0	232000.0	348000.0	191000.0	193892.9
1	M _{7->12}	98000.0	128000.0	147000.0	174000.0	218000.0	157000.0	157996.3
1	M _{8->12}	34000.0	58000.0	79000.0	96000.0	190000.0	87000.0	94559.9
1	M _{9->12}	50000.0	76000.0	85000.0	122000.0	162000.0	107000.0	105502.2
1	M _{10->12}	48000.0	88000.0	111000.0	128000.0	156000.0	109000.0	104827.6
1	M _{11->12}	24000.0	34000.0	53000.0	72000.0	84000.0	145000.0	143245.7






Citation suggestions:


Beerli P., 2006. Comparison of Bayesian and maximum-likelihood inference of population genetic parameters. *Bioinformatics* 22:341-345


Beerli P., 2007. Estimation of the population scaled mutation rate from microsatellite data, *Genetics*, 177:1967-1968.





Beerli P., 2009. How to use MIGRATE or why are Markov chain Monte Carlo programs difficult to use? In *Population Genetics for Animal Conservation*, G. Bertorelle, M. W. Bruford, H. C. Hauffe, A. Rizzoli, and C. Vernesi, eds., vol. 17 of *Conservation Biology*, Cambridge University Press, Cambridge UK, pp. 42-79.

Bayesian Analysis: Posterior distribution over all loci









Log-Probability of the data given the model (marginal likelihood)

Use this value for Bayes factor calculations:

$BF = \text{Exp}[\ln(\text{Prob}(D \mid \text{thisModel}) - \ln(\text{Prob}(D \mid \text{otherModel}))]$

or as $LBF = 2 (\ln(\text{Prob}(D \mid \text{thisModel}) - \ln(\text{Prob}(D \mid \text{otherModel})))$

shows the support for thisModel]

Method	$\ln(\text{Prob}(D \mid \text{Model}))$	Notes
Thermodynamic integration	-2411.372106	(1a)
	-2269.695860	(1b)
Harmonic mean	-1972.671594	(2)

(1a, 1b and 2) are approximations to the marginal likelihood, make sure that the program run long enough!

(1a, 1b) and (2) should give similar results, in principle.

But (2) is overestimating the likelihood, it is presented for historical reasons and should not be used

(1a, 1b) needs heating with chains that span a temperature range of 1.0 to at least 100,000.

(1b) is using a Bezier-curve to get better approximations for runs with low number of heated chains

Citation suggestions:

Beerli P. and M. Palczewski, 2010. Unified framework to evaluate panmixia and migration direction among multiple sampling locations, *Genetics*, 185: 313-326.

Acceptance ratios for all parameters and the genealogies

Parameter	Accepted changes	Ratio
Θ_1	12/1056	0.01136
Θ_2	12/1056	0.01136
Θ_3	12/1056	0.01136
Θ_4	12/1056	0.01136
Θ_5	12/1056	0.01136
Θ_6	12/1056	0.01136
Θ_7	12/1056	0.01136
Θ_8	12/1056	0.01136
Θ_9	12/1056	0.01136
Θ_{10}	12/1056	0.01136
Θ_{11}	712/1092	0.65201
Θ_{12}	726/1044	0.69540
$M_{2 \rightarrow 1}$	1007/1007	1.00000
$M_{3 \rightarrow 1}$	1007/1007	1.00000
$M_{4 \rightarrow 1}$	1007/1007	1.00000
$M_{5 \rightarrow 1}$	1007/1007	1.00000
$M_{6 \rightarrow 1}$	1007/1007	1.00000
$M_{7 \rightarrow 1}$	1007/1007	1.00000
$M_{8 \rightarrow 1}$	1007/1007	1.00000
$M_{9 \rightarrow 1}$	1007/1007	1.00000
$M_{10 \rightarrow 1}$	1007/1007	1.00000
$M_{11 \rightarrow 1}$	1007/1007	1.00000
$M_{12 \rightarrow 1}$	1007/1007	1.00000
$M_{1 \rightarrow 2}$	1007/1007	1.00000
$M_{3 \rightarrow 2}$	1007/1007	1.00000
$M_{4 \rightarrow 2}$	1007/1007	1.00000
$M_{5 \rightarrow 2}$	1007/1007	1.00000
$M_{6 \rightarrow 2}$	1007/1007	1.00000
$M_{7 \rightarrow 2}$	1007/1007	1.00000
$M_{8 \rightarrow 2}$	1007/1007	1.00000
$M_{9 \rightarrow 2}$	1007/1007	1.00000
$M_{10 \rightarrow 2}$	1007/1007	1.00000
$M_{11 \rightarrow 2}$	1007/1007	1.00000
$M_{12 \rightarrow 2}$	1007/1007	1.00000
$M_{1 \rightarrow 3}$	1007/1007	1.00000
$M_{2 \rightarrow 3}$	1007/1007	1.00000
$M_{4 \rightarrow 3}$	1007/1007	1.00000

Preliminary migrate analysis of *M. californianus* CO1 haplotypes for Evolution 2 -- 18

M	5->3	1007/1007	1.00000
M	6->3	1007/1007	1.00000
M	7->3	1007/1007	1.00000
M	8->3	1007/1007	1.00000
M	9->3	1007/1007	1.00000
M	10->3	1007/1007	1.00000
M	11->3	1007/1007	1.00000
M	12->3	1007/1007	1.00000
M	1->4	1007/1007	1.00000
M	2->4	1007/1007	1.00000
M	3->4	1007/1007	1.00000
M	5->4	1007/1007	1.00000
M	6->4	1007/1007	1.00000
M	7->4	1007/1007	1.00000
M	8->4	1007/1007	1.00000
M	9->4	1007/1007	1.00000
M	10->4	1007/1007	1.00000
M	11->4	1007/1007	1.00000
M	12->4	1007/1007	1.00000
M	1->5	1007/1007	1.00000
M	2->5	1007/1007	1.00000
M	3->5	1007/1007	1.00000
M	4->5	1007/1007	1.00000
M	6->5	1007/1007	1.00000
M	7->5	1007/1007	1.00000
M	8->5	1007/1007	1.00000
M	9->5	1007/1007	1.00000
M	10->5	1007/1007	1.00000
M	11->5	1007/1007	1.00000
M	12->5	1007/1007	1.00000
M	1->6	1007/1007	1.00000
M	2->6	1007/1007	1.00000
M	3->6	1007/1007	1.00000
M	4->6	1007/1007	1.00000
M	5->6	1007/1007	1.00000
M	7->6	1007/1007	1.00000
M	8->6	1007/1007	1.00000
M	9->6	1007/1007	1.00000
M	10->6	1007/1007	1.00000
M	11->6	1007/1007	1.00000
M	12->6	1007/1007	1.00000
M	1->7	1007/1007	1.00000
M	2->7	1007/1007	1.00000
M	3->7	1007/1007	1.00000
M	4->7	1007/1007	1.00000

Preliminary migrate analysis of *M. californianus* CO1 haplotypes for Evolution 2 -- 19

M	5->7	1007/1007	1.00000
M	6->7	1007/1007	1.00000
M	8->7	1007/1007	1.00000
M	9->7	1007/1007	1.00000
M	10->7	1007/1007	1.00000
M	11->7	1007/1007	1.00000
M	12->7	1007/1007	1.00000
M	1->8	1007/1007	1.00000
M	2->8	1007/1007	1.00000
M	3->8	1007/1007	1.00000
M	4->8	1007/1007	1.00000
M	5->8	1007/1007	1.00000
M	6->8	1007/1007	1.00000
M	7->8	1007/1007	1.00000
M	9->8	1007/1007	1.00000
M	10->8	1007/1007	1.00000
M	11->8	1007/1007	1.00000
M	12->8	1007/1007	1.00000
M	1->9	1007/1007	1.00000
M	2->9	1007/1007	1.00000
M	3->9	1007/1007	1.00000
M	4->9	1007/1007	1.00000
M	5->9	1007/1007	1.00000
M	6->9	1007/1007	1.00000
M	7->9	1007/1007	1.00000
M	8->9	1007/1007	1.00000
M	10->9	1007/1007	1.00000
M	11->9	1007/1007	1.00000
M	12->9	1007/1007	1.00000
M	1->10	1007/1007	1.00000
M	2->10	1007/1007	1.00000
M	3->10	1007/1007	1.00000
M	4->10	1007/1007	1.00000
M	5->10	1007/1007	1.00000
M	6->10	1007/1007	1.00000
M	7->10	1007/1007	1.00000
M	8->10	1007/1007	1.00000
M	9->10	1007/1007	1.00000
M	11->10	1007/1007	1.00000
M	12->10	1007/1007	1.00000
M	1->11	1066/1066	1.00000
M	2->11	1008/1008	1.00000
M	3->11	985/985	1.00000
M	4->11	1036/1036	1.00000
M	5->11	1030/1030	1.00000

M	6->11	1058/1058	1.00000
M	7->11	1097/1097	1.00000
M	8->11	1056/1056	1.00000
M	9->11	1037/1037	1.00000
M	10->11	1074/1074	1.00000
M	12->11	1064/1064	1.00000
M	1->12	1080/1080	1.00000
M	2->12	1026/1026	1.00000
M	3->12	1062/1062	1.00000
M	4->12	1082/1082	1.00000
M	5->12	1007/1007	1.00000
M	6->12	1044/1044	1.00000
M	7->12	1077/1077	1.00000
M	8->12	993/993	1.00000
M	9->12	1038/1038	1.00000
M	10->12	1064/1064	1.00000
M	11->12	1062/1062	1.00000
Genealogies		23411/149833	0.15625

MCMC-Autocorrelation and Effective MCMC Sample Size

Parameter	Autocorrelation	Effective Sample Size
Θ_1	0.99210	11.90
Θ_2	0.99210	11.90
Θ_3	0.99210	11.90
Θ_4	0.99210	11.90
Θ_5	0.99210	11.90
Θ_6	0.99210	11.90
Θ_7	0.99210	11.90
Θ_8	0.99210	11.90
Θ_9	0.99210	11.90
Θ_{10}	0.99210	11.90
Θ_{11}	0.81250	310.82
Θ_{12}	0.79767	337.43
$M_{2 \rightarrow 1}$	0.98969	15.53
$M_{3 \rightarrow 1}$	0.98969	15.53
$M_{4 \rightarrow 1}$	0.98969	15.53
$M_{5 \rightarrow 1}$	0.98969	15.53
$M_{6 \rightarrow 1}$	0.98969	15.53
$M_{7 \rightarrow 1}$	0.98969	15.53
$M_{8 \rightarrow 1}$	0.98969	15.53
$M_{9 \rightarrow 1}$	0.98969	15.53
$M_{10 \rightarrow 1}$	0.98969	15.53
$M_{11 \rightarrow 1}$	0.98969	15.53
$M_{12 \rightarrow 1}$	0.98969	15.53
$M_{1 \rightarrow 2}$	0.98969	15.53
$M_{3 \rightarrow 2}$	0.98969	15.53
$M_{4 \rightarrow 2}$	0.98969	15.53
$M_{5 \rightarrow 2}$	0.98969	15.53
$M_{6 \rightarrow 2}$	0.98969	15.53
$M_{7 \rightarrow 2}$	0.98969	15.53
$M_{8 \rightarrow 2}$	0.98969	15.53
$M_{9 \rightarrow 2}$	0.98969	15.53
$M_{10 \rightarrow 2}$	0.98969	15.53
$M_{11 \rightarrow 2}$	0.98969	15.53
$M_{12 \rightarrow 2}$	0.98969	15.53
$M_{1 \rightarrow 3}$	0.98969	15.53
$M_{2 \rightarrow 3}$	0.98969	15.53
$M_{4 \rightarrow 3}$	0.98969	15.53

M	5->3	0.98969	15.53
M	6->3	0.98969	15.53
M	7->3	0.98969	15.53
M	8->3	0.98969	15.53
M	9->3	0.98969	15.53
M	10->3	0.98969	15.53
M	11->3	0.98969	15.53
M	12->3	0.98969	15.53
M	1->4	0.98969	15.53
M	2->4	0.98969	15.53
M	3->4	0.98969	15.53
M	5->4	0.98969	15.53
M	6->4	0.98969	15.53
M	7->4	0.98969	15.53
M	8->4	0.98969	15.53
M	9->4	0.98969	15.53
M	10->4	0.98969	15.53
M	11->4	0.98969	15.53
M	12->4	0.98969	15.53
M	1->5	0.98969	15.53
M	2->5	0.98969	15.53
M	3->5	0.98969	15.53
M	4->5	0.98969	15.53
M	6->5	0.98969	15.53
M	7->5	0.98969	15.53
M	8->5	0.98969	15.53
M	9->5	0.98969	15.53
M	10->5	0.98969	15.53
M	11->5	0.98969	15.53
M	12->5	0.98969	15.53
M	1->6	0.98969	15.53
M	2->6	0.98969	15.53
M	3->6	0.98969	15.53
M	4->6	0.98969	15.53
M	5->6	0.98969	15.53
M	7->6	0.98969	15.53
M	8->6	0.98969	15.53
M	9->6	0.98969	15.53
M	10->6	0.98969	15.53
M	11->6	0.98969	15.53
M	12->6	0.98969	15.53
M	1->7	0.98969	15.53
M	2->7	0.98969	15.53
M	3->7	0.98969	15.53
M	4->7	0.98969	15.53

Preliminary migrate analysis of *M. californianus* CO1 haplotypes for Evolution 2 -- 23

M	5->7	0.98969	15.53
M	6->7	0.98969	15.53
M	8->7	0.98969	15.53
M	9->7	0.98969	15.53
M	10->7	0.98969	15.53
M	11->7	0.98969	15.53
M	12->7	0.98969	15.53
M	1->8	0.98969	15.53
M	2->8	0.98969	15.53
M	3->8	0.98969	15.53
M	4->8	0.98969	15.53
M	5->8	0.98969	15.53
M	6->8	0.98969	15.53
M	7->8	0.98969	15.53
M	9->8	0.98969	15.53
M	10->8	0.98969	15.53
M	11->8	0.98969	15.53
M	12->8	0.98969	15.53
M	1->9	0.98969	15.53
M	2->9	0.98969	15.53
M	3->9	0.98969	15.53
M	4->9	0.98969	15.53
M	5->9	0.98969	15.53
M	6->9	0.98969	15.53
M	7->9	0.98969	15.53
M	8->9	0.98969	15.53
M	10->9	0.98969	15.53
M	11->9	0.98969	15.53
M	12->9	0.98969	15.53
M	1->10	0.98969	15.53
M	2->10	0.98969	15.53
M	3->10	0.98969	15.53
M	4->10	0.98969	15.53
M	5->10	0.98969	15.53
M	6->10	0.98969	15.53
M	7->10	0.98969	15.53
M	8->10	0.98969	15.53
M	9->10	0.98969	15.53
M	11->10	0.98969	15.53
M	12->10	0.98969	15.53
M	1->11	0.90481	151.41
M	2->11	0.90564	148.51
M	3->11	0.94487	85.14
M	4->11	0.89941	159.93
M	5->11	0.92185	122.01

M	6->11	0.92932	110.45
M	7->11	0.83840	263.91
M	8->11	0.92468	118.08
M	9->11	0.90811	146.24
M	10->11	0.89091	175.85
M	12->11	0.86751	213.67
M	1->12	0.85147	242.14
M	2->12	0.93786	97.36
M	3->12	0.90342	152.24
M	4->12	0.89353	168.61
M	5->12	0.92354	119.60
M	6->12	0.92885	111.26
M	7->12	0.90650	148.30
M	8->12	0.93012	109.26
M	9->12	0.92095	124.36
M	10->12	0.89992	159.43
M	11->12	0.88197	188.11
Ln[Prob(D G)]		0.97834	32.96

Potential Problems

This section reports potential problems with your run, but such reporting is often not very accurate. With many parameters in a multilocus analysis, it is very common that some parameters for some loci will not be very informative, triggering suggestions (for example to increase the prior range) that are not sensible. This suggestion tool will improve with time, therefore do not blindly follow its suggestions. If some parameters are flagged, inspect the tables carefully and judge whether an action is required. For example, if you run a Bayesian inference with sequence data, for macroscopic species there is rarely the need to increase the prior for Theta beyond 0.1; but if you use microsatellites it is rather common that your prior distribution for Theta should have a range from 0.0 to 100 or more. With many populations (>3) it is also very common that some migration routes are estimated poorly because the data contains little or no information for that route. Increasing the range will not help in such situations, reducing number of parameters may help in such situations.

Param 1: Effective sample size of run seems too short!
 Param 1: Effective sample size of run seems too short!
 Param 1: Effective sample size of run seems too short!
 Param 1: Effective sample size of run seems too short!
 Param 1: Effective sample size of run seems too short!
 Param 1: Effective sample size of run seems too short!
 Param 1: Effective sample size of run seems too short!
 Param 1: Effective sample size of run seems too short!
 Param 1: Effective sample size of run seems too short!
 Param 1: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!
 Param 13: Effective sample size of run seems too short!

[illegible]

[illegible]

Param 13: Effective sample size of run seems too short!

Param 13: Effective sample size of run seems too short!

Param 13: Effective sample size of run seems too short!