


Gaussian
 Poisson
 AsymmetricGaussian

CMS *Internal*


$\hat{r} = -0.00^{+0.60}_{-0.20}$




Unconstrained
 Gaussian
 Poisson
 AsymmetricGaussian

CMS *Internal*

$\hat{r} = -0.00^{+0.60}_{-0.20}$






Unconstrained
 Gaussian
 Poisson
 AsymmetricGaussian

CMS *Internal*


$\hat{r} = -0.00$
 $+0.60$
 -0.20



Unconstrained
 Gaussian
 Poisson
 AsymmetricGaussian

CMS *Internal*

$\hat{r} = -0.00^{+0.60}_{-0.20}$



Pull
 +1σ Impact
 -1σ Impact


$(\hat{\theta} - \theta_0) / \Delta\theta$

$\Delta\hat{r}$

Unconstrained
 Gaussian
 Poisson
 AsymmetricGaussian

CMS *Internal*


$\hat{r} = -0.00^{+0.60}_{-0.20}$



Unconstrained
 Gaussian
 Poisson
 AsymmetricGaussian

CMS *Internal*


$\hat{r} = -0.00^{+0.60}_{-0.20}$



Unconstrained
 Gaussian
 Poisson
 AsymmetricGaussian

CMS *Internal*

$\hat{r} = -0.00^{+0.60}_{-0.20}$



Unconstrained Poisson Gaussian AsymmetricGaussian

CMS Internal

$\hat{r} = -0.00^{+0.60}_{-0.20}$

241

prop_binCROS_electron2016M_bin5_Triboson

242

prop_binSR_electron2016M_bin13_WpWpJJ

243

prop_binCROS_electron2016M_bin7_Triboson

● Pull +1 σ Impact -1 σ Impact

