Disciplined Convex Optimization with CVXR

Anqi Fu   Bala Narasimhan   Stephen Boyd

EE & Statistics Departments

Stanford University

useR! Conference 2016

Convex Optimization

CVXR

Examples

Disciplined Convex Programming

Future Work

Outline

Convex Optimization

CVXR

Examples

Disciplined Convex Programming

Future Work

Convex Optimization

$$\begin{array}{ll} \text{minimize} & f_0(x) \\ \text{subject to} & f_i(x) \leq 0, \quad i = 1, \ldots, m \\ & Ax = b \end{array}$$

with variable $x \in \mathbf{R}^n$

- ▶ Objective and inequality constraints $f_0, \ldots, f_m$ are convex
- ▶ Equality constraints are linear

Convex Optimization

$$\begin{array}{ll} \text{minimize} & f_0(x) \\ \text{subject to} & f_i(x) \leq 0, \quad i = 1, \ldots, m \\ & Ax = b \end{array}$$

with variable $x \in \mathbf{R}^n$

- ▶ Objective and inequality constraints $f_0, \ldots, f_m$ are convex
- ▶ Equality constraints are linear

Why?

- ▶ We can solve convex optimization problems
- ▶ There are many applications in many fields

Outline

CVXR

A modeling language in R for convex optimization

- ▶ Open source down to the solvers
- ▶ Uses disciplined convex programming to verify convexity
- ▶ Supports parameters, multiple constraints
- ▶ Mixes easily with general R code and other libraries

Outline

Example: Ordinary Least Squares (OLS)

TODO: Mathematical definition of problem?

Example: Ordinary Least Squares (OLS)

```
library(cvxr)
beta <- Variable(m)
obj <- SumSquares(y - X %*% beta)
prob <- Problem(Minimize(obj))
solution <- solve(prob)
solution$opt_val
solution$beta
```

- ▶ X and y are constants; beta, obj, and prob are S4 objects
- ▶ solve method canonicalizes, solves, and returns a list with final objective and optimal value of each variable

Example: Non-Negative Least Squares

```
constr <- list(beta >= 0)
prob2 <- Problem(Minimize(obj), constr)
solution2 <- solve(prob2)
solution2$opt_val
solution2$beta
```

- ▶ Extend prior example by requiring `beta` to be non-negative
- ▶ Construct new problem with list `constr` of constraints formed from constants and variables
- ▶ Variables, parameters, expressions, and constraints exist outside of any problem

Results: Non-Negative Least Squares

Overview: Huber Regression

$$\text{minimize} \quad \sum_i^n \phi(y_i - \beta^T x_i)$$

with variable $\beta \in \mathbf{R}^n$ and Huber function

$$\phi(u) = \begin{cases} u^2 & |u| \leq 0 \\ 2Mu - M^2 & |u| > 0 \end{cases}$$

where $M > 0$ is the threshold

- ▶ TODO: Plot of Huber function?
- ▶ Same as OLS for small residuals, allows some large residuals
- ▶ Better fit when data contains outliers

Example: Huber Regression

```
beta = Variable(m)
cost = SumEntries(Huber(y - X %*% beta, 1))
prob <- Problem(Minimize(cost))
solution <- solve(prob)
solution$opt_val
solution$beta
```

- Generate data and replace fraction p of y_i's with $-y_i$
- Huber regression with threshold of 1, no constraints
- Compare with OLS and prescient regression where sign changes are known

Results: Huber Regression

Results: Huber Regression

Overview: Direct Standardization

- ► TODO: Overview of problem

Overview: Direct Standardization

$$\begin{array}{ll} \text{maximize} & \sum_i^n p_i \log p_i \\ \text{subject to} & p \geq 0, \sum_i^n p_i = 1 \\ & Ap = b \end{array}$$

with variable $p \in \mathbf{R}^n$

- Probabilities p must be non-negative and sum to 1
- $Ap = b$ represents distributional knowledge about some attributes, e.g. expected value, CDF in given range, etc
- Maximizing negative entropy without constraint $Ap = b$ yields uniform distribution

Example: Direct Standardization

- TODO: Specific data we generate for example

Example: Direct Standardization

```
probs <- Variable(n)
cost <- SumEntries(Entr(probs))
constr <- list(probs >= 0, SumEntries(probs) == 1,
   t(X[,1]) %*% probs == 0.5)
prob <- Problem(Maximize(cost), constr)
solution <- solve(prob)
solution$probs
```

- ▶ TODO: Details about code, constraint on fraction of women

Results: Direct Standardization

TODO: Plot of CDF from original, skewed, and estimated distributions

Outline

Disciplined Convex Programming (DCP)

(*Grant, Boyd, Ye, 2006*)

- Framework for describing convex optimization problems
- Based on constructive convex analysis
- Sufficient, but not necessary for convexity
- Basis for several domain-specific languages and tools for convex optimization
    - CVX, YALMIP, CVXPY, Convex.jl

Outline

Future Work

- More solvers - SCS, CVXOPT, etc
- More convex functions and constraints
- Domain-specific language for defining new operators
- Warm start to speed up convergence