




| REV | REV DESCRIPTION | DRAWN | APP'D | DATE |
|-----|-----------------|-------|-------|------|
| | | | | |



| | | | | | | | | | |
|--|---|---|--|-----------|-------------------------|---|-----------------|------------|---------|
| MATERIAL 303 Stainless Steel | | FINISH Oil and burr free at 15× mag. | | SCALE 1:2 | | DESC Reverse Engineered Diagnostic Instruments Post | | | |
| TOLERANCES: .XX ± .005 .XXX ± .001 .XXXX ± .0005 ANGLES ± 1° | UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES. TOLERANCES PER ANSI Y14.5M 1982 AND NFI SPEC 01-004. |  Howard Hughes Medical Institute Janelia Farm Research Center | DRAWN DH | | CHK'D | DATE 1/16/2008 | PROJ ENGR DH | | |
| | | | FILE NAME Reverse Engineered Diagnostic Instruments Post [JF-RK-TM0044] | | | | | | |
| | THIRD ANGLE PROJECTION |  | ©2007 HOWARD HUGHES MEDICAL INSTITUTE (HHMI). THIS HHMI PROPRIETARY INFORMATION MUST BE MAINTAINED IN THE STRICTEST OF CONFIDENCE AND MAY NOT BE COPIED, DISCLOSED, OR USED WITHOUT THE EXPRESS WRITTEN CONSENT OF HHMI. | | DWG NO. JF-RK-TM0044 | | REV. | SHEET 1 | OF 1 |