

00

Why 73% of AI workflows *fail* *silently*

BROKEN WORKFLOW PIPE

01 · FRUSTRATED DEVE

Brittle chains holding everything *together*

Most teams wire AI calls together with brittle `setTimeout` chains and custom retry logic. A single API timeout kills the entire pipeline. You never find out until a customer complains.

FRUSTRATED DEVELOPER

02 · SERVER INFRASTR

Persistent tasks that survive *restarts*

Trigger.dev gives you persistent tasks that survive server restarts and deployments. Your AI workflow resumes exactly where it left off, not from scratch. Built in TypeScript, runs on your infrastructure.

SERVER INFRASTRUCTUR

03 · COST COMPARISON

Enterprise pricing vs open *source*

Enterprise workflow tools charge \$2,000–8,000/month for queue management. Trigger.dev is open source. You self-host and pay zero licensing fees. The math is straightforward.

COST COMPARISON SAVI

04 · SUCCESS METRICS

**34% failure rate
dropped to *under*
*2%***

Retries with exponential backoff, cron schedules, and concurrent task limits come pre-configured. I watched a team cut their workflow failure rate from 34% to under 2% in one afternoon of migration.

SUCCESS METRICS IMPR

05 · AI AUTOMATION F

A proper home for long-running *AI* *tasks*

The real shift: long-running AI tasks like document processing, batch embeddings, and multi-step agents now have a proper home. No more hacking together Celery queues for TypeScript codebases.

AI AUTOMATION FUTURE

Follow for more on AI developer tools

follow me for daily AI *breakdowns.*