

✔ Congratulations! You passed!

Grade
received 100%

Latest Submission
Grade 100%

To pass 80% or
higher

Go to next item

Retake the assignment in **7h 57m**

1. What is the right command to containerize an application?

1 / 1 point

- ☐ `docker containerize -f Dockerfile`
- ☒ `docker build .`
- ☐ `docker -f Dockerfile build`

✔ **Correct**
Correct!

2. What is the default and recommended way to run a FastAPI web application?

1 / 1 point

- ☐ Using **FastAPI** `--run`. In a container it is useful to use **localhost** as the host to serve
- ☐ Using **flask** `--run`. In a container it is useful to use **localhost** as the host to serve
- ☒ Using the **uvicorn** server. In a container it is useful to use **0.0.0.0** as the host to serve.

✔ **Correct**
Correct!

3. What is the right prefix to tag a container in a repository named **huggingface-ghcr** so that it can be pushed to the GitHub Container Registry?

1 / 1 point

- ☐ Using the repository name, like **huggingface-ghcr**
- ☐ Using your username and then the repository name, for example:
alfredodeza/huggingface-ghcr
- ☒ **ghcr.io**

✓ **Correct**
Correct!

4. What are four common ways you can trigger a GitHub workflow in GitHub Actions?

1 / 1 point

- ☒
 - 1. A code change in a branch
 - 2. Manually
 - 3. A timer, to build on a schedule
 - 4. On a pull-request
- ☐
 - 1. A code change in a branch
 - 2. An API endpoint
 - 3. A timer, to build on a schedule
 - 4. On a pull-request
- ☐
 - 1. A code change in a branch
 - 2. A code failure, for example on failed tests
 - 3. A timer, to build on a schedule
 - 4. On a pull-request

✓ **Correct**
Correct!

5. For an Azure Container Registry named **demo-acr** what would the right tag be for the container in the **huggingface-acr** repository so that when pushed, it goes to Azure?

1 / 1 point

- ☒ **demo-acr.azure.io/huggingface-acr**

- ☐ demo-acr/huggingface-acr
- ☐ demo-acr.azure.com/huggingface-acr

☒ **Correct**
Correct!

6. When packaging an API with a model, what are three steps you should follow before creating automation?

1 / 1 point

- ☒
 - 1. Run the application to verify it works without containerization
 - 2. Build the container and verify it builds without issues
 - 3. Run the container and interact with the API to ensure it is functionally correct
- ☐
 - 1. Run the application to verify it works without containerization
 - 2. Push the container to a registry and verify it builds without issues
 - 3. Run the container and interact with the API to ensure it is functionally correct
- ☐
 - 1. Run the container to verify it works with containerization
 - 2. Push the container to a registry and verify it builds without issues
 - 3. Run the container and interact with the API to ensure it is functionally correct

☒ **Correct**
Correct!

7. Why would you want to register a model from Hugging Face into Azure ML Studio?

1 / 1 point

- ☐ Because it would allow a solid automation strategy with GitHub Actions
- ☐ Because Azure ML Studio can load models dynamically
- ☒ Because it would allow easier deployment, analysis, and fine tuning within the Azure cloud.

☒ **Correct**
Correct.

8. What are some possible scenarios that you can control that would prevent a successful deployment of a containerized HTTP API on a cloud service provider like Azure?

1 / 1 point

- ☐ 1. Azure availability zone service disruption
2. Incorrect scalability rules
- ☒ 1. Syntax error in the Python application
2. Incorrect port mapping from the container to the service
- ☐ 1. GitHub Actions service disruption
2. Incorrect scalability rules

☒ **Correct**
Correct!

9. What are three ways you can upload a Hugging Face dataset onto Azure ML Studio?

1 / 1 point

- ☒ 1. Via File Upload
2. Using the Python SDK
3. Using the URL to the raw dataset
- ☐ 1. Via Azure's API
2. Using the Python SDK
3. Using the URL to the raw dataset
- ☐ 1. Via File Upload
2. Using the Datasets library from Hugging Face
3. Using the URL to the raw dataset

☒ **Correct**
Correct!

10. What is a good definition for what packaging an ML model is?

1 / 1 point

- ☐ Is the process of making resources, such as applications and data, available to users in the cloud. It typically involves the use of cloud management platforms to automate the deployment process.
- ☒ Packaging a machine learning model means to create a container that can be used to deploy the model on different platforms which includes everything the model needs to run.
- ☐ Is the process of bundling a Python and ML application into a single file, or set of files, that can be distributed and installed.

☒ **Correct**

Correct!