EUROPEAN COMMISSION
DIRECTORATE-GENERAL
TAXATION AND CUSTOMS UNION
Digital Delivery of Customs and Taxation Policies
Architecture & Digital Operations

User Interface Manual

CBAM – Accredited Verifiers and Operators of 3rd Country Installations Portal

Date:	16/07/2026
Status:	Submitted for acceptance (SfA)
Version:	4.00 EN
Author:	SOFT-DEV
Approved by:	DG TAXUD
Reference number:	DLV-1088-7.3-202-1-14
Public:	DG TAXUD external
Confidentiality:	Publicly available (PA)

Commission européenne/Europese Commissie, 1049 Bruxelles/Brussel, BELGIQUE/BELGIË - Tel. +32 22991111

Document control information

Property	Value
Title	User Interface Manual
Subtitle	CBAM – Accredited Verifiers and Operators of 3rd Country Installations Portal
Author	SOFT-DEV
Project owner	Head of Unit of DG TAXUD Unit C2 CBAM, Energy and Green Taxation
Solution provider	DG TAXUD Unit B2 Architecture & Digital Operations
DG TAXUD Project Manager	DG TAXUD Unit B2 Architecture & Digital Operations
Version	4.00 EN
Confidentiality	Publicly available (PA)
Date	16/07/2026

Contract information

Property	Value
Framework Contract	TAXUD/2021/CC/162
Specific Contract	SC35

Document history

The document author is authorised to make the following types of changes to the document without requiring that the document be re-approved:

- Editorial, formatting, and spelling;
- Clarification.

To request a change to this document, contact the document author or project owner.
Changes to this document are summarised in the table in reverse chronological order (latest version first).

Version	Date	Description	Action[1]	Section
4.00	16/07/2026	Implementing review comments (QC60078) Document submitted for acceptance (SfA)	I, R	Where needed
3.10	26/06/2026	Updated for release 3.2. Document submitted for review (SfR)	I, R	1.3, 1.4, 1.6, 1.8, 2.1, 2.2, 2.4, 3.2, 3.3, 3.5.2, 3.6.1, 3.6.5, 3.6.7, 4, 4.2.1, 4.2.2, 5, 6.1.
3.00	07/11/2025	Implementing review comments (QC58114). Document submitted for acceptance (SfA)	I, R	Where needed
2.10	24/10/2025	Updated for release 3.1. Document submitted for review (SfR)	R	1.3, 1.6, 2.4, 3.6.4, 3.6.5, 4.2, 4.3, 4.4, 4.5, 4.6, 5.1
2.00	01/07/2025	Implementing review comments (QC56979). Document submitted for acceptance (SfA)	I, R	Where needed
1.50	18/06/2025	Updated for release 3.0. Document submitted for review (SfR)	I, R	1.3, 1.5, 1.6, 2.4, 3.2, 3.3, 3.5, 3.6, 3.7, 4.1, 4.2, 4.3, 4.4, 4.5, 4.6, 4.7, 5.1.

Version	Date	Description	Action[1]	Section
1.40	11/04/2025	No review comments raised (QC56361). Document submitted for acceptance (SfA)	I, R	As required
1.30	01/04/2025	Updated for release 2.2.2 and 2.2.3. Document submitted for review (SfR)	I, R	1.3, 1.5, 1.6, 1.7, 3.5, 3.6.1.3, 3.6.2.1, 3.6.3, 3.6.4, 3.6.5, 3.7, 4.2, 4.3, 4.4, 4.5, 4.7.
1.20	09/12/2024	Implementing review comments (QC55090). Document submitted for acceptance (SfA)	I, R	As required
1.10	21/11/2024	Updated for release 2.2. Document submitted for review (SfR)	I, R	Where needed
1.00	08/10/2024	Implementing review comments. Document submitted for acceptance (SfA)	I, R	As required
0.10	27/09/2024	Document submitted for review (SfR)	I	All
0.01	27/09/2024	Initial draft	I	All

[1] Action: I=Insert R=Replace

Configuration management : document location

The latest accepted version of this controlled document is stored on: CIRCABC.

Table of contents

1 INTRODUCTION 13
1.1 Document purpose 13
1.2 Target audience 13
1.3 Scope 13
1.4 Reference documents 13
1.5 Structure 13
1.6 Applicable documents 14
1.7 Abbreviations & acronyms 14
1.8 Definitions 15
2 GENERAL INFORMATION 16
2.1 System Overview 16
2.2 Authorised User Permission 16
2.3 User Support 16
2.4 Supported Browsers 16
3 GETTING STARTED 17
3.1 Access the System 17
3.2 Roles and Responsibilities 17
3.3 Navigation Map 18
3.4 Generic User Interface Behaviours 20
3.5 Generic User Interface Behaviours 21
3.5.1 Header 21
3.5.2 Footer 21
3.5.3 Tooltips 21
3.5.4 Validation of a form 22
3.5.5 Read-only and editable modes 23
3.5.6 Language 23
3.5.7 Time zone 24
3.6 Basic System Functions 24
3.6.1 General error messages 24
3.6.2 List and tables 25
3.6.3 Homepage 26
3.6.4 Attachments 27
3.6.5 Received notifications management 29
3.6.6 Sent notifications management 31
3.6.7 Email preferences page 33
3.7 Exit O3CI Portal 35
4 USING THE SYSTEM AS OPERATOR USER 36
4.1 States Information 37
4.1.1 States description 37
4.1.2 States transition diagram 38
4.2 O3CI Portal Home Page 39
4.2.1 Homepage View – Unregistered User 39
4.2.2 Homepage View – Registered User 41
4.3 Operator Information 44
4.3.1 New user creates and saves information (registration request not yet submitted) 51

4.3.2 New Admin user deletes the registration (registration request not yet submitted) 53
4.3.3 New user updates and submits a registration request 54
4.3.4 User views registration request rejected by the Commission and resubmits corrected registration request 60
4.3.5 User views registration request accepted by the Commission 64
4.3.6 User submits a request for change 65
4.3.7 User views rejected request for change & resubmits corrected request for change 71
4.3.8 Registered user searches, exports List of Installations and views operator history 77
4.3.9 User searches and requests a collaboration with an Accredited verifier 80
4.3.10 User views and rejects a collaboration request from an Accredited verifier 82
4.3.11 User views and accepts a collaboration request from an Accredited verifier 83
4.3.12 User unregisters (removes) a collaboration with an accredited entity 86
4.3.13 Deregistration request by Operator 87
4.3.14 Deregistration request by Commission (Right to be Heard) 89
4.4 Parent Company details 92
4.4.1 User adds/edits parent company details 94
4.5 Emissions Information 96
4.5.1 Admin user adds emissions information 104
4.5.2 User searches, exports Emissions Information & views history of Emissions 112
4.5.3 Admin user edits Emissions Information 114
4.5.4 Admin user deletes Emissions Information 117
4.6 Information Accessible to Public 118
4.6.1 User updates information accessible to the public 119
5 USING THE SYSTEM AS ACCREDITED ENTITY 122
5.1 States Information 122
5.1.1 States description 122
5.1.2 States transition diagram 123
5.2 O3CI portal Home page for Accredited Entities 124
5.3 Accredited Entity Information 126
5.3.1 New user creates and saves a registration request 127
5.3.2 New Admin user submits registration request 130
5.3.3 User creates and submits a request for change 133
5.3.4 User searches and requests collaboration with an operator 136
5.3.5 User cancels a collaboration request they have submitted 138
5.3.6 User views and rejects a collaboration request from an Operator 139
5.3.7 User views and accepts a collaboration request from an Operator 140
5.3.8 User unregisters (removes) a collaboration with an Operator 141
5.4 Accredited Entity Deregistration 142
5.4.1 Deregistration request from NCA 142
5.4.2 Deregistration request sent from Accredited entity is accepted 143
6 APPENDIX 146
6.1 CBAM O3CI Data elements 146

List of tables

Table 1: Reference documents 13
Table 2: Applicable documents 14
Table 3: Abbreviations and acronyms 15
Table 4: Definitions 15
Table 5: User roles in O3CI portal 18
Table 6: O3CI portal menu 20
Table 7: General error messages 25
Table 8: Operator user Role – UI menu options vs. rights 37
Table 9: CBAM Operator - List of states 38
Table 10: Operator state transitions 39
Table 11:CBAM Accredited Entity - List of states 123
Table 12:Accredited Entity state transitions 124
Table 13:Summary table for homepage section for different states of Accredited Entity 126

List of figures

Figure 1: EU Login page 17
Figure 2: Mandatory fields indication 20
Figure 3: Maximum number of characters indication 21
Figure 4: Header 21
Figure 5: User details 21
Figure 6: Footer 21
Figure 7: Tooltip 22
Figure 8: Validation of a form 22
Figure 9: Text field in error due to syntactic validation 22
Figure 10: Text field in error due to semantic validation 23
Figure 11: Example of an error message 24
Figure 11: Pagination of a list 25
Figure 12: Sorting applied on the first column of a list 26
Figure 13: Filtering applied 26
Figure 14: Filtering applied with wildcard search 26
Figure 15: Add new button 27
Figure 16: Upload attachment area with drag and drop capability 27
Figure 17: Upload of an attachment 28
Figure 18: Editable view of the attachments 28
Figure 19: Received notifications list button in the CBAM OC3I menu 29
Figure 20: Received notifications list the CBAM OC3I Portal 29
Figure 21: Columns button and column selection drop-down menu 30
Figure 22: View received notification button 30
Figure 23: Archive and Unarchive buttons 31
Figure 24: Sent notifications list button in the CBAM OC3I menu 31
Figure 25: Sent notifications list in the CBAM OC3I Portal 32
Figure 26: View sent notification button 32
Figure 27: Email preferences button in the CBAM O3CI menu 33
Figure 28: Add email preference 33
Figure 29: Email preference details page 34
Figure 30: Save email preference 34
Figure 31: Send validation email functionality 34
Figure 32: Logout button 35
Figure 33: Operator Transition Diagram 38
Figure 34: O3CI Home page - New user 41
Figure 35: Left side menu options – New user 41
Figure 36: O3CI Home Page – Registered user 43

Figure 37: Left side menu options – Registered user 44
Figure 38: UI elements located at the top of the Operator Information page 44
Figure 39: Toggle button to switch between Request data and Request for change disabled 45
Figure 40: Toggle button to switch between Request data and Request for change enabled 45
Figure 41: Notification label 45
Figure 42: Latin character validation error 46
Figure 43: Phone number validation error 46
Figure 44:Email format validation error 46
Figure 45: Postcode validation error 47
Figure 46: Operator Tab 47
Figure 47: Installations tab - List of Installations 48
Figure 48: Installations tab - Installation details 49
Figure 49: Supporting documents tab 50
Figure 50: New user creates registration request – State information 51
Figure 51: Admin user creates registration request – Available actions 51
Figure 52: Simple user creates registration request – Available actions 51
Figure 53: New user creates registration request – Operator Tab 52
Figure 54: New user creates registration request - Close request confirmation 52
Figure 55: New user creates registration request – Updated Operator tab 53
Figure 56: New user deletes registration request – State information 53
Figure 57: New user deletes registration request – Available actions 54
Figure 58: New user deletes registration request – Delete request confirmation 54
Figure 59: New user updates and submits registration request – State information 54
Figure 60: New Admin user updates and submits registration request – Available actions 55
Figure 61: New Simple user updates and submits registration request – Available actions 55
Figure 62: New user updates and submits registration request – List of installations 55
Figure 63: New user updates and submits registration request – Installation details 56
Figure 64: New user updates and submits registration request – Installation list (updated) 56
Figure 65: User uploads supporting document specific to operator information 57
Figure 66: User uploads supporting document types specific to installation 57
Figure 67: New user updates and submits registration request – File upload confirmation 58
Figure 68: New Admin user updates and submits registration request – Submit request 58
Figure 69: Sent notifications list 59
Figure 70: Sent notifications - Registration request notification 59
Figure 71: User corrects and resubmits registration request – Received Notification from Commission 60
Figure 72: User corrects and resubmits registration request - Rejection reason details 61
Figure 73: User corrects and resubmits registration request - State information 61
Figure 74: Admin user corrects and resubmits registration request – Edit registration request 62
Figure 75: Simple user corrects and resubmits registration request -Edit registration request 62

Figure 76: User corrects and resubmits registration request - List of installations 62
Figure 77: User corrects and resubmits registration request – Update installation details 63
Figure 78: Admin user corrects and resubmits registration request – Submit request 64
Figure 79: User views accepted registration request – Received notification from Commission 64
Figure 80: User views accepted registration request – Operator Information 65
Figure 81: User submits request for change – State Information 66
Figure 82: User submits request for change – Available actions 66
Figure 83: User submits request for change – List of installations 66
Figure 84: User submits request for change – Filtering list of installations 67
Figure 85: User submits request for change – Installation details (updated) 67
Figure 86: User submits request for change – Select installation for deletion 68
Figure 87: User submits request for change – Delete installation confirmation 68
Figure 88: User submits request for change – Submit request confirmation 68
Figure 89: User attempts to submit a request for change without including any supporting documents. 69
Figure 90: User submits request for change – Request for change submitted 69
Figure 91: Sent notifications list 70
Figure 92:Sent notifications – Request for Change 70
Figure 93: User resubmits corrected request for change – Received Notification from Commission 71
Figure 94: User resubmits corrected request for change – Rejection reason details 72
Figure 95:User corrects and resubmits request for change – Edit Request for Change 72
Figure 96: User corrects and resubmits request for change – Operator information 73
Figure 97: Admin user corrects and resubmits request for change – Operator tab 74
Figure 98: User corrects and resubmits request for change – List of installations 74
Figure 99: Admin user corrects and resubmits request for change – Update installation details 75
Figure 100: Admin user corrects and resubmits request for change – Submit request 75
Figure 101: Admin user corrects and resubmits request for change – Submission confirmation 76
Figure 102: Admin user corrects and resubmits request for change – Sent notification list 76
Figure 103: Sent notifications – Request for change notification 77
Figure 104: User searches the List of Installations 78
Figure 105: User exports the List of Installations 78
Figure 106: Access operator's history from homepage 79
Figure 107: Access operator’s history from Operator Information 79
Figure 108: Operator history 80
Figure 109: Search Operators page and search results displayed 81
Figure 110: Active collaboration in Search Accredited Entities page 82
Figure 111:Accredited entity collaboration request sent to Operator 82
Figure 112:Request details page 83
Figure 113:Reject collaboration request pop up window 83
Figure 114: Collaboration requests sent from accredited entity towards operator 84

Figure 115: Closed Requests tab 84
Figure 116: Active state collaboration 85
Figure 117: Message displayed upon attempt of another collaboration when an active collaboration exists 85
Figure 118: Search Accredited Entities - Active collaboration 86
Figure 119:Search Accredited entities - Unregister collaboration with verifier 87
Figure 120: Deregistration request by Operator - Start Deregistration Request 87
Figure 121: Deregistration request by Operator - Confirmation pop-up window 88
Figure 122: Deregistration request by Operator - User fills in the justification 88
Figure 123:Deregistration request by Operator - User confirms and submits the request 89
Figure 124: Deregistration request by Operator - Confirmation message 89
Figure 125: Deregistration request by Commission – Homepage 90
Figure 126: Deregistration request by Commission – Notification list 91
Figure 127: Deregistration request by Commission – Notification Details 91
Figure 128: Deregistration request by Commission – Responding to the Request 91
Figure 129: Deregistration request by Commission – Right to be heard provided 92
Figure 130: Parent Company Details option 93
Figure 131: Parent Company Details page 94
Figure 132: Parent Company Corporate Register Number validation error 95
Figure 133: User adds/ edits parent company details 95
Figure 134: User adds/ edits parent company details – Changes submitted 96
Figure 135: List of emissions information available to user 97
Figure 136: View Emissions history 97
Figure 137: List of Emissions Information available to Admin user 98
Figure 138: Emissions Information 99
Figure 139: Specific direct emissions – Warning message if value is exceeded 100
Figure 140: Specific indirect emissions – Warning message if value is exceeded 101
Figure 141: Emissions qualifying parameters 102
Figure 142: Carbon price in the country of origin 103
Figure 143: Admin user adds emission information – List of Emissions 104
Figure 144: User adds emission information – Add Good produced 105
Figure 145: User adds emission information - Good produced 105
Figure 146: Admin user adds emission information - Production route 106
Figure 147: Admin user adds emission information - Emissions qualifying parameters 107
Figure 148: Admin user adds emissions information – Good produced confirmation 107
Figure 149: Admin user adds emissions information - Emissions qualifying parameters 108
Figure 150: Admin User adds emissions information – Emissions saved confirmation 108
Figure 151: Add Emissions Information from list of installations – Select installation 109
Figure 152: Add Emissions Information from list of installations – Fill emission information 110
Figure 153: Cloning an emission information record – Select emission information 110

Figure 154: Cloning an emission information record – Select production year 111
Figure 155: Cloning an emission information record – Confirm selection 111
Figure 156: Cloning an emission information record – Save new emission 112
Figure 157: User exports emissions information – List of emissions 112
Figure 158: User exports emissions information – Export confirmation 113
Figure 159: Access emissions information history 113
Figure 160: Emissions information history 114
Figure 161: Admin user searches, views and edits Emission information – List of emissions 114
Figure 162: User searches, views and edits Emission information – Edit goods produced 115
Figure 163: User searches, views and edits Emission information – Emission qualifying parameters 116
Figure 164: User searches, views and edits Emission information – Good produced confirmation 117
Figure 165: Admin user searches, views and edits Emission information – Emissions saved confirmation 117
Figure 166: Admin user deletes emissions information – List of emissions 118
Figure 167: User deletes emissions information – Delete request 118
Figure 168: Information Accessible to Public 119
Figure 169: Information accessible to the public page 119
Figure 170: User updates information accessible to the public – Save changes 120
Figure 171: User updates information accessible to the public – Changes displayed in homepage 121
Figure 172: Accredited Entity State Transition Diagram 123
Figure 173: Accredited Entity (registered) Homepage in Operators of Third Countries Installation Portal 125
Figure 174:Informative message for Homepage section 125
Figure 175: UI elements located at the top of Accredited entity Information page 127
Figure 176: UI elements located at the top of Accredited entity Information page 127
Figure 177:User initiates Registration request – Available actions* 128
Figure 178: User initiates registration request – Accredited entity company details tab 128
Figure 179: User initiates registration request – Close request confirmation message 129
Figure 180: User initiates registration request – State after the confirmation message 129
Figure 181: User initiates registration request – Accreditation details tab 130
Figure 182: User (simple) initiates registration request – simple user available actions 130
Figure 183: Admin user submits registration request – Admin user available actions 131
Figure 184: Admin user submits registration request – Admin user available actions after registration continue 131
Figure 185:Admin user submits registration request – Admin user continues with registration request 131
Figure 186: Admin user submits registration request – Admin user uploads accreditation document(s) 132
Figure 187:Admin user submits registration request – verification message displayed upon user attempt to submit request 133
Figure 188: Admin user submits registration request – Request is accepted. 134
Figure 189: Admin user submits request for change – Request for change is initiated 134
Figure 190: Admin user submits request for change – Make changes – before applying changes 134
Figure 191: Verification message for delete request 135

Figure 192: Admin user submits request for change – confirmation message for submission of request for change 135
Figure 193: Admin user submits request for change – request for change sent 136
Figure 194: User searches and requests collaboration – Search Operators page 136
Figure 195: User searches and requests collaboration – List of Operators for collaboration 137
Figure 196: User searches and requests collaboration – Collaboration request confirmation message 137
Figure 197: User searches and requests collaboration – Pending collaboration with Operator 137
Figure 198: Active (State) collaboration between Accredited entity and Operator 138
Figure 199: Operator Collaboration Requests- Pending requests 138
Figure 200: Collaboration request details-Accredited entity can cancel the collaboration request sent 139
Figure 201:Collaboration request to Accredited Entity notification 139
Figure 202: Collaboration request to Accredited Entity notification 139
Figure 203: Collaboration Request Details 140
Figure 204: Rejection requests pop up window to provide reason for rejecting request 140
Figure 205: Collaboration request sent from Operator 141
Figure 206: Collaboration request Details 141
Figure 207: Active collaboration request 141
Figure 208:Search Operators - Remove collaboration 142
Figure 209: Accredited entity deregistration by NCA - Unread Notifications section – Homepage 142
Figure 210: Deregistration notification from Received notifications list - Notifications section 143
Figure 211: Accredited entity state 143
Figure 212Accredited Entity Information 143
Figure 213:Deregistration pop up window 144
Figure 214: State update after deregistration requested from accredited entity 144
Figure 215: Deregistration of accredited entity - Unread Notification – Homepage 144
Figure 216:Accredited entity deregistration - Notifications - Received notifications list 145
Figure 217: State of accredited entity after deregistration 145

1 INTRODUCTION

1.1 DOCUMENT PURPOSE

The purpose of this document is to explain to the end-users of the CBAM Operators 3rd Countries Installation Portal how to use it and benefit from its added value. This document provides help to get general information on the system, how to get started with the system and finally how to use the system with specific roles.

1.2 TARGET AUDIENCE

The target audience for this document includes:

- Operators of Third Country Installations;
- EU Member States and their National Competent Authorities;
- Directorate-General Taxation and Customs Union (DG TAXUD) Project team;
- DG TAXUD Unit B2 Architecture & Digital operations;
- DG TAXUD Unit C2 CBAM, Energy and Green Taxation;
- DG TAXUD Unit C5 Economic Analysis & Taxation of Exempted Sectors;
- DG TAXUD Unit B3 Customs Systems;
- Directorate General for Informatics (DIGIT);
- Directorate-General for Climate Action (DG CLIMA);
- SOFT-DEV Project team;
- QA5 Project team;
- TAXUD-OPS LOT1;
- TAXUD-OPS LOT3 (responsible for Network and Security);
- Operational teams.

1.3 SCOPE

The scope of this document is to provide directions to operators of third countries on the effective utilisation of the CBAM Operators of 3rd Countries Installation Portal. The features described comply with CBAM release 3.2.

The data displayed in various figures of this user manual are compatible with the data elements defined in CBAM-UCS-Use Cases-Operators of 3rd Countries Installation, section 4.1 CBAM O3CI Data elements [R01].

1.4 REFERENCE DOCUMENTS

The table below lists the documents that are referred to in the current document.

Ref.	Title	Originator	Version	Date
R01	Use Cases-Operators of 3rd Countries Installation	SOFT-DEV	4.00	19/02/2026

Table 1: Reference documents

1.5 STRUCTURE

This document is organised as follows:

- **Chapter 1 – Introduction**: describes the scope and the objectives of the document;

- **Chapter 2 – General Information**: provides the practical and theoretical details for the topic treated in the document;
- **Chapter 3 – Getting Started**: details how to access the portal and introduces the generic user interface behaviours and basic system functions;
- **Chapter 4 – Using the System as Operator user**: describes the access to the pages and the actions that can be performed by Operators based on the role(s) assigned to the user.
- **Chapter 5 – Using the system as Accredited Entity**: describes the access to the pages and the actions that can be performed by Accredited entities based on the roles(s) assigned to the user.
- **Chapter 6 - Appendix**: includes supporting information on CBAM O3CI data element requirements.

1.6 APPLICABLE DOCUMENTS

The table below lists the documents to which the current document must be compliant (e.g. FWC, SC, RfA).

Ref.	Title	Originator	Version	Date
A01	SOFT-DEV Framework Quality Plan	SOFT-DEV	1.00	18/06/2026
A02	SOFT-DEV Framework Contract, TAXUD/2021/CC/162	DG TAXUD	N/A	24/06/2021
A03	Specific Contract 35	DG TAXUD	N/A	13/03/2025
A04	COMMISSION IMPLEMENTING REGULATION (EU) 2023/956 of 10 May 2023	European Commission	N/A	10/05/2023
A05	CBAM Graphical User Interface Specification - Operators of 3rd Countries Installation - 3rd Countries Installation Portal	SOFT-DEV	5.00	09/03/2026
A06	REGULATION (EU) 2025/2083 of 8 October 2025 amending Regulation (EU) 2023/956 as regards simplifying and strengthening the carbon border adjustment mechanism	European Commission	N/A	17/10/2025

Table 2: Applicable documents

1.7 ABBREVIATIONS & ACRONYMS

For a better understanding of the present document, the following table provides a list of the principal abbreviations and acronyms used.

See also the 'list of acronyms' on TEMPO.

Abbreviation/Acronym	Definition
CBAM	Carbon Border Adjustment Mechanism
CN Code	Combined Nomenclature code
CO2	Carbon Dioxide
COM	European Commission
COM Portal	European Commission's Portal
DG TAXUD	Directorate General for Taxation and Customs Union
EC	European Commission
EU	European Union
GNSS	Global Navigation Satellite System

Abbreviation/Acronym	Definition
GPS	Global Positioning System
HS Code	Harmonised System sub-heading code
ID	Identification number
ITSM	Information Technology Service Management
NCA	National Competent Authorities
N/A	Not Available
O3CI	Operators 3rd Countries Installation
O3CI Portal	Operators 3rd Countries Installation Portal
PDF	Portable Document Format
SfA	Submitted for Acceptance
SfR	Submitted for Review
UI	User Interface

Table 3: Abbreviations and acronyms

1.8 DEFINITIONS

For a better understanding of the present document, the following table provides a list of the principal terms used.

See also the 'glossary' on TEMPO.

Term	Definition
EC Authority	EC Authority for CBAM is the Commission.
CBAM Goods	Goods listed in Annex I of CBAM Regulation.
Third country	A country or territory outside the customs territory of the Union.
Third country Installation	A stationary technical unit where a production process is carried out in a third country. The place where the goods are produced.
Third country Operator	Any person who operates or controls an installation in a third country.
MS Authority	The Member State Competent Authority takes part in the CBAM ecosystem. When referring to the EC Authority, it is meant both EC Authority and MS Authority.
Specific direct emissions	Emissions per measurement unit of produced good.
Specific indirect emissions	Emissions from the production of electricity, which is consumed during the production processes of goods per measurement unit of produced good.
Accredited Entity (Certifiers)	Deliver verification reports by validating the CO2 emissions declared by operators.
Accredited Entity (Verifiers)	Provide certification reports that confirm the carbon price paid in the country of origin for the declared embedded emissions.

Table 4: Definitions

2 GENERAL INFORMATION

2.1 SYSTEM OVERVIEW

Carbon Border Adjustment Mechanism (CBAM) O3CI Portal is the interface offered to Operators of 3rd Countries installations to enter their respective Installations and Emissions data in CBAM.

In the context of O3CI, the following compartments are related to user interaction:

The Operators of 3rd Countries Installations Portal provides information to the following CBAM Portals:

- Commission Portal: this is devoted for all actions required by the commission related to Registration requests and Requests for Change submitted by the Operator;
- National Competent Authority Portal: this is devoted for all actions required by competent authorities for the Operators of 3rd Countries installations and Accredited entities management.

2.2 AUTHORISED USER PERMISSION

CBAM O3CI Portal is allowed to be used by Operator and Accredited Entity users. EU Access is used to manage the user access management for the Operator users and Accredited entities. The instructions for EU Access are described in the homepage for the EU Login Frequently Asked Questions (FAQ): https://trusted-digital-identity.europa.eu/eu-login-help_en. Further details on the required roles and responsibilities can be found in section **3.2 Roles and Responsibilities**.

2.3 USER SUPPORT

CBAM Operator users need to contact their respective Service Desk both for business & technical issues. The same procedure applies for accredited entity users where they also need to contact their respective Service Desk. ITSM needs to be contacted for CBAM application specific issues.

2.4 SUPPORTED BROWSERS

The application is relying on the browser compatibility of the latest and the 2 previous versions of common web browsers (Google Chrome, Mozilla Firefox, Microsoft Edge Chromium, Safari). More information can be found on the browser compatibility page of eUI in the following link: https://euidev.ecdevops.eu/eui-showcase-ux-components-21.x/showcase-dev-guide/docs/00b-general-infos/04-browsers-support. In general, update to the latest browser version is advised for security reasons.

3 GETTING STARTED

3.1 ACCESS THE SYSTEM

Access to the CBAM O3CI Portal is established via EU Access. EU Login is used to authenticate CBAM Operator and Accredited entity users.

Step #1: The user accesses the O3CI Portal (https://cbam.ec.europa.eu/o3cinstallation).

Step #2: The user is redirected to the application's EU Login authentication page, where the following information needs to be selected: email or unique identifier and password.




Figure 1: EU Login page

- **Step #3**: Upon successful login, the user is redirected to CBAM Operator Portal Home page.

For more details on the EU Login registration procedure or the EU Access on-boarding procedure, please consult the User Registration Procedure for the Operators in the Third Countries, published on the Europa.eu website for the CBAM programme (https://taxation-customs.ec.europa.eu/carbon-border-adjustment-mechanism_en).

3.2 ROLES AND RESPONSIBILITIES

The O3CI Portal is only accessible by Operator and Accredited entity users. The user roles used in O3CI portal are depicted in Table 5.

Roles	Pages/functionalities
Admin Operator	This role is needed for any operator user connecting to the O3CI portal in order to write, amend and view data (i.e., can create/submit requests (including registration requests and requests for change, collaboration requests to accredited entities, deregistration requests), add/edit/delete emission information). The Admin Operator role is to be requested during the on-boarding procedure in the EU Access system, described in the chapter 3.1 Access the System. Also, this role is required for the legal representative (general manager, CEO etc.) of a company from a third country in order to be able to delegate access rights to the employees of the company (delegate the simple operator role).
Simple Operator	This role is needed for any operator user connecting to the O3CI portal in order to perform the same actions as the "Admin Operator" except the submission of any request and the add/edit/delete emissions functions. In order to submit requests and manage emission information a user must have an Admin Operator role.
HRZ View information	This role is needed for any user connecting to the O3CI portal in order to access to the general pages of the system.
HRZ Upload file	This role grants permission to upload files within the Document Management System.
ACE Admin	This role is needed for any accredited entity user connecting to O3CI portal to write, amend and view data (i.e. create/submit requests: registration requests, requests for change, registration requests, collaboration requests to operators, deregistration requests). Also, this role is required for the legal representative (general manager, CEO etc.) of accredited verifiers and accredited certifiers companies in order to be able to delegate access rights to the employees of the company (delegate the simple accredited entity role).
Simple ACE user	This role is needed for accredited entity user connecting to O3CI portal in order to perform the same actions as the "ACE Admin" except the submission of any request (including registration request, request for change, collaboration request to operators and deregistration request to NCAs). Only accredited entities having "ACE Admin" role can submit such requests.

Table 5: User roles in O3CI portal

3.3 NAVIGATION MAP

The CBAM O3CI portal is used by the CBAM operator and accredited entity users in the scope of CBAM activities. The menu available on the left-hand side of each page of the application is provided below (see Table 6).

Block	Heading	Action	Description	Applicable rules
-	-	Homepage	Allows the user to access the home page.	

Block	Heading	Action	Description	Applicable rules
Notifications	-	Received notifications list	Allows the user to view all notifications received by the Operator.	
	-	Sent notifications list	Allows the user to view all notifications sent by the Operator.	
Account	-	Email preferences	Allows the user to view the email preferences for the operator's account.	
Operator Management	-	Operator Information	Allows the user to edit / delete and submit registration request, request for change or deregistration request.	The details regarding applicable business rules in using CBAM O3CI portal can be found in Chapter 4. Using the System as Operator user
		Parent Company details	Allows the user to manage and view parent company information.	
		Operator History	Allows the user to view the operator's history of changes in the system.	
		Emissions Information	Allows the user to add/ edit/ delete emission information as well as search and view specific emission information details.	
		Information Accessible to the public	Allows the user to edit and view operator's data accessible to the public.	

Block	Heading	Action	Description	Applicable rules
		Search for Accredited Entities	Allows the user to search for collaborating accredited entities	
		Collaborating Requests	Allows the user to view and manage collaborating requests with accredited entities	
Accredited Entity Management	-	Accredited Entity Information	Allows the user to edit / delete and submit registration request, request for change or deregistration request.	The details regarding applicable business rules in using CBAM O3CI portal can be found in Section 5. Using the system as Accredited Entity
	-	Accredited entity History	Allows the user to view the accredited entity's history of changes in the system.	
	-	Collaborating Requests	Allows the user to view and manage collaborating requests with operators	

Table 6: O3CI portal menu

3.4 GENERIC USER INTERFACE BEHAVIOURS

Below you can locate the general user interface guidelines.

a) The fields with red asterisk are mandatory.




Figure 2: Mandatory fields indication

b) The number on the top-right corner of each field is the maximum number of characters.




Figure 3: Maximum number of characters indication

3.5 GENERIC USER INTERFACE BEHAVIOURS

This section provides an explanation on the different generic user interface features that can be found on the CBAM portal. The following sections can be found: Header, Footer, Tooltips, Validation of a form, Read-only and editable modes, General error messages, Language and Time zone.

3.5.1 Header

The header, which is displayed on each page, contains a button to display/hide the navigation menu, the European Commission logo, the title of the application, the logged-in username and the language selector. To change the language, the user can click on the displayed language and select the desired one in the menu.




Figure 4: Header

When clicking on the user icon, the user can log out and view the user information (identification number, name, country …).




Figure 5: User details

3.5.2 Footer

The footer, which is displayed on each page, contains the "© European Commission" watermark, the indication of the current version of the system, a link to the privacy statement website of the European Commission, a link to the user manual and a link to the legal notice.




Figure 6: Footer

3.5.3 Tooltips

The tooltips are used to provide extra information on some elements. An info icon indicates the availability of a tooltip, and the tooltip text appears when the user hovers over it with its cursor.




Figure 7: Tooltip

3.5.4 Validation of a form

When the user fills in a form, the system verifies that the data has been properly entered according to the given rules. The validation of a form is performed in two steps:

- **Syntactic validation**, performed at client-side;
- **Semantic / business validation**, performed at server-side.

The process is depicted in the figure below. Once the syntactic validation is successful, the semantic/business validation is performed (at submission of the form). If the latter is successful as well, the form is finally submitted.




Figure 8: Validation of a form

3.5.4.1 Syntactic validation

With the syntactic validation, the following is checked: the cardinality (mandatory or optional) and the format of a field. Field validation is performed in real time as the user enters data and when the user clicks the "Submit" button. Validation messages are displayed directly within the form, allowing users to identify and correct errors before submission.

In case such validation is not satisfied, a corresponding message is displayed below the field, marked as invalid and highlighted in red.




Figure 9: Text field in error due to syntactic validation

3.5.4.2 Semantic validation

With the semantic validation, the business rules are checked (e.g. one field out of two must be filled out, but not both). A field is validated only when the user clicks on the "Submit" button. Hence, such validation is not directly visible when the user completes a form; the user must submit the form to see the error message(s). In case a field is not correctly filled in according to the business rule(s), an error message in a red box appears under the data group or element.




Figure 10: Text field in error due to semantic validation

3.5.5 Read-only and editable modes

The system has two modes: read-only and editable. These modes control what users can do, ensuring that important information is protected while allowing necessary updates.

In read-only mode, users can look at information but cannot make changes. This mode is useful for reviewing without the risk of accidentally changing anything. Examples of elements displayed in read-only mode: list pages (e.g. received notifications list, sent notifications list and view installations list), view pages (e.g. view operator information, view notification and view emissions information record).

In editable mode, users can add, change, or delete information, depending on their roles. This mode is designed on form elements on which input is needed from the users. Examples of elements displayed in editable-only mode: page forms (operator registration request, operator request for change).

3.5.6 Language

The system is available in the different EU languages, which allows the user to use the system in their own language. Note that the translations are applied for each label and tooltip separately to provide a maximum of textual information in the language of the user. Hence, some labels might not be translated in the selected languages (in such cases, the English translation will be displayed). By default, the selected language is the one previously chosen in the header, or if none is specified, it defaults to the browser's language.

The user can manually change the language of the system from the header. More information is provided in the section “Header”.

3.5.7 Time zone

Date fields and time limits are based on the Brussels Time Zone: Central European Time (UTC+01:00) for winter time or Central European Summer Time (UTC+02:00) for summer time. The system interprets this data as follows:

- If a date is a start date, the related decision will take effect at the beginning of the day i.e., at 00:00;
- If a date is an end date, then the related decision will take effect at the end of the day, i.e., at 24:00.

Time limits are always computed in calendar days.

3.6 BASIC SYSTEM FUNCTIONS

3.6.1 General error messages

In case of a generic error from the system, a generic error message will be displayed at the top-right corner of the page as a pop-up notification.




Figure 11: Example of an error message

The following error messages are displayed depending on the type of error that occurred:

Error type	Error message
Generic technical issue	A generic technical issue has occurred. Please try again later. If the issue persists, please contact the CBAM support (customs-support@itsmtaxud.europa.eu) and provide the following: • a description of the situation where the error message appeared; • a screenshot of the page where the error message occurred; • the browser used and its version.
Access restriction	Access denied. You do not have permission to access this resource. If you believe this is an error, please contact the CBAM support (customs-support@itsmtaxud.europa.eu).

Resource not found	Resource not found. Please try again later, and if the issue persists, please contact the CBAM support (customs-support@itsmtaxud.europa.eu).
Page not found	If the user is redirected to a page that does not exist, or to a page for which they do not have the appropriate role, an empty page is displayed with the title "Page not found".

Table 7: General error messages

3.6.2 List and tables

Several list pages are present in the application. The following features are available to enhance the results' consultation: pagination, sorting and filtering.

3.6.2.1 Pagination

The pagination capability can be available at the bottom of a list page or of a table.

The maximum number of results to display per page can be configured by the user. By default, 20 results are displayed per page. The user is allowed to choose between 10, 20, 50, 75 or 100 displayed results per page. A navigation bar allows navigating among the different pages.



Figure 12: Pagination of a list

For data tables, the maximum number of entries shown is 5 per page of the data table.

Users can navigate through the pages using a navigation bar with hyperlinks. This allows moving sequentially (e.g., from page 1 to 2, then 2 to 3, etc.) using the previous and next buttons. If the user is on the first or the last page, the corresponding link is not active.

3.6.2.2 Sorting

When the sorting capability is available, a clickable sorting icon is displayed next to the column title and will allow the user to sort the result in ascending or descending order. When enabled, the sorting is applied to the results of all pages.

By default, records with an empty value will be displayed at the bottom of the list when sorting on ascending order and at the top when sorting on descending order.

When sorting is done on alphanumeric fields, the order does not depend on the use of upper- or lower-case letters. Criteria related to a code list are sorted according to the code and not the description of the code.




Figure 13: Sorting applied on the first column of a list

3.6.2.3 Filtering

The filtering capability can be available in edit and read only mode. When it is available, an editable field box is displayed below the column title and will allow the user to filter the results based on the entered value. The filtering is case insensitive.




Figure 14: Filtering applied

When wildcard search is activated, the user can search with the use of the percent (%) symbols to match any number of characters. Therefore, a query for which the installation name is Ce% will retrieve all installation names starting with "Ce".

Wildcard search is activated on the following pages:

- Installation list;
- Emission Information;
- Goods Produced;
- Received notifications list;
- Sent notifications list.




Figure 15: Filtering applied with wildcard search

3.6.3 Homepage

When connecting to the GUI, after successful logging in,theuser is automatically directed to the homepage. However, to come back to this page, the user can click on the “Homepage” button of the CBAM O3CI Portal menu (see section “Navigation Map”).

On this page, the user can see a set of widgets focusing on the elements requiring some attention.

3.6.3.1 Notifications widgets

The widgets “Unanswered notifications” and “Unread notifications” both provide a filtered view of received notifications.

The “Unanswered notifications” widget includes all notifications for which an answer is expected (i.e. “Request” = “Yes” and “Answered” = “No”). The “Unread notifications” widget includes all notifications for which the status is “Unread”.

From these widgets, the user can directly access a specific notification detail or view the complete list of notification by clicking on the title of the widget.

3.6.4 Attachments

When an attachment is expected in an editable form, the user can add a new attachment by clicking on the “Add new” button above the attachments table.



Figure 16: Add new button

Then, the upload attachment capability allows the user to select a file using the dedicated button or drag and drop a file into the delimited upload area. The maximum allowed file size is 20MB.




Figure 17: Upload attachment area with drag and drop capability

Once uploaded, the file information is displayed below the upload area, allowing to delete the file before adding the attachment in the user form. The user can also enter additional document information before inserting it in the form.




Figure 18: Upload of an attachment

The attached documents are displayed in a data table. In editable mode, the user can edit the document information, download the file and remove the document and its associated information. It is also possible to remove all documents by clicking on the “Remove all” button at the top of the table.




Figure 19: Editable view of the attachments

In read-only mode, the user can download the attached document, but they have no possibility to update the table.

3.6.5 Received notifications management

To view the list of received notifications, the user can click on “Received notifications list” in the “Notifications” drop-down of the CBAM O3CI menu (see section “Navigation Map”).




Figure 20: Received notifications list button in the CBAM OC3I menu

The user is then redirected to the “Received notifications list” page, displaying the list of all received notifications, with different information given in each column. The unread notifications are highlighted in bold font.

At the top of the page, under the title, two counters are displayed: "Number of unanswered notifications: [number]" (notifications with answer status "Pending") and "Number of unread notifications: [number]". These counts are computed when the page is loaded or refreshed and do not take the active filtering into account, except for the "Consult archives" toggle, for which the counts are recomputed accordingly.




Figure 21: Received notifications list the CBAM OC3I Portal

In particular, the list of received notifications can contain:

- The sender information (type and identifier). In the context of the O3CI Portal it essentially corresponds to the Commission;
- The reference number provides the reference number of the object (in the context of O3CI, it corresponds to the request ID) related to the notification;

- The subject of the notification;
- The business context of the notification, e.g. “Operator’s of 3rd Countries Installations”;
- The information related to the request notifications:
    - A boolean indicating whether the notification is a request;
    - The expiry date for the task to be completed;
    - An answer status indicating whether the notification has been answered is pending or is obsolete.
- The reception time of the notification;
- The status of the notification:
    - Unread: specifies that the notification has not been read by the user;
    - Read: specifies that the notification has been read by the user. Note that as soon as the notification is opened, the notification is automatically marked as read.
- The priority of the notification, in case it has been indicated: “Low”, “Medium” or “High”.

By clicking on the “Columns” button, the user can select which columns are displayed through a drop-down menu. The selection is saved for each user.




Figure 22: Columns button and column selection drop-down menu

For each displayed notification, the user can click on the related “View received notification” button in the actions column of the table to view all the information of one specific notification.




Figure 23: View received notification button

Notifications can be archived. By clicking on the “Archive” button, the notification will disappear from the received notifications list. If the consult archives toggle is activated, the archived notifications can

be viewed. Notifications can be unarchived by clicking on the “Unarchive” button, returning to the initial received notifications list.




Figure 24: Archive and Unarchive buttons

3.6.6 Sent notifications management

To view the list of sent submissions, the user can click on “Sent notifications list” in the “Notifications” drop-down of the CBAM O3CI menu.




Figure 25: Sent notifications list button in the CBAM OC3I menu

The user is then redirected to the “Sent notifications list” page, displaying the list of all sent notifications, with different information given in each column.




Figure 26: Sent notifications list in the CBAM OC3I Portal

The sent notification is related to a notification sent to another actor with some submitted information from the commission.

In particular, the list of sent notifications contains:

- The recipient information (type and identifier when applicable): the recipient to which the notification has been sent. In case of a country or the commission, the identifier is not applicable;
- The reference number corresponds to the reference number of the object (e.g. request ID) related to the sent notification;
- The subject of the sent notification;
- The business context of the sent notification, e.g. “Operator’s of 3rd Countries Installations”;
- The sent time: the date and time at which the notification has been sent;
- The status of the sent notification, indicating if it has been successfully sent;
- The priority of the sent notification, in case it has been indicated: “Low”, “Medium” or “High”.

By clicking on the “Columns” button, the user can select which columns are displayed through a drop-down menu, similarly as explained in Received notifications management. The selection is saved for each user.

For each displayed sent notification, the user can click on the related “View sent notification” button in the actions column of the table to view all the information of one specific notification.




Figure 27: View sent notification button

Sent notifications can be archived. By clicking on the “Archive” button, the notification will disappear from the sent notifications list. If the consult archives toggle is activated, the archived sent notifications can be viewed. Sent notifications can be unarchived by clicking on the “Unarchive” button, returning to the initial sent notifications list.

3.6.7 Email preferences page

The email preferences page is related to a functionality in the CBAM O3CI Portal that allows the user to receive email notifications related to the notifications that they receive inside the portal itself.

To consult the email preferences page, the user can click on “Email preferences” in the “Account” drop-down of the CBAM O3CI menu (see section “Navigation Map”).




Figure 28: Email preferences button in the CBAM O3CI menu

On this page, the user can add one or more email preferences. Each preference is defined for a single email address, together with the email language, one or more business contexts, and the indication of whether email alerts for new notifications must be received with that address. To add a new email preference, click on "Add".




Figure 29: Add email preference

Then, complete the information required, including the business context(s) for which the alerts must be received. Set "Receive email alerts for new notifications" as "Yes" to activate the functionality and click on "Ok". Two additional filters can be set for each address: "Requests only", to receive emails only for request notifications, and "Minimum priority", to receive emails only for notifications with a priority equal to or higher than the one selected (notifications with no priority are then not sent). For each address, the user must also select the email language.




Figure 30: Email preference details page

At the bottom of the page, save the new preferences.



Figure 31: Save email preference

Each email address must be verified before any email alert is sent to it. The email registered in UUM&DS is automatically verified. In the email preferences overview, an "Email verified" indicator is displayed for each address (a check icon when verified, a cross icon when not). When an address is added or updated, the user can trigger the verification by saving the preference: a dialog informs them that a confirmation link will be sent to the address and that it is valid for 24 hours. The verification email can also be resent at any time using the "Send verification email" action.

As soon as the email is verified, all new filtered notifications relevant for the selected business context(s) received by the Member State will be notified by email with non-sensitive information. No email notifications are sent to an address that is not verified.

When the recipient clicks the verification link in the confirmation email, they are redirected to the "Email verification" page, which confirms whether the verification succeeded. If the link is expired or invalid, the message "The provided link is expired or has been invalidated." is displayed. The user must be logged in to open this page.




Figure 32: Send validation email functionality

3.7 EXIT O3CI PORTAL

When the user wants to exit the CBAM Operators of Third Countries Installations Portal, the user must click on the “Logout” button located in the “Account” block, on the right side of the header of the system. For security reasons, it is advisable for the users to logout when they have finished their work session.




Figure 33: Logout button

4 USING THE SYSTEM AS OPERATOR USER

This section describes the main actions that a CBAM operator user can perform in the CBAM O3CI Portal. There are two roles the "Admin Operator" and the "Simple Operator"

- The "Admin Operator" O3CI user can write, amend and view data (i.e., can delete/submit requests (including registration requests, requests for change and deregistration requests as well as collaboration requests to accredited entities), add/edit/delete emission information;
- The "Simple Operator" O3CI user can perform the same actions as the "Admin Operator" except the submitting of any request and the add/edit/delete emissions functions.

When there is no distinction between the user and only "user" is mentioned, then any of the above users can perform the actions.

When only one user is allowed to perform a specific action, this is explicitly mentioned in the document.

Please note that '**All**' in the column "Rights" in the following table means that both "Admin Operator" and "Simple Operator" user roles can perform the UI actions. In any other case it is explicitly mentioned the permission that can perform the specific action.

UI Menu options	Rights
Operator Information - Operator Tab • View Operator details • Create/ Edit Operator details	All
Operator Information - Installation Tab • View Installations list • Search Installations • View Installation details • Add Installation • Edit Installation • Delete Installation	All
Operator Information – Supporting documents Tab • View Supporting documents • Download Supporting documents • Add Supporting documents • Delete Supporting documents	All
Emissions Information • View list of Emission Information • Search Emission Information • View Emission Information details	All
Emissions Information • Add Emission Information • Edit Emission Information • Delete Emission Information	Admin Operator

UI Menu options	Rights
Parent Company details • View Parent Company Details • Edit Parent Company Details	All
Information Accessible to the Public • View data accessible to the public • Edit data accessible to the public (toggle button)	All
Operator Information – Request actions • Submit Registration Request/ Request for Change • Delete Registration Request/ Request for Change • Submit Deregistration Request	Admin Operator
Notifications Information • View list of Notifications • View Notification details	All
Notifications Information • Send Operator's Right to be heard (Deregistration by Commission)	Admin Operator
Search Accredited Entities • Search for accredited entities • Export Accredited Entities search results	All
Collaboration actions • Submit collaboration request to Accredited Entities • Accept/Reject collaboration request from Accredited Entity	Admin Operator
View list of Accredited Entities collaboration requests • View Accredited Entities collaboration requests details	All

Table 8: Operator user Role – UI menu options vs. rights

4.1 STATES INFORMATION

The section below describes the different operator states for registering an Operator and presents how the different states are triggered in O3CI portal.

4.1.1 States description

The following table shows the list of states that an Operator can obtain through the evaluation cycle along with their respective descriptions.

State	Description
New	Not a CBAM Registered operator. To become a CBAM Registered Operator, the operator must complete and submit a "Registration Request" to the Commission via the "Operator Information" option.

State	Description
Registration requested	Registration request has been successfully submitted and is pending approval by the Commission. The user can view the request under the "Operator Information" section.
Registered	A CBAM Registered Operator can create and send OR edit and send a "Request for Change" to update or correct any information related to the operator or the installations.
Update Requested	A CBAM Registered Operator. A request for change has been successfully submitted and is pending approval by the Commission. The user can view the request in the "Operator Information" section.
Deregistration requested	A CBAM Registered Operator who has submitted a "Deregistration Request" that is pending approval by the Commission. Until it is approved, the user can view the "Operator Information" but cannot initiate any new requests for change.
Right to be heard	A CBAM Registered Operator. The Commission has submitted a request to deregister the operator and has received the details via notification and email. The user must follow the instructions provided in the notification to submit their feedback, allowing the Commission to determine whether the deregistration should be finalised.
Right to be heard provided	A CBAM Registered Operator who received a deregistration request initiated by the Commission has provided their position within the allocated time (i.e., 30 calendar days).
Deregistered	Operator has been Deregistered from CBAM. In case the user needs to register again the user must submit a registration request from scratch.

Table 9: CBAM Operator - List of states

4.1.2 States transition diagram

The following State Transition Diagram depicts the full lifecycle of a CBAM Operator.




Figure 34: Operator Transition Diagram

The following table shows the initial state and the resulting state of the CBAM Operator, along with the action that triggers the state transition.

Initial state	Action	Triggered in	Resulting state
New	• Delete Registration request • Save Changes in request	Operator Information (see	**New**

Initial state	Action	Triggered in	Resulting state
	• Rejected by Commission	Section: 4.3.1, 4.3.2)	
New	• Submit Registration request	Operator Information (see Section: 4.3.3, 4.3.4)	**Registration requested**
Registration requested	• Rejected by Commission	Operator Information (see Section: 4.3.4)	**New**
Registration requested	• Accepted by Commission	Operator Information (see Section: 4.3.5)	**Registered**
Registered	• Save Request for change • Delete Request for change	-	**Registered**
Registered	• Submit request for change	Operator Information (see Section: 4.3.6)	**Update requested**
Update requested	• Rejected by Commission • Accepted by Commission	Operator Information (see Section: 4.3.7)	**Registered**
Registered	• Deregistration request	Operator Information (see Section: 4.3.13)	**Deregistration requested**
Deregistration requested	• Accepted by Commission	Operator Information (see Section: 4.3.13)	**Deregistered**
Registered	• Deregistration request by Commission	Operator Information (see Section: 4.3.14)	**Right to be heard**
Right to be heard	• Operator explanation accepted (by Commission)	Operator Information (see Section: 4.3.14)	**Registered**
Right to be heard	• Operator explanation rejected (by Commission)	Operator Information (see Section: 4.3.14)	**Deregistered**
Deregistered	• Re-register	-	**New**

Table 10: Operator state transitions

4.2 O3CI PORTAL HOME PAGE

Once a user is logged in to the CBAM O3CI Portal, the Portal home page is shown.

4.2.1 Homepage View – Unregistered User

When an unregistered user logs in the CBAM O3CI Portal, the homepage provides limited access and displays informative messages guiding the user through next steps. The layout is divided into nine distinct information boxes:

1. **Unanswered notifications** (see 3.6.3.1 Notifications widgets);
2. **Unread notifications** (see 3.6.3.1 Notifications widgets);
3. **System Messages**
    - Provides guidance on:
        - Configuring email notification preferences (Account → Email preferences);
        - How to request CBAM registration (via *Operator Information → Registration Request*);
        - Entering parent company information via the *Parent Company Details* section.
4. **Operator Information**
    - Displays read-only data:
        - **Operator Corporate Register Number;**
        - **Operator Name;**
        - **State** (e.g. "New").
5. **Parent Company Details**
    - Shows the message: “No data”
6. **Operator History**
    - Shows the message: “No data”
7. **Information Accessible to Public**
    - Message displayed: “In order to select the information that will be accessible to the public, you need to be a CBAM Registered Operator.”
8. **Emissions Information**
    - Message displayed: “In order to fill in emission information you need to be a CBAM Registered Operator.”

This layout restricts access to critical features and data entry until the operator is officially registered.




Figure 35: O3CI Home page - New user

In addition, the left menu displays the options available to the new user, as shown below.




Figure 36: Left side menu options – New user

4.2.2 Homepage View – Registered User

Once an operator is approved and registered under CBAM, the homepage layout remains visually consistent but now contains **active content, links, and detailed records** across all sections:

1. **Unanswered notifications** (see 3.6.3.1 Notifications widgets);
2. **Unread notifications** (see 3.6.3.1 Notifications widgets);
3. **System Messages;**
    - Updated content confirms the user is a CBAM Registered Operator.
    - Inform the user they can:
        - Initiate a *Request for Change* to correct operator/installation information;
        - Add emissions data through the *Emissions Information* menu;
        - Control public visibility of their data using the *Information Accessible to Public* section;
        - Maintain parent company details in the dedicated section.
4. **Operator Information;**
    - Displays:
        - **Operator Corporate Register Number;**
        - **Operator Name;**
        - **State** (e.g., "Update requested" or other current status).
    - This section is now populated with actual operator metadata.
5. **Parent Company Details;**
    - Now populated with:
        - **Parent Company Corporate Register Number;**
        - **Parent Company Name;**
        - **Country Code.**
6. **Operator History;**
    - Displays the latest changes (up to five records) to the operator's state sorted by date in descending order:
        - **Action;**
        - **Timestamp.**
7. **Information Accessible to Public;**
    - Displays visibility settings for the following attributes:
        - Operator name: Yes/No
        - Operator address: Yes/No
        - Operator contact details: Yes/No
        - Installation names: Yes/No
        - Installation location: Yes/No
    - A value of **"Yes"** indicates the information is publicly visible; **"No"** indicates it is restricted.

8. **Emissions Information;**
    - Now populated with emissions entries, including:
        - **Emissions Information ID;**
        - **Installation Name.**
    - Multiple years/entries per installation may appear.




Figure 37: O3CI Home Page – Registered user

The left side menu is dynamically updated to show the options available to the registered user, as shown below.




Figure 38: Left side menu options – Registered user

4.3 OPERATOR INFORMATION

The "Operator Information" item is accessible to the Operator user role.

Using the "Operator Information" functionality an operator can provide details of an installation including the company which belongs to and its location, corresponding contact persons, name economic activity and location of the installation as well as any supporting document information (such as registration certificates of the operator, location documents, maps etc).

By clicking on the "Operator Information" item from the left menu, the user can see three separate tabs, i.e., "Operator", "Installations" and "Supporting documents".

At the top of the "Operator Information" form, next to the page title, the UI elements presented below are provided:

1. State: this field is auto populated and shows the state of the Operator (e.g. "New", "Registered", etc), a complete description of the available states is provided in section **4.1 States Information**;
2. Type of request: when no request has been initiated the field is not shown, but when a request has been initiated the field is auto populated with the type of request (i.e. "Registration Request" or "Request for Change");
3. Type of action: the buttons which propose actions are dynamically generated depending on the state and type of request by the user. For more information see also the scenarios of operation, below (see Sections **4.3.1, 4.3.2, 4.3.3, 4.3.4, 4.3.5, 4.3.6, 4.3.7, 4.3.8, 4.3.13, 4.3.14**).



Figure 39: UI elements located at the top of the Operator Information page

When a user has saved a request for change, an information text is displayed with a toggle button on its right, below the aforementioned action buttons.

This toggle button allows the user to switch between different sets of information displayed in the "**Operator**" and "**Installations**" tab.

When the toggle button is disabled:

- The focus is on the "**Operator**" tab;
- The data shown in the "**Operator**" and "**Installations**" tabs are the latest versions approved by the Commission;
- A text that informs the user that the data visible is the registered operator information;
- The "Continue Request for change" button is deactivated.




Figure 40: Toggle button to switch between Request data and Request for change disabled

When the toggle button is enabled:

- The focus is on the "**Operator**" tab;
- The "**Operator**" and "**Installations**" tabs display that data saved in the current request for change;
- A text that informs the user that the data visible is the registered operator information;
- The "**Continue Request for change**" button becomes active.




Figure 41: Toggle button to switch between Request data and Request for change enabled

In the "**Operator**" tab the user can enter the operator details, under "**Company name of installation**" group including "Company Name" details which include "Operator Corporate Register Number" and "Operator name" - both fields are read-only, and their values are obtained from the EU Access.

Next, the "**Address**" group of data includes: the "Country code" (a read only field obtained from EU Access), "Sub-division", "City", "Street", "Street additional line", "Street number", "Postcode", "P.O. Box".

The Operator tab is completed with the details of the contact persons under the "**Contact details**" group which include the "Name", "Phone number" and "E-mail".

All text entries in the "**Address**," and "**Contact details**" groups must be filled using Latin characters only. A clear notification label appears beneath each section header to remind users of this Latin character requirement, as shown below.




Figure 42: Notification label

For Latin characters, the system accepts:

- Uppercase letters (A-Z);
- Lowercase letters (a-z);
- Digits (0-9);
- Special characters: hyphen ("-") and period (".").

If input contains any characters outside these allowed ranges, an error message will be displayed, as shown below.




Figure 43: Latin character validation error

The system validates the contents of the “Phone number” field to ensure that the user has entered a valid information consisting of digits and spaces. Optionally the plus sign (“+”) can be used at the beginning of the field to indicate the use of international dialling code. In case the validation is not successful an error message is displayed.




Figure 44: Phone number validation error

The system validates the contents of the “E-mail” field to ensure that the user has entered a valid email address that is

- Alphanumeric;
- includes the “@” sign between the characters;
- includes a dot (“.”) extension after the “@” sign.

In case the validation is not successful an error message is displayed as shown below.




Figure 45:Email format validation error

There can be up to nine (x9) contact persons per operator.

Note: When adding the company details, in the case there is no street name or number, and only a P.O. Box is provided, the user will enter "N/A" and the P.O. Box in the address fields. For the installation address, the CBAM Regulation mandates a complete address, the same approach as above is applied. If the Country of the operator belongs to CL: “CountryWithoutZip” then Postcode is optional. Otherwise, Postcode is mandatory.

When Postcode is mandatory, values are validated according to the postal code formatting rules and regular expressions for each country, as specified by the European Central Bank (see https://www.ecb.europa.eu/stats/money/aggregates/anacredit/shared/pdf/List_postal_code_formatting_rules_and_regular_expressions.xlsx). This validation applies to both the operator address and

installation address zip codes. If a user enters an invalid postcode, an error message is displayed upon form submission, as illustrated below.




Figure 46: Postcode validation error




Figure 47: Operator Tab

In the "**Installations**" tab the user can see the list of installations and enter the details of each installation. The list of installations is displayed in a table like view including the following information: "Installation ID", "Installation name", "County of establishment", "City", "Postcode", "Actions".

The O3CI user views the list of Installations and depending on the case (see also scenarios of operation below) the following options are available:

- "View Installation": This button redirects to the Installation details page, where the user can view only the selected installation;
- "Edit Installation": This button redirects to the Edit Installation page. This button is only available if a request has been initiated. Once the user clicks the specific installation ID from the installation list, the Installation details page is displayed in edit mode;
- "Delete Installation": This button deletes the selected installation. This button is only available if a request ("Registration request" or "Request for change") has been initiated.

There can be up to x999 installations per operator.




Figure 48: Installations tab - List of Installations

The details of the installation can be added / edited in the next screen (see also sections 4.3.3, 4.3.6 below).

"**General Info**" data group includes the "Installation ID" (a read-only field that is filled by the system), Installation Name and Economic activity (containing one of the values: "Aluminium", "Cement", "Chemicals", "Electricity", "Fertilizers", "Iron & Steel").

"**Address**" data group includes location information for the installation, namely the "Country of establishment" (a read-only field obtained from EU Access), "Sub-division", "City", "Street", "Street additional line", "Street number", "Postcode", "P.O. Box", "UNLOCODE", "Latitude", "Longitude".

Note: When adding the company details, in the case there is no street name or number, and only a P.O. Box is provided, the user will enter "N/A" and the P.O. Box in the address fields. For the installation address, the CBAM Regulation mandates a complete address, the same approach as above is applied. If the Country of establishment belongs to CL: "CountryWithoutZip" then Postcode is optional. Otherwise, Postcode is mandatory.

"**Authorised Representative**" data group includes the "Name", "Phone number" and "E-mail" of the representative. By clicking the "Add representative" button the user can create a new entry and link it to the current installation. The system permits between zero (x0) and nine (x9) representatives per installation. The system performs validation on the "E-mail" field using the same validation rules applied when validating operator email data.

The fields within the "**General Info**", "**Address**" and "**Authorised Representative**" data groups are validated according to the mechanisms described in the Operator including validations for Latin characters, phone number format and email address syntax.




Figure 49: Installations tab - Installation details

The user using the "**Supporting documents**" tab can upload document information for the operator (e.g., registration certificates of the operator, location documents, maps etc).

By clicking the "Add documents", the user can select and upload a file to the system by selecting the option "Upload".

The user then enters a description of the supporting document in the "Description" field. In the "Document type" field they can enter the available types of the document required to be transmitted to the European Commission in order to validate the operator and installation details. Document types can be related to the operator or to the installations. The following type of documents are applicable to operators:

- Registration Certificate of Operator: Verifies the operator' s legal registration, including essential company details;
- Additional Documents: Any specific documents related to requested changes (e.g., change of address forms or updated ownership documents).

The following document types are applicable to installations:

- Installation Registration: Information on the establishment of the installation, ownership/control structure, primary economic activity, and necessary operating permits;

- Installation Location: Documentation proving each installation's location under the operator s control, with complete address details and geographical coordinates (longitude and latitude with six decimals).

Depending on the document type selected the system will ask the user to enter the relevant installation(s).

By clicking the “OK” button the user can complete the upload process, which can be repeated for more documents (up to nine (x9) supporting documents can be added per operator and installations).




Figure 50: Supporting documents tab

Below are the constraints for consideration when adding supporting documents:

- The total size of the uploaded supporting documents cannot exceed 200MB;
- The document types that are allowed for upload are: PDF, DOC, DOCX, XLS, XLSX, JPEG;
- The maximum file size: 20MBs.

The system shows the total available space for upload. At this point it is important to note that (the information below is also displayed in the UI):

1. It is strongly recommended to upload supporting documents in English language. Supporting documents which are not in English language may result in delays in the Operator's registration in CBAM;
2. The total size of the uploaded supporting documents for the Operator is 200MB. When a user deletes a file, the available space in their account will not be updated immediately. The system will take some time to process the deletion and reflect the updated storage capacity

The next sections describe indicative actions performed by the user through the UI in O3CI portal to handle Operator Information:

- New user creates and saves operator information (registration request not yet submitted);
- New Admin user deletes the registration (registration request not yet submitted);
- New user updates and submits a registration request;
- User views registration request rejected by the Commission and resubmits corrected registration request;
- User views registration request accepted by the Commission;
- User submits a Request for change;
- User views rejected request for change and resubmits corrected request for change.

4.3.1 New user creates and saves information (registration request not yet submitted)

1. User accesses the system for the first time and is redirected to the “Home page”. The available options are “Operator Information” and “Parent Company details” (see Figure 35: O3CI Home page - New user). The user selects the “Operator Information” option;

2. On the top of the “Operator Information” page, the field “State” contains the value “New” and on the right side the option “Start Registration Request” is displayed;



Figure 51: New user creates registration request – State information

3. The Admin user clicks the button “Start Registration Request” to start entering the operator information. The button “Start Registration Request” is hidden and the following buttons are activated on the top of page: “Close and Resume Later”, “Delete Request”, “Submit Request”;



Figure 52: Admin user creates registration request – Available actions

The Simple user clicks the button “Start Registration Request” to start entering the operator information. The button “Start Registration Request” is hidden and the following button is activated on the top of page: “Close and Resume Later”. The field “Type of request” now contains the value “Registration Request”;




Figure 53: Simple user creates registration request – Available actions

4. User enters the details of the company, address, contact details in the “Operator” tab;

5. When user fills in all the mandatory fields in the “Operator” tab, the button “Save & Proceed” at the bottom of the page is activated. The user clicks this button to store the operator information and an informational text is displayed to inform the successfully saving. The user can navigate to the other tabs (“Installations”, “Supporting documents”) and fill the appropriate data;




Figure 54: New user creates registration request – Operator Tab

6. User clicks the "Close and Resume Later" button to exit the page without submitting the registration request. If there are any unsaved data, the system asks the user for a confirmation to notify that unsaved data will be lost, else no notification is provided;




Figure 55: New user creates registration request - Close request confirmation

7. After the Admin user clicks the “Close and Resume Later” button, the “Operator” tab is selected automatically, the system hides the following buttons at the top of page: “Close and Resume Later”, “Delete Request”, “Submit Request” and the button “Continue Registration Request” is displayed. The operator state remains: “New”.




Figure 56: New user creates registration request – Updated Operator tab

4.3.2 New Admin user deletes the registration (registration request not yet submitted)

As stated above, only the Admin user is able to delete the registration. Therefore, the following steps apply only for the Admin user.

1. The Admin user accesses the system and is redirected to the “Home page” (see Figure 35: O3CI Home page - New user). The user selects the “Operator Information” option;

2. The Admin user selects the “Operator Information” option from the menu. The field “State” on the top of the “Operator Information” page contains the value “New”, i.e., some data has been entered in the system but no registration request has been submitted to the Commission (via COM portal). The available action is “Continue Registration Request”;



Figure 57: New user deletes registration request – State information

3. Admin user clicks the button “Continue Registration Request” to continue entering the operator’s values. The “Continue Registration Request” button is hidden and the following buttons are activated at the top of page: “Close and Resume Later”, “Delete Request”, “Submit Request”. The field “Type of request” now contains the value “Registration Request”;




Figure 58: New user deletes registration request – Available actions

4. Admin user clicks the “Delete Request” button at the top of the page. The system displays a confirmation dialog asking the user to confirm. Upon the confirmation from the user all request data are deleted and the next time the user starts filling the request again all fields will be empty except those whose values are copied from EU Access (Operator Corporate Register Number, Operator Name, Country code). The operator state remains: “New”.




Figure 59: New user deletes registration request – Delete request confirmation

4.3.3 New user updates and submits a registration request

1. New user accesses the system, is redirected to the “Home page’ (see Figure 35: O3CI Home page - New user) and select the “Operator Information” option;

2. The field “State” on the top of the page contains the value “New”, some data has been entered in the system (see previous paragraph) but no registration request has been submitted to the Commission (via COM portal);




Figure 60: New user updates and submits registration request – State information

3. The Admin user clicks the button “Continue Registration Request” to continue filling the operator’s information. The field “Type of request” contains now the value “Registration Request”. The “Continue Registration Request” button is hidden and the following buttons are activated at the top of page: “Close and Resume Later”, “Delete Request”, “Submit Request”.




Figure 61: New Admin user updates and submits registration request – Available actions

The Simple user clicks the button "Continue Registration Request" to continue filling the operator's information. The field "Type of request" contains now the value "Registration Request". The "Continue Registration Request" button is hidden and the "Close and Resume Later" button is activated at the top of page;




Figure 62: New Simple user updates and submits registration request – Available actions

4. User clicks on the "Installations" tab and fills the appropriate information. The system displays the contents of the "Installations" tab. If there are no added installations in the Registration request, the available action is: "Add installation". If there are already added Installations in the List of Installations, the available actions are: "Add Installation"; "View Installation"; "Edit Installation" and "Delete Installation". In this case there are no installations added;




Figure 63: New user updates and submits registration request – List of installations

5. User clicks on the "Add Installation" button to enter the details of an installation. When all the mandatory fields are completed then the button "Add installation" is activated at the bottom of the page and a confirmation message is displayed to the user;




Figure 64: New user updates and submits registration request – Installation details

6. The installation is shown in the Installation list of the Installations tab. Following the same process described in previous step, the user can add more installations;




Figure 65: New user updates and submits registration request – Installation list (updated)

7. User can also fill the “Supporting documents” tab, if necessary. By clicking the “Add files (+)” button, the user enters the details and uploads an electronic copy of the supporting document;




Figure 66: User uploads supporting document specific to operator information

8. In case the user selects a document type that is applicable to installations (e.g., “02: Installation registration (Establishment of the installation, ….)”, “03: Installation location (Documents for each installation under control of the operator, ….)”) the system displays the list of available installations for the user to select the installation id(s) which are relevant to the specific supporting document, as shown below;




Figure 67: User uploads supporting document types specific to installation

9. By pressing the “OK” button the document is uploaded in the portal and a confirmation message is displayed to the user;




Figure 68: New user updates and submits registration request – File upload confirmation

10. Following the same process described in previous step, the user can provide additional supporting documents;

11. Only Admin user can select the "Submit Request" button at the top of the page. The system displays a confirmation dialog asking the user to confirm if the user wants to proceed with the submission of the Request to the Commission (via COM portal). Upon confirmation the values are submitted to the system and waiting for confirmation from the commission user in COM portal. The state of the operator is now: "Registration Requested";




Figure 69: New Admin user updates and submits registration request – Submit request

12. The user can track the registration request submissions through the notification system, a dedicated communication channel for disseminating business information to the users. To view the registration request notification sent to the Commission, the user navigates to Notifications

> Sent Notifications list via the left menu, locates the specific notification in the list and selects the 'View' option to view the details;




Figure 70: Sent notifications list

13. The most important notification details include:
    a. Recipient type (e.g. "*Commission"*);
    b. Notification subject (e.g. "*Registration request"*);
    c. The time the notification was sent, i.e., Sent time;
    d. Notification details that uniquely identify the operator and the corresponding transaction (e.g. "*The Operator with Operator Corporate Register Number: MZ.0000000000008 has submitted a registration request with request ID MZ.0000000000008_9a022d6a-fd1c-4bf5-be58-482ac79ac7be.")*.




Figure 71: Sent notifications - Registration request notification

14. Sent and received notifications lists provide filtering, sorting and pagination features. The user has also the ability to view and update the status of a notification and archive it.

4.3.4 User views registration request rejected by the Commission and resubmits corrected registration request

1. User accesses the system and is redirected to the “Home page”. The options available for the new user are shown in Figure 35: O3CI Home page - New user;

2. The user can track the registration request response through the notification system. To view the response from the Commissions the user navigates to Notifications > Received Notifications via the left menu, locates the specific notification in the list and selects the “View” option to view the details;




Figure 72: User corrects and resubmits registration request – Received Notification from Commission

3. When accessing the homepage, the user will see in the System Messages widget that the request has been rejected by the Commission (via COM portal). In case the text is too long, there is an option (Read more) that allows the user to view the complete rejection reason text;




Figure 73: User corrects and resubmits registration request - Rejection reason details

4. The user selects the "Operator Information" option from the menu. The system redirects the user to the "Operator" tab. The field "State" on the top of the page contains the value "New". A registration request has been submitted by the operator and has been rejected by the Commission (in COM portal). The operator user can view the rejected request and its contents in the "Operator", "Installations", Supporting documents" tabs only as read-only data. The available action is "Edit Registration Request";



Figure 74: User corrects and resubmits registration request - State information

5. The Admin user clicks the option "Edit Registration Request" to correct and resubmit the registration request. The "Edit Registration Request" button is hidden and the following buttons are activated at the top of page: "Close and Resume Late", "Delete Request", "Submit Request". The system displays the "Operator Information" page and shows the data of the Rejected Registration request in edit mode.



Figure 75: Admin user corrects and resubmits registration request – Edit registration request

The Simple user clicks the option "Edit Registration Request" to correct and resubmit the registration request. The "Edit Registration Request" button is hidden and the "Close and Resume Later" button is activated at the top of page. The system displays the "Operator Information" page and shows the data of the Rejected Registration request in edit mode;




Figure 76: Simple user corrects and resubmits registration request -Edit registration request

6. User clicks on the "Installations" tab and select to "Edit" the specific installation from the installation list;




Figure 77: User corrects and resubmits registration request - List of installations

7. User updates the installation details with the corrected data and then clicks on the "Save Installation" to save the updates;




Figure 78: User corrects and resubmits registration request – Update installation details

8. The installation is updated and the system returns the user to the Installation list. Only the Admin user can then resubmit the updated registration request by clicking the "Submit Request" button. The system displays a pop-up window asking for confirmation. By clicking "OK" the registration request is resubmitted to the Commission (via COM portal) for approval. The state of the operator is now: "Registration requested".




Figure 79: Admin user corrects and resubmits registration request – Submit request

4.3.5 User views registration request accepted by the Commission

1. User accesses the system and is redirected to the "Home page". The operator is in "Registered" state and has access to all available options of the portal (see Figure 37: O3CI Home Page – Registered user);

2. The user can track the registration request response through the notification system. To view the response from the Commissions the user navigates to Notifications > Received Notifications via the left menu, locates the specific notification in the list and selects the "View" option to view the details;




Figure 80: User views accepted registration request – Received notification from Commission

3. When accessing the homepage the user is informed, through the System Messages widget, that the request has been accepted and the operator is now a CBAM registered operator;

4. The user selects the "Operator Information" option from the menu. The system redirects the user to the "Operator" tab. The field "State" on the top of the "Operator Information" page

contains the value “Registered” i.e., a registration request has been submitted by the Admin operator and has been accepted by the Commission (in COM portal). The user can view the request in the “Operator”, “Installations”, Supporting documents” as read-only data. The available actions are:

- “Start Request for change”;
- “Start Deregistration Request”.




Figure 81: User views accepted registration request – Operator Information

4.3.6 User submits a request for change

1. The Admin user accesses the system, redirected to the “Home page” (see Figure 37: O3CI Home Page – Registered user) and selects “Operator Information” option from the menu;

2. The field “State” on the top of the “Operator Information” page contains the value “Registered”, i.e., a registration request has been submitted to the system and has been accepted by the Commission user (in COM portal). The Admin user now wants to change the operator data, hence selects the button “Start Request for change;



Figure 82: User submits request for change – State Information

3. The field “Type of request” contains now the value “Request for change”. The “Start Request for change” button is hidden and the following buttons are activated at the top of page: “Close and Resume Later”, “Delete Request”, “Submit Request”;




Figure 83: User submits request for change – Available actions

4. User clicks on the “Installations” tab of the Operator Information, where they can see the List of Installations;




Figure 84: User submits request for change – List of installations

5. The user can use filtering, i.e., click on the field box located below each column title to type in part of the word for the element the user is searching. The system searches for the part of word in the List of Installations and returns the records that include this search criterion. The user decides to search by: “Installation name”;




Figure 85: User submits request for change – Filtering list of installations

6. If the user clicks the link with the installation ID, can see the installation details (in read-only mode). The user can return to the Installation list by clicking the “Back” option;




Figure 86: User submits request for change – Installation details (updated)

7. The Admin user decides to delete the first installation and submit a Request for Change to the Commission (via COM portal). To delete an installation from the list, user selects the installation and clicks on the “Delete” action;




Figure 87: User submits request for change – Select installation for deletion

8. The system displays a confirmation dialog asking the Admin user to confirm the deletion of the installation, inform that the data of the installation and the relevant emissions information records will be available for commission and NCA if needed for the review of declarations;




Figure 88: User submits request for change – Delete installation confirmation

9. The Admin user clicks the “OK” button and then the “Submit Request" button to send the Request for Change to the Commission (via COM portal). The system displays a confirmation dialog with relevant text asking the user to confirm if they want to proceed with their submission of the Request for Change to COM portal.




Figure 89: User submits request for change – Submit request confirmation

When an Admin user tries to submit a request for change without including any documents, an additional confirmation dialog will come up containing the following text: "You are about to submit a request for change without including any supporting documents. Please note that there is increased risk of the request not being accepted, because the Commission might not be able to check the veracity of information as per Art. 10(2) of Regulation (EU) 2023/956 of the European Parliament and of the Council.";




Figure 90: User attempts to submit a request for change without including any supporting documents.

10. The system informs the Admin user that their Request for Change has been sent to the Commission (via COM portal), redirects the user to the “Operator Information” page in view mode where the latest data approved is displayed. The field “State” on the top of the “Operator Information” page contains the value “Update Requested”;




Figure 91: User submits request for change – Request for change submitted

11. A notification is also sent to the commission portal. The user can track the registration request submissions through the notification system, a dedicated communication channel for disseminating business information to the users. To view the registration request notification

sent to the Commission, the user navigates to Notifications > Sent Notifications list via the left menu, locates the specific notification in the list and selects the 'View' option to view the details;




Figure 92: Sent notifications list

12. The most important notification details include:
    a. Recipient type (e.g. "*Commission"*);
    b. Notification subject (e.g. "*Request for Change"*);
    c. The time the notification was sent, i.e., Sent time;
    d. Notification details that uniquely identify the operator and the corresponding transaction (e.g. "*The Operator with Operator Corporate Register Number: MZ.0000000000008 has submitted a request for change with request ID MZ.0000000000008_0043d8e3-0c50-4ca2-9d4e-26cdfca1d88d.*").




Figure 93:Sent notifications – Request for Change

4.3.7 User views rejected request for change & resubmits corrected request for change

1. The user accesses the system and is redirected to the “Home page” (see Figure 37: O3CI Home Page – Registered user);

2. The user can track the request for change decision through the notifications system. To view the response from the Commissions the user navigates to Notifications > Received Notifications via the left menu, locates the specific notification in the list and selects the “View” option to view the details;




Figure 94: User resubmits corrected request for change – Received Notification from Commission

3. When accessing the homepage the user will see in the System Messages widget that the request has been rejected by the Commission (via COM portal) and can click on “View” button to see the details of the rejection reason;




Figure 95: User resubmits corrected request for change – Rejection reason details

4. The user selects the “Operator Information” option from the menu;

5. The field “State” on the top of the page contains the value “Registered”, i.e., a request for change has been submitted by the operator and has been rejected by the Commission (in COM portal). Admin user can view the rejected request in the “Operator”, “Installations”, Supporting documents” only as read-only data. The available action is “Edit Request for Change” which is deactivated. Below this action there is an informational text along with a toggle button to its right. This toggle button allows you to switch between the requested and the registered set of information which is displayed in the ‘Operator’ and ‘Installations’ tab (see section *4.3 Operator Information* for the functional description of the toggle button);




Figure 96:User corrects and resubmits request for change – Edit Request for Change




Figure 97: User corrects and resubmits request for change – Operator information

6. The Admin user clicks the toggle button and then selects the option “Edit Request for Change” to correct and resubmit the request for change. The “Edit Request for Change” button is hidden and the following buttons are activated at the top of page: “Close and Resume Later”, “Delete Request”, “Submit Request”. The system displays the “Operator Information” page and shows the data of the Rejected request for change in edit mode.
   The Simple user clicks the option “Edit Request for Change” to correct and resubmit the request for change. The “Edit Request for Change” button is hidden and the “Close and Resume Later” button is activated at the top of page;




Figure 98: Admin user corrects and resubmits request for change – Operator tab

7. The user clicks on the "Installations" tab and selects to "Edit" the specific installation from the installation list;




Figure 99: User corrects and resubmits request for change – List of installations

8. The user can update the installation details with the corrected data and then click on the “Save Installation”. Admin user submits the updates;




Figure 100: Admin user corrects and resubmits request for change – Update installation details

9. The installation is updated and the system returns the user to the Installation list. The Admin user can then resubmit the updated registration request by clicking the “Submit Request” button. The systems display a pop-up window asking for confirmation. By clicking “OK” the registration request is resubmitted to the Commission (via COM portal) for approval. The state of the operator is now: “Update requested”;




Figure 101: Admin user corrects and resubmits request for change – Submit request

10. The system informs the user of the successful submission;



Figure 102: Admin user corrects and resubmits request for change – Submission confirmation

11. The user can track the request for change submissions through the notification system, a dedicated communication channel for disseminating business information to the users. To view the request notification sent to the Commission, the user navigates to Notifications > Sent Notifications list via the left menu, locates the specific notification in the list and selects the 'View' option to view the details;




Figure 103: Admin user corrects and resubmits request for change – Sent notification list

12. The details of the notification include:
    a. Recipient type (e.g. "*Commission"*);
    b. Notification subject (e.g. "*Request for change"*);
    c. The time the notification was sent, i.e., Sent time;
    d. Notification details that uniquely identify the operator and the corresponding transaction (e.g. "*The Operator with Operator Corporate Register Number: MZ.0000000000008 has submitted a request for change with request ID MZ.0000000000008_7fa4aace-4411-4925-8066-ecb3ae3db28f.*").




Figure 104: Sent notifications – Request for change notification

4.3.8 Registered user searches, exports List of Installations and views operator history

1. The user accesses the system and are redirected to the "Home page" (see Figure 37: O3CI Home Page – Registered user). The user selects the "Operator Information" option from the menu;

2. The field "State" on the top of the "Operator Information" page contains the value "Registered" i.e., a registration request has been submitted by the operator and has been accepted by the Commission (in COM portal). The operator user can view the request in the "Operator", "Installations", Supporting documents" only as read-only data.

   The available actions for the Admin user are:

   - "Start Deregistration Request";
   - "Start Request for change".

   The available action for the Simple user is "Close and Resume Later";




Figure 105: User searches the List of Installations

3. There must be at least one record in the Installations list, in order for the user to be able to export it. The user selects “Export Installations” button. An information text pops up at the top right corner of the page, informing the user that the results have been exported successfully;




Figure 106: User exports the List of Installations

4. The system generates a CSV file containing the List of Installations with the relevant columns. The file is named according to the pattern YYYY-MM-DD-[name of the page].csv where:
   - YYYY-MM-DD is the current date;
   - [name of page] describes the type of list exported (“installations” in our case).

   The file is downloaded in the “Downloads” folder of the local workstation of the user;

5. Users can view a comprehensive history of changes to Operator information and monitor all actions performed by both operators and Commission users. This information is accessible through two convenient methods:
   - From the homepage, by selecting the "Operator History" widget;




Figure 107: Access operator's history from homepage

- From the Operator Information page, by clicking the "View History" button in the Operator's tab.




Figure 108: Access operator's history from Operator Information

6. When entering the "History" page the system displays the table of history of the specific operator sorted by Timestamp. The columns of the table are the following:
    - Action (the list of available action descriptions are: "Access O3CI portal (EU Access)", "Submit request for registration", "Reject request for registration by Commission", "Accept request for registration by Commission", "Submit request for change", "Request for change accepted by Commission", "Request for change rejected by Commission", "Request deregistration by Operator", "Request deregistration by COM",

"Accept deregistration", "Decide to deregister", "Decide not to deregister", "Provide Operator's explanation for right to be heard", "Accept operator's explanation for right to be heard", "Reject operator's explanation for right to be heard");

- State containing the state of the operator after the completion of the corresponding action (for all valid values see the states description in section 4.1.1);
- User full name (if O3CI user then the system displays the name of the user who performed the action, if COM user then the name of the user will not be exposed, hence display as "COM User');
- Timestamp (in the following format <DD/MM/YYYY HH:MM:SS>).




Figure 109: Operator history

4.3.9 User searches and requests a collaboration with an Accredited verifier

1. Operator selects from the side menu the "Search Accredited Entities" option. On the Search accredited entities page the user applies search criteria and retrieves the search results with the Accredited entities.




Figure 110: Search Operators page and search results displayed

The user can select an operator from the list and press the “Submit collaboration to verifier” [ ] or “Submit collaboration to certifier” [ ] button to initiate a collaboration with an accredited entity. A verification message is displayed and upon press ok button a collaboration request is sent to the respective accredited entity the Collaboration State value changes to “Pending”.



Figure 106: Collaboration sent to Accredited entity and Collaboration State value change

After request has been accepted from the Accredited entity (check section **5.3.7 User views and accepts a collaboration request from an Operator**), The Operator is able to see the updated status in the “Search Accredited Entities page” where it can be found by selecting the section from the side menu that is of the same name as the page.

Select the Installation ID for which the collaboration was performed between the two parties and press the “Search” button.




Figure 111: Active collaboration in Search Accredited Entities page

The record with Collaboration State: "Active" is the one where the collaboration has been successfully accepted and completed between the Operator and the Accredited entity.
By clicking on the link under AE Corporate Register Number to display the Accredited entity details.

Additionally the available action is the "Unregister collaboration with Verifier" button [ ] located under the "Actions" column.

4.3.10 User views and rejects a collaboration request from an Accredited verifier

An accredited entity has the option to request a collaboration from the Operator. Once the request is sent from the accredited entity, the Operator has the option either accept or reject the request. In this scenario the rejection of such a request will be explained.

In order for user (Operator) to see the request from accredited entity, has to navigate to "Collaboration Requests" section from the side menu. In the "Accredited Entity Collaboration Requests" page displayed, a request must be present in the "Pending requests" tab.




Figure 112:Accredited entity collaboration request sent to Operator

As can be seen from the above screenshot (Figure 112) the State is pending, meaning that is yet to be handled. In order for Operator to handle properly the request and see all the relevant details, click on the

link (accredited entity's corporate register number) and the user will be navigated to the request details page.




Figure 113:Request details page

Upon select to reject the collaboration request from accredited entity and click on "Reject Request" button, a "Reject collaboration request" pop up window is displayed, prompting the user to enter reason for rejection. Once the rejection reason is completed, the "OK" button will become enabled.



Figure 114:Reject collaboration request pop up window

The collaboration request is rejected and the accredited entity will be able to see the outcome of the collaboration.

4.3.11 User views and accepts a collaboration request from an Accredited verifier

1. Once accredited entity has sent a collaboration request (see section **5.3.4** for more information) , the Operator user can see that request in the "Collaboration Requests" section. The request(s) can be found in the "Pending requests" tab.




Figure 115: Collaboration requests sent from accredited entity towards operator

Upon the Operator's acceptance of the request, the accredited entity receives a confirmation notification. A collaboration is now in effect between the accredited entity and the Operator.
Any request that has been dealt with from Operator can be found in the “Closed requests tab”.




Figure 116: Closed Requests tab

Operator is able now to see the collaboration that has with Accredited entity, via the search Accredited Entities section. In the Search Accredited Entities page and by searching with its Installation ID for the installation that has the collaboration for, the Operator is able to see the Accredited Entities that has/can* collaborate.




Figure 117: Active state collaboration

As shown in **Figure 117** above, once the collaboration is accepted from the Operator, the Collaboration State (Verifier collaboration in this case) is set to active, meaning that the collaboration between the two parties (Accredited verifier and Operator) is in effect.

Note (*): An Operator can have one active collaboration with a certifier and one active collaboration with verifier. Upon attempt to start a collaboration with a certifier and/or verifier when there is an already active collaboration with certifier and/or verifier, will result in an error from the system preventing the operator to have multiple collaborations for the same installation.




Figure 118: Message displayed upon attempt of another collaboration when an active collaboration exists

Please note that the same procedure as depicted above, regarding the acceptance of a collaboration

request between an Operator and Verifier, is the same for Certifier as well. The exact same steps are followed, with the only difference the Accredited Entity categorization.

4.3.12 User unregisters (removes) a collaboration with an accredited entity

After the collaboration between the Operator and the Accredited Entity has been established, the collaboration can now be unregistered (removed) either from the Accredited entity side (**see section 5.3.8**) or from the Operator side. In order to remove the collaboration, the Operator needs to select the "Search Accredited Entities" section from the side menu and search for the accredited entity. Alternatively, can click on "Search" button directly to retrieve all the Accredited entities and locate the one with the active collaboration.




Figure 119: Search Accredited Entities - Active collaboration

Once click on "Unregister collaboration with verifier" button [⊖] a confirmation window will be displayed. Once click on the OK button the deregistration collaboration process is considered completed. The status of collaboration with the specific accredited entity will be changed from "Active" to "None".




Figure 120:Search Accredited entities - Unregister collaboration with verifier

The button under the Actions column will change to [⊕] which means that the collaboration with the specific accredited entity can be initiated from the beginning.

4.3.13 Deregistration request by Operator

Admin Operator users can submit a request to deregister their Operator account from the CBAM O3CI portal. This section describes how to submit the request and what happens after it is sent.

1. The user navigates to the Home page and clicks on “Operator Information”;
2. If there is no pending deregistration request, the “Start Deregistration Request” button is displayed and enabled;




Figure 121: Deregistration request by Operator - Start Deregistration Request

3. The “Admin Operator” user clicks on the “Start Deregistration Request” button;
4. A confirmation pop-up window is displayed. It includes a text box where the user must provide the reason for the deregistration request, and a message informing the user of the consequences of proceeding with the request. The message displayed is the following: “Please explain the reason for the Deregistration Request and confirm that you want to proceed. Please note that if you confirm, the Deregistration Request will be sent to the Commission and upon approval the

Operator will be Deregistered. After that, you will not be able to view or edit any of the Operator details and you will not be able to export any data or download any supporting documents. If you need to retrieve your data please do so before sending the deregistration request. Please also note that the Commission might, when approving the deregistration, not delete the information of the operator and its installations from the CBAM registry, if such information is necessary for the review of CBAM declarations that have been submitted.";




Figure 122: Deregistration request by Operator - Confirmation pop-up window

5. The user fills in the justification in the provided text box;




Figure 123: Deregistration request by Operator - User fills in the justification

6. The user clicks on "OK" to confirm and submit the request. Alternatively, the user may click on "Cancel" to abort the process;




Figure 124:Deregistration request by Operator - User confirms and submits the request

7. Upon confirmation:

- The Operator status is set to “Deregistration requested”;
- The user's access is limited to view-only mode. Editing operator details or exporting data and documents is no longer possible;
- A confirmation message appears with the Request ID: “The Deregistration Request has been successfully submitted to Commission for review. The Request ID is: [Request ID]”;
- The system displays the “Operator Information” page.




Figure 125: Deregistration request by Operator - Confirmation message

Important notes:

- The “Start Deregistration Request” button is not available if a deregistration request is already pending;
- Upon approval by the Commission, the Operator is deregistered.

4.3.14 Deregistration request by Commission (Right to be Heard)

If the Commission initiates a deregistration process for an Operator, the “Admin Operator” user is notified through the O3CI Portal and has the right to be heard before the deregistration is finalized.

The steps below describe the Operator's interaction with the system in such a case:

1. Homepage Notification and State Update;

- When the Commission initiates a deregistration procedure, the Operator's state in the Portal is updated to "Right to be heard";
- A system message appears at the top of the Homepage, explaining that the Commission has initiated a deregistration request and instructing the Operator to consult the relevant notification to provide feedback;
- The "Operator History" section displays the action "Request deregistration by COM" along with the timestamp.




Figure 126: Deregistration request by Commission – Homepage

2. Receiving the Notification;

   A corresponding notification titled "Deregistration initiated by Commission – Right to be heard Request" is sent to the Operator and is accessible under the "Notifications" > "Received notifications list" section.
   The notification includes:
   - A "Deregistration Reason" provided by the Commission;
   - A reminder that the Operator must submit their position within 30 calendar days from the reception of the notification;
   - A warning that once deregistration is finalised, the Operator will lose access to data and supporting documents in the portal;
   - A note that the Commission might retain the Operator's information if needed for the review of CBAM declarations.




Figure 127: Deregistration request by Commission – Notification list




Figure 128: Deregistration request by Commission – Notification Details

3. Responding to the Request;

- The Operator must select the notification and click “Reply”;
- A response message must be submitted, clearly stating the Operator’s position or objection to the deregistration;
- The response status is shown as Pending until a reply is sent.




Figure 129: Deregistration request by Commission – Responding to the Request




Figure 130: Deregistration request by Commission – Right to be heard provided

4. Final Outcome;
    - The Commission will review the Operator's response and make a decision on whether to finalize the deregistration;
    - Until a decision is taken, Operators continue to have view-only access to their account and data.

4.4 PARENT COMPANY DETAILS

The "Parent Company Details" item is accessible to the Operator user role.

Using the "Parent Company Details" option, an operator can provide details of the "Parent company", Parent Company Name and Country code.

By clicking on the "Parent Company Details" choice from the left menu or the "Parent Company Details" section in Home page the user can see the table with the aforementioned information.




Figure 131: Parent Company Details option

The available actions are: “Back”, “Clear & Save” and “Save”.




Figure 132: Parent Company Details page

4.4.1 User adds/edits parent company details

1. Updates on parent company details can be performed by the user regardless of the operator's state and require no approval by the Commission. The operator user accesses the system and in the main page selects the "Parent Company Details" option. The user is redirected to the "Parent Company Details" and adds the values:
    a. Parent Company Corporate Register Number;
    b. Parent Company name;
    c. Parent Company Address including: country code, sub-division, city, street, street additional line, street number, postcode, and P.O. Box;
    d. Parent Company Contact Details: Name, phone number and email.
2. The available actions are "Back", "Clear & Save", "Save":
    a. "Back" redirects the user to the "Home page" without saving any data;
    b. "Clear & Save" clears Parent company details and save the information as empty;
    c. "Save" validates and saves the input data.

"Parent Company Corporate Register Number" values are validated according to the national company identifiers per country, as specified by European Central Bank (see https://www.ecb.europa.eu/stats/money/aggregates/anacredit/shared/pdf/List_of_national_identifiers.en.xlsx). If a user enters an invalid "Parent Company Corporate Register Number", an error message is displayed upon form submission, as illustrated below.




Figure 133: Parent Company Corporate Register Number validation error

For the remaining fields on the "Parent Company Details" page, the following validations are applied as in Operator data (please see section 4.3 for detailed validation rules):

- All text entries in the Parent Company Address and Parent Company Contact Details data groups must be entered using Latin characters only;
- Phone numbers must meet the specified validation criteria;
- Email addresses must conform to standard email format requirements;
- Postcodes must comply with the applicable country-specific formatting rules.

If any of these validations fail, the "Save" button will be disabled (greyed out), as shown below.




Figure 134: User adds/ edits parent company details

3. If the data is valid, the Parent company details are saved, the user is redirected to the Home page and an informational text is displayed, informing that the parent company details were saved successfully.




Figure 135: User adds/ edits parent company details – Changes submitted

Note: All actions ("Back", "Clear & Save", "Save") in the "Parent Company Details" page are available regardless the state of the Operator.

4.5 EMISSIONS INFORMATION

The "Emissions Information" item is accessible to both roles supported by O3CI portal i.e., the "Operator Admin" and the "Operator User" role. Both roles have the ability to see and search emission data, but the "Operator Admin" role also has the ability to add, edit, and delete emission data.

Using the "Emissions Information" option from the Home Page,

- The user can view and export emissions information for a specific installation and production year;
- The Admin user can Add/Edit/Delete emissions information for a specific installation and production year.

View and export emissions information

The user clicks on the Emissions Information option from the "Home page" where the user can see the "List of Emissions Information". The list is organised in a table-like view, including "Emissions Information ID", "Production year", "Installation ID", "Installation name", "Country of establishment".

The available actions are "View History" and "Export emissions".




Figure 136: List of emissions information available to user

By selecting the "View History" page the system displays the table of emission history sorted by Timestamp. The columns of the table are the following:

- Emission Information ID;
- Action (the list of available action descriptions are: "Add Emissions Information", "Edit Emissions Information", "Delete Emissions Information";
- User full name (if O3CI user then the system displays the name of the user who performed the action, if COM user then the name of the user will not be exposed, hence display as "COM User');
- Timestamp (in the following format <DD/MM/YYYY HH:MM:SS>).




Figure 137: View Emissions history

By selecting "Export emissions" option, the system generates a CSV file containing the search results with the relevant columns based on the search page type.

Add/Edit/Delete emissions information

The Admin user clicks on the Emissions Information option from the "Home page" where the Admin user can see the "List of Emissions Information". The list is organised in a table-like view, including "Emissions Information ID", "Production year", "Installation ID", "Installation name", "Country of establishment".

For each Emission information record the user can view the details by clicking the Emissions Information ID link, whereas the "Admin user" can perform "Edit", "Delete" and "Clone" actions.




Figure 138: List of Emissions Information available to Admin user

By selecting View or Edit the system displays the contents of the Emissions Information page.

The “Emission Information” data group contains the “Production year”.

The “Installation” data group contains the details of the installation, namely: “Installation ID”, “Installation name”, “Country of establishment”.

The available actions are: “Back” (located at the top of the page. Redirects the user to the “List of Emissions Information” without saving any data), “Add Good produced”, “Cancel” and “Save Emission” which are displayed both at the top and bottom of the page so that when the good is saved, it is possible to save the emission without scrolling down at the bottom of the page.




Figure 139: Emissions Information

By clicking “Add Good produced” button, the Admin user is redirected to a new page where for each “Good produced” the Admin user can add the details of the good, the “Production Routes” and the “Good emissions” per route as well as the “Emissions qualifying parameters”.

The “Goods Produced” data group contains: “Goods produced item number” (auto generated value assigned by the system), “Harmonised System sub-heading code”, “Combined nomenclature code”, “TARIC code”, “Description of goods”. There can be up to fifty (x50) occurrences of goods per emission information.

Note: For goods having HS/CN code 25070080, the system automatically fills the relevant TARIC code field to distinguish between calcinated (in-scope for CBAM) and non-calcinated (out-of-scope) clays. This field is mandatory and only active for this HS/CN code.

For each good produced up to nine (x9) different production methods can be described under the "Production Route" data group containing: "Combined ID" (auto generated value assigned by the system upon the saving of the emission), "Route ID" (as specified in code list "Production method"), "Route name" and the "Specific direct emissions" and "Specific indirect emissions".

For the "Specific direct emissions" if the operator enters a value greater than 20 t CO2 / t of goods or greater than 20 t CO2 / MWh then the system displays a warning message. An error message is also displayed in case the value entered is below zero.




Figure 140: Specific direct emissions – Warning message if value is exceeded

For the "Specific indirect emissions" data group an Admin Operator can enter:

- "Electricity consumed" (n..16,7), units: MWh/t of good. Negative values are not allowed;
- "Emission factor known" (boolean with radio buttons – Yes/No);
    - If "No" is selected, only "Electricity consumed" is shown. The system calculates the specific indirect emissions using the emission factor of the country of establishment from the IEA list. This value is stored but not displayed in the UI, and no warning appears;
    - If "Yes" is selected, two additional fields appear:
        - "Emission factor" (n..16,7), units: t CO2/MWh;
        - "Please explain emissions factor calculation" (an..256).

      Below these fields, the calculated value of "Specific indirect emissions" is displayed (units: t CO2/t of goods). If this calculated value exceeds 20 tCO2/unit, then the following warning message appears below it: "The specific indirect emissions are higher than 20 tCO2/unit and what is usually expected for CBAM goods. Please carefully check the correctness of the value."

The entire "Specific indirect emissions" data group is not applicable (i.e., not displayed) if the Harmonised System sub-heading code is 271600 (electricity). For all other codes, the group is mandatory.




Figure 141: Specific indirect emissions – Warning message if value is exceeded

The "Emissions Qualifying parameters" data group include: "Parameter ID" (as specified in code list "Emissions qualifying parameters"), "Parameter name", "Description", "Type of parameter value" (as specified in code list "Type of parameter value"), "Parameter value", "Additional Information".

Directly below the heading "Emissions qualifying parameters", the following message is displayed: "The emission qualifying parameters will ONLY be shared with the Commission and the NCAs, NOT with the declarants".

The available actions in this form are: "Back", "Add Production Route", "Delete", "Add parameter", "Add" (Carbon price in the country of origin), "Cancel" and "Add".




Figure 142: Emissions qualifying parameters

By clicking on the “Add” action located in the “Carbon price in the country of origin” the values related to the carbon price can be added:

- “Form of carbon price” (containing one of the code list values defining the form of carbon price; e.g.: Carbon tax; Carbon levy; Carbon fee; etc);
- “Description and indication of legal act for the carbon price; and for possible rebate or other form of compensation obtained”;
- “Effective carbon price due” (per produced t of goods or per MWh);
- “Currency” (containing one of the code list values of national currencies);
- “Country code where carbon price is due” (containing one of the code list values of countries).

Then the Embedded emissions covered by the carbon price information:

- Embedded emissions covered by the carbon price t CO2/ produced t of goods or per MWh;
- Embedded emissions covered by rebate or any other form of compensation t CO2/ produced t of goods or per MWh;
- Additional information.




Figure 143: Carbon price in the country of origin

The next paragraphs describe how Emission Information UI of O3CI portal is used in specific cases:

- Admin user adds emissions information;
- User searches and exports emissions information;

- Admin user edits emissions information;
- Admin user deletes emissions information.

4.5.1 Admin user adds emissions information

Emissions information can be added as stated above, only the Admin user is able to add emissions information. Emissions can be added from Emissions Information page or by selecting an installation from the list of installations and then the "Add Emission Information" option. The following steps apply only for the Admin user.

Option 1: Add Emissions from Emissions Information page

1. An Admin user accesses the system and is redirected to the "Home page" (see Figure 37: O3CI Home Page – Registered user);
2. The Admin user selects the "Emissions Information" option from the menu and sees the "List of Emissions Information". The Admin user clicks on the "Add Emissions Information" button and the system displays the "Add Emissions Information" page;




Figure 144: Admin user adds emission information – List of Emissions

3. The Admin user types in the details of the Emissions Information (for the data structure of Emissions information, please refer to in CBAM-UCS-Use Cases-Operators of 3rd Countries Installation [R01], 4.1 CBAM O3CI Data elements). The Admin user fills the Emissions information and links it with the installation (included in the list of the approved installations of the Transport Operator). Next the Admin user clicks on the "Add Good produced" to add the HS code, CN code and the description of the goods;




Figure 145: User adds emission information – Add Good produced




Figure 146: User adds emission information - Good produced

4. For each one of the good produced the Admin user adds the "Production Route" details including the "Goods Emissions" and the "Emissions Qualifying parameters".
   The following fields are automatically filtered based on the Operator's input:
   - Production Route: The "Route ID" list of available options depends on the selected "HS Code" and "CN code" of the good. Operators must first select both an "HS Code" and a "CN code" for the "Route ID" list to appear. If either field is empty, the drop-down list will remain empty as well;

- Parameter ID (in the Emissions qualifying parameters section): This list becomes available only after the “HS Code”, “CN code”, and “Route ID” fields have been selected. It displays only the parameters that are valid for the selected combination. If any of these fields is not selected, the “Parameter ID” list will remain empty.




Figure 147: Admin user adds emission information - Production route

The “Specific direct emissions” and “Electricity consumed” fields can have up to 16 digits in total, with up to 7 digits after the decimal point (n..16,7). The unit of measurement for the “Specific direct emissions” field is tonnes of CO2 per unit of product and for the “Electricity consumed” field is Megawatt-hours (MWh) of electricity consumed per tonne (t) of product produced;




Figure 148: Admin user adds emission information - Emissions qualifying parameters

5. After completing "Production Route" details including the "Goods Emissions" and the "Emissions Qualifying parameters", the Admin user may fill the Carbon price details by clicking on the "Add" button located in "Carbon price in the country of origin" data group;
6. Finally, by clicking on the "Add" button at the bottom of the page the Admin user can save the emission information;
7. The user is redirected to the "Add Emission Information" page, is notified that the Good has been added to the list of goods and that to complete the process must select the "Save Emission" option;



Figure 149: Admin user adds emissions information – Good produced confirmation

8. The user may add one or more goods and then clicks the "Save emission" button. The system validates the input data and if valid provides an Emissions Information ID to the new Emissions Information record, provides the Combined ID located in the Production Route, links the new Emissions Information record with the specific selected Installation, saves the Emissions Information record and finally redirects the user to the "List of Emissions Information" page;




Figure 150: Admin user adds emissions information - Emissions qualifying parameters

9. The Admin user is being notified that emission information has been saved successfully.




Figure 151: Admin User adds emissions information – Emissions saved confirmation

Option 2: Add Emissions from the Add Emissions Information option in the list of installations

1. An Admin user accesses the system and is redirected to the "Home page" (see Figure 37: O3CI Home Page – Registered user);

2. The Admin user selects the “Operator Information” and the “Installations” tab to see the list of registered Installations. For a specific installation they can select the Action “Add Emissions Information”;




Figure 152: Add Emissions Information from list of installations – Select installation

3. The system displays the Add Emissions information page with the Installation prefilled and read-only. The user can then fill the appropriate emissions data as in the first option.




Figure 153: Add Emissions Information from list of installations – Fill emission information

An Admin user can also choose to clone an emission information record for an installation, making it available for the next production year.

1. The Admin user selects the "Emissions Information" option from the home page. The system and sees the "List of Emissions Information". To clone a record, the Admin selects the desired emission information entry and clicks the **"**Clone**"** option;




Figure 154: Cloning an emission information record – Select emission information

2. The system presents a list of available production years for the selected installation. The user must choose the production year to which the emission record will be cloned;




Figure 155: Cloning an emission information record – Select production year

3. After selecting the target year, the system prompts the user to confirm the cloning action;




Figure 156: Cloning an emission information record – Confirm selection

4. Upon confirmation (by clicking “OK”), the system opens the Add Emissions Information page. The Production Year and Installation fields are pre-filled and set to read-only. All other fields are populated based on the original emission record. The user can then update the relevant emissions values as needed and save the new record.




Figure 157: Cloning an emission information record – Save new emission

4.5.2 User searches, exports Emissions Information & views history of Emissions

1. User accesses the system and is redirected to the "Home page" (see Figure 37: O3CI Home Page – Registered user);
2. The user selects the "Emission Information" option from the menu and can see the "List of Emissions Information". The user selects "Export emissions" option;




Figure 158: User exports emissions information – List of emissions

3. An information text pops up at the top right corner of the page, notifying you that the results have been exported successfully;




Figure 159: User exports emissions information – Export confirmation

4. The system generates a CSV file containing the List of Installations with the relevant columns. The file is named according to the pattern YYYY-MM-DD-[name of the page].csv where:
   a. YYYY-MM-DD is the current date;
   b. [name of page] describes the type of list exported (emissions in our case).

   The file is downloaded in the "Downloads" folder of the local workstation of the user.

5. The user can view a history of changes to Emissions information and monitor all actions performed by the operator's users. This information is accessible from the emission information page by clicking the "View History" button;




Figure 160: Access emissions information history

6. When entering the “History” page the system displays the table of history of the specific operator sorted by Timestamp. The columns of the table are the following:
    a. Emission Information ID;
    b. Action (the list of available action descriptions are: “Add emissions information”, “Edit emissions information”, “Delete emissions information”);
    c. User full name (the system displays the name of the O3CI user who performed the action);
    d. Timestamp (in the following format <DD/MM/YYYY HH:MM:SS>).




Figure 161: Emissions information history

4.5.3 Admin user edits Emissions Information

As stated above, only Admin user is able to edit emissions information. Therefore, the following steps apply only for the Admin user.

1. Admin user accesses the system and is redirected to the “Home page” (see Figure 37: O3CI Home Page – Registered user);
2. The Admin user selects the “Emission Information” option from the menu and can see the “List of Emissions Information”. The Admin user selects an Emissions Information record from the list and clicks on the “**Edit**” button;




Figure 162: Admin user searches, views and edits Emission information – List of emissions

3. The system displays the contents of the Emissions Information in edit mode. The Admin user selects a Good from the list of Goods that are included in the Emissions Information, and clicks on the "**Edit**" button;




Figure 163: User searches, views and edits Emission information – Edit goods produced

4. The admin user makes changes in some or all of the following Goods / Production routes data and clicks on the "Save" button located at the bottom of the page;




Figure 164: User searches, views and edits Emission information – Emission qualifying parameters

5. The Admin user clicks the “Save” button, is redirected to the “Emission Information” page, and is notified that the Good has been updated and that user must select the “Save Emission” option to save all changes;



Figure 165: User searches, views and edits Emission information – Good produced confirmation

6. The Admin user clicks the "Save emission" button and the system validates the input data. If valid, the system updates the contents of the Emissions Information record, notifies and redirects the user to the "List of Emissions Information" page.




Figure 166: Admin user searches, views and edits Emission information – Emissions saved confirmation

4.5.4 Admin user deletes Emissions Information

As stated above, only Admin user is able to delete emissions information. Therefore, the following steps apply only for the Admin user.

1. An Admin user accesses the system and is redirected to the "Home page" (see Figure 37: O3CI Home Page – Registered user);
2. The Admin user selects the "Emission Information" option from the menu and can see the "List of Emissions Information". The Admin user selects an Emissions Information record from the list and clicks on the "Delete" button;




Figure 167: Admin user deletes emissions information – List of emissions

3. The system displays a confirmation dialog for the user to confirm the deletion of the selected Emissions Information record;




Figure 168: User deletes emissions information – Delete request

4. The Admin user clicks the "OK" option on the confirmation dialog. The system deletes the Emissions Information record from the "List of Emissions Information" and redirects the Admin user to the "List of Emissions Information".

4.6 INFORMATION ACCESSIBLE TO PUBLIC

The "Information Accessible to Public" page is available to the Operator user role.

Using the "Information Accessible to Public" option, an operator can amend the data they wish to be visible to the public. This information is related to the name of the operator, the address, the operator's contact details and the installations' locations.

The available actions are "Back" and "Save changes" (is enabled after any change in the selection). If the operator clicks the "Back" button, then the changes made are not saved and the user is navigated to the "Home" page.




Figure 169: Information Accessible to Public

4.6.1 User updates information accessible to the public

1. A registered operator navigates through the "Home" page where the "Information Accessible to Public" option is displayed and enabled and clicks on it. The system displays the "Information Accessible to Public" page with the following toggle buttons that can be enabled or disabled. The default state is that all are enabled. If the user disables even one of the toggle switches from the four below mentioned ones, the "Allow all" toggle switch gets disabled as well.

   The selection of the "Allow all" switch enables simultaneously all the other four switches OR it is enabled only when the four other switches are all enabled;




Figure 170: Information accessible to the public page

2. The user makes the appropriate selection and clicks the "Save changes" button. The system displays a confirmation dialog with relevant text asking the user to confirm if they want to proceed with the saving of their selection;




Figure 171: User updates information accessible to the public – Save changes

3. The operator clicks the "OK" option on the confirmation dialog and the system saves the changes and notifies the user that the selected options are saved, sends a notification to the system that controls the publication of the information to adapt accordingly and displays the "Home" page;




Figure 172: User updates information accessible to the public – Changes displayed in homepage

4. The information that should be accessible to public is changed and no confirmation from commission (via COM portal) is needed. The relevant information selected by the user to be available to the public will be available for export in the COM Portal.

5 USING THE SYSTEM AS ACCREDITED ENTITY

This section describes the main actions that a CBAM Accredited entity user can perform in the CBAM O3CI Portal. There are two roles the "Accredited Entity (ACE) Admin" and the "ACE user"

- The "ACE Admin" user can write, amend and view data (i.e., can delete/submit requests (including registration requests, requests for change and deregistration requests to NCAs as well as collaboration requests to operators);
- The "ACE user" can perform the same actions as the "ACE Admin" except the submitting of any request function.

When there is no distinction between the user and only "user" is mentioned, then any of the above users can perform the actions.

When only one user is allowed to perform a specific action, this is explicitly mentioned in the document.

Please note that '**All**' in the column "Rights" in the following table means that both "ACE Admin" and "ACE user" roles can perform the UI actions. In any other case it is explicitly mentioned the permission that can perform the specific action.

UI Menu options	Rights
Search Accredited Entities • Export Search results • View Accredited entity details • Download Accreditation supporting documents	All
Collaboration Requests • Accept Request • Reject Request	ACE Admin
Notifications information • View list of notifications (Accredited entity) • View Notification details (Accredited entity)	All
Accreditation Supporting Documents tab • View accreditation certificates • Add/delete/download accreditation certificates	All
View list of Operators collaboration requests • View Operators collaboration request details	All

Table 8: Accredited entity user Role – UI menu options vs. rights

5.1 STATES INFORMATION

The section below describes the different accredited entity states for registering an Accredited entity and presents how the different states are triggered in O3CI portal.

5.1.1 States description

The following table shows the list of states that an Accredited entity can obtain through the evaluation cycle along with their respective descriptions.

State	Description
New	Not a CBAM Registered Accredited entity. To become a CBAM Registered Accredited entity, the accredited entity must complete and submit a "Registration Request" to the NCA via the "Accredited Entity Information" option.
Registration requested	Registration requests have been successfully submitted and is pending approval by the NCA. The user can view the request under the "Accredited Entity Information" section.
Registered	A CBAM Registered Accredited Entity can create and send OR edit and send a "Request for Change" to update or correct any information related to the Accredited entity and/ or the Accredited entity company details and/or Accreditation details.
Update Requested	A CBAM Registered Accredited Entity. A request for change has been successfully submitted and is pending approval by the NCA. The user can view the request in the "Operator Accredited Entity" section.
Deregistration requested	A CBAM Registered Accredited entity who has submitted a "Deregistration Request" that is pending approval by the NCA. Until it is approved, the user can view the "Accredited Entity Information" but cannot initiate any new requests for change.
Deregistered	Accredited entity has been Deregistered from CBAM. In case the user needs to register again the user must submit a registration request from scratch.

Table 11:CBAM Accredited Entity - List of states

5.1.2 States transition diagram

The following State Transition Diagram depicts the full lifecycle of a CBAM Accredited entity.




Figure 173: Accredited Entity State Transition Diagram

Initial state	Action	Triggered in	Resulting state
New	• Save Changes in request • Deregistration request sent from Accredited Entity and accepted from NCA	Accredited Entity Information (see Section: 5.4.1, 5.4.2)	**New**
New	• Submit Registration request	Accredited Entity	**Registration requested**

Initial state	Action	Triggered in	Resulting state
		Information (see Section: 5.3.2)	
Registered	• Save Request for change	Accredited Entity Information (see Section:5.3.3)	**Registered**
Registered	• Submit request for change	Accredited Entity Information (see Section: 5.3.3)	**Update requested**
Registered	• Deregistration request by Accredited entity	Accredited Entity Information (see Section:5.4.2)	**Deregistration requested**
Deregistration requested	• Deregistration request accepted by NCA	Accredited Entity Information (see Section:5.4.2)	**Deregistered**
Registered	• Deregistration initiated from NCA	Accredited Entity Information (see Section:5.4.1)	**Deregistered**
Deregistered	• Re-register	-	**New**

Table 12:Accredited Entity state transitions

5.2 O3CI PORTAL HOME PAGE FOR ACCREDITED ENTITIES

Once the user logs in to the Operators of Third Countries Installations Portal as an accredited entity, the Homepage is displayed. The homepage provides access to several sections through two navigation methods: widgets and a left sidebar menu. Both allow users to jump directly to the corresponding forms.




Figure 174: Accredited Entity (registered) Homepage in Operators of Third Countries Installation Portal

The homepage layout varies based on user registration status. Registered accredited entities have access to all sections and widgets, while unregistered entities have limited access. Although all widgets display on the homepage, some remain inaccessible until registration, showing an informative message to unregistered users (for example, see Figure 175)**.**




Figure 175:Informative message for Homepage section

In order to have a more summarized view of the differences in the section of registered/unregistered Accredited Entity, the below table (**Table 13**) gives an overall view between the two states.

	Registered	**Unregistered**
Homepage section		
Unanswered notifications	✓	✓
Unread notification	✓	✓

Accredited Entity Information	✓	✓
Accredited Entity Reports (Future functionality)	✓	
System Messages	✓	✓
History	✓	✓
Search Operators	✓	
Collaborating Requests	✓	

Table 13:Summary table for homepage section for different states of Accredited Entity

Currently the difference is that the unregistered Accredited Entity does not have access in the following sections:
- Accredited Entity Reports;
- Search Operators;
- Collaborating Requests.

In total the sections displayed in Homepage (regardless of the Accredited Entity status) are:
- **Unanswered notifications** (see 3.6.3.1 Notifications widgets). The first section that is displayed in the list and contains any inbound notification that an accredited entity can receive from registration till collaboration;

- **Unread notifications** (see 3.6.3.1 Notifications widgets). This option is also accessible by selecting Notifications (side menu) – Received notifications list – Received notifications tab;

- **System Messages -** provides guidance on:

- Configuring email notification preferences (Account → Email preferences);
- How to request CBAM registration (via *Accredited Entity Information → Registration Request*).

- **Accredited Entity Information:** General information (read-only) regarding the Accredited Entity like: Corporate Register Number (CRN), Name and state of the Accredited Entity;

- **History:** Displays records of the actions taken form the accredited Entity;
- **Accredited Entity Reports:** The reports (Verification reports/ Certification reports) that have been created and uploaded by the accredited entity. This option is reserved for future functionality;

- **Search for Operator:** Search for an Operator in order to initiate a collaboration request;

- **Collaborating Requests:** Any pending collaboration requests either from Operator or accredited entity.

5.3 ACCREDITED ENTITY INFORMATION

The “Accredited Entity Information” item is accessible to the Accredited entity user role.

Using the “Accredited Entity Information” functionality an accredited entity can provide like:

- Its location, corresponding contact person's name;
- Additional information about the accredited entity (in the accreditation details tab);
- The activity group that the accredited entity resides;
- The scope of accreditation;
  The scope is dependent on the activity group that the accredited entity has been assigned to.
- Service coverage;
- Any supporting document information (such as registration certificates of the operator, location documents, maps etc).

By clicking on the "Operator Information" item from the left menu, the user can see three separate tabs, i.e., "Accredited entity company details", "Accreditation details" and "Accreditation supporting documents".

At the top of the "Accredited Entity Information" form, next to the page title, the UI elements presented below are provided:

1. State: this field is auto populated and shows the state of the Accredited entity (e.g. "New", "Registered", etc), a complete description of the available states is provided in section **5.1 States Information;**
2. Type of request: when no request has been initiated the field is not shown, but when a request has been initiated the field is auto populated with the type of request (i.e. "Registration Request" or "Request for Change");
3. Type of action: the buttons which propose actions are dynamically generated depending on the state and type of request by the user. For more information see also the scenarios of operation, below (see Sections **5.3.1, 5.3.2, 5.3.3, 5.3.4, 5.3.5, 5.3.6**).



Figure 176: UI elements located at the top of Accredited entity Information page

5.3.1 New user creates and saves a registration request

1. When user logs in to the system for the first time the "Homepage" is displayed as the default page. The user selects the "Accredited Entity Information" option;

2. On the top of the Accredited Entity Information page the State contains the value "New" and on the right hand side the option "Start Registration Request" is displayed;



Figure 177: UI elements located at the top of Accredited entity Information page

3. Additionally, the View History button is displayed on the left of Start registration Request button , that keeps records of the actions taken during the registration of the accredited entity.

4. The Admin user clicks the "Start Registration Request" button

User is able to start entering the Accredited Entity information. “The Start Registration Request” button is hidden and in its place the following buttons are displayed: “Close and Resume Later”, “Delete Request”, “Submit Request”. The “View History” button remains;




Figure 178:User initiates Registration request – Available actions*

The user can now start entering information regarding the accredited entity company details. As also can be seen from the above screenshot, the user can close and resume later from the respective “Close and Resume later” button.
The “Delete Request” and “Submit Request” buttons are still disabled and will be enabled once information is starting to be entered and the request starts to be forming by entering that information.
The type of request contains the value “Registration Request”.

5. User enters the details of the company, Address, Contact details in the “Accredited entity company details” tab;

6. When user fills in all the mandatory fields in the “Accredited entity company details” tab, the button “Save” at the bottom of the page is still deactivated. This happens because there are still information to be filled in the Accreditation details tab.




Figure 179: User initiates registration request – Accredited entity company details tab

7. User clicks the “Close and Resume Later” button to exit the page without submitting the registration request. If there are any unsaved data, the system asks the user for a confirmation to notify that unsaved data will be lost, else no notification is provided;




Figure 180: User initiates registration request – Close request confirmation message

8. After the user clicks the "Close and Resume Later" button, the "Accredited entity company details" tab is selected automatically, the system hides the following buttons at the top of page: "Close and Resume Later", "Delete Request", "Submit Request" and the button "Continue Registration Request" is displayed. The operator state remains: "New".
   At this point in the registration request procedure, the are no data saved since the save button is disabled.
   In order for the save button to be enabled, the information in the Accreditation details tab must be filled in as well.




Figure 181: User initiates registration request – State after the confirmation message

9. After all the necessary information have been completed in the "Accredited entity company details" tab, the user can proceed with the information in the Accreditation details tab.
   Once all the necessary information have been completed, then the save button becomes enabled, thus letting the user save the updates made so far.




Figure 182: User initiates registration request – Accreditation details tab

10. As can be seen in **Figure 174** stated above, although both tabs (Accredited entity company details and Accreditation details tabs) have been filled in with information but still the "Accreditation supporting documents" tab is disabled and most importantly the "Submit request" button is disabled.
    In order to proceed with the submission of the request* the "Accreditation supporting documents" tab is imperative to be fille in as well. To proceed with the "Accreditation supporting documents" tab first the user needs to press the save button that is now enabled.

Note (*): Only Admin user is able to submit registration request. Simple user can only fill in the details across the three tabs: "Accredited entity company details", "Accreditation details", "Accreditation supporting documents" and save the request.




Figure 183: User (simple) initiates registration request – simple user available actions

5.3.2 New Admin user submits registration request

1. As mentioned in **5.3.1 New user creates and saves a registration request** (New user created and saves a registration request) the simple user can reach up to a point where can save the registration request.
   Now it's the time for Admin to submit the registration request, as all the information have been entered from simple user.
   Once the Admin user logs in to the application, the available actions is the "View History" and "Continue Registration Request".



Figure 184: Admin user submits registration request – Admin user available actions

2. After admin user clicks on the “Continue Registration Request” button the actions available to the user are “View History”, ”Close and Resume Later”, ”Delete Request” and ”Submit request”.




Figure 185: Admin user submits registration request – Admin user available actions after registration continue

Form opens in edit mode with default view on “Accredited entity company details” tab.
It is important to note that the fields:

- Accredited Entity Corporate Register Number;
- Accredited Entity Name;
- Accredited Entity Type;
- Country code of establishment;

remain disabled as those has been prefilled by the user registration data entered into the system.




Figure 186:Admin user submits registration request – Admin user continues with registration request

3. The “Submit Request button” is still disabled since the supporting document(s) have not been provided yet. Admin user navigates to the “Accreditation supporting documents” tab to upload the accreditation supporting document.




Figure 187: Admin user submits registration request – Admin user uploads accreditation document(s)

Once the accreditation supporting documents have been uploaded an information text will be displayed in the top right corner of the application indicating the user that the upload has been completed successfully or unsuccessfully respectively.

For the uploaded document the user has the option to either edit, download or delete the document.

Now that all the necessary information has been provided from the user the "Submit request" button is enabled, thus allowing the user to submit the registration request.

4. User now presses the "Submit Request" button, a submit request pop up notification message is displayed informing the user about the request that is going to send.




Figure 188:Admin user submits registration request – verification message displayed upon user attempt to submit request

User at this point has the option to press “Cancel” button and cancel the submission procedure. The data entered so far are saved and the user will be able to proceed again to the submission of the request at another moment in time.
Alternatively, the user can proceed with submitting the request by pressing the “OK” button.

5. User is notified via a confirmation message that the registration request was sent.

The State is set with value: “Registration requested”. A request ID is formed regarding the specific request.




Figure 185: Admin user submits registration request – request sent

5.3.3 User creates and submits a request for change

1. After the registration request has been accepted from the respective NCA and the user navigates back to the Accredited Entity Information page, the available actions are: “View History”, ”Start Deregistration Request”, ”Start Request for change”.
   The State of the user is now: Registered.




Figure 189: Admin user submits registration request – Request is accepted.

ACE Admin user is able now to make a change of its request, i.e. needs to update its information like address, contact details etc. Once the user presses the "Start Request for change" button the form opens in edit mode with default focus on the "Accredited entity company details" tab. The available actions now are: "View History", "Close and Resume later", "Delete Request", "Submit Request". The Delete and Submit Request buttons are disabled until the user makes the necessary updates and more importantly click on the save button, which will be enabled once reach the accreditation details tab.
Another important aspect to mention at this point, is the "Type of request" that has been changed to: Request for change.




Figure 190: Admin user submits request for change – Request for change is initiated

2. Once the admin user makes the necessary changes and navigates to the Accreditation details tab the "Save" button on the lower left of the screen is enabled so that the user can click on it and save the changes made so far.
   It is important to note that the "Save" button will be enabled once at least a change has been applied into to any of the tabs of the Accredited Entity Information form.




Figure 191: Admin user submits request for change – Make changes – before applying changes

3. Once change(s) have been made and the "Save" button has been enabled, the Admin user can click on it.

Upon click of the “Save” button, a confirmation message is displayed that the Accredited entity changes has been saved. “Delete Request” and “Submit Request” buttons are now enabled.
The “Delete Request” button, removes and “clears” the request for change procedure from any changes made, the state of the accredited entity does not change.
A confirmation message will be displayed upon click on the “Delete Request” button.




Figure 192: Verification message for delete request

Once the “OK” button is pressed and the deletion of the request occurs, the accredited entity information form returns to the last state it as before the changes made and all the changes made are being discarded.

4. User presses again the “Start Request for Change” button and after making changes, press the “Save” button, then proceeds with submitting the changed and consequently the updated request by pressing the “Submit Request” button.
   A confirmation message is displayed informing the user that the new request is about to be submitted to the respected NCA in order to be approved.




Figure 193: Admin user submits request for change – confirmation message for submission of request for change

5. User presses “OK” button. A confirmation pop up message is displayed indicating that the request for change has been sent, followed by the request ID for the specific request that was sent.




Figure 194: Admin user submits request for change – request for change sent

As can be seen from the figure above the state has been changed to "Update Requested".

Additional information regarding the state and further actions at this point can be provided when the user hovers the mouse over the info icon [ ] next to the state field.

The user has the option to change and observe between the registered data and the data requested (the changes), by toggling the button "You see your Registered data. Please switch to view your Request data". marked with red outline.

5.3.4 User searches and requests collaboration with an operator

1. Once the request or request for change has been approved and the State received the value: Registered, the user (certifier/verifier) is able now to perform a collaboration with an operator. User selects from the side menu the "Search Operators" option. The Search Operators page is displayed.




Figure 195: User searches and requests collaboration – Search Operators page

There are various selection criteria that the user can apply in order to find specific operator to initiate a collaboration with. Instead of searching for a specific operator, user can directly click on "Search" button and retrieve a list with all available operators for collaboration.



Figure 196: User searches and requests collaboration – List of Operators for collaboration

2. Once the user finds the Operator that wants to start a collaboration, clicks on the "Submit Verifier Request" button [⊕] for the respective operator.
Once the button is pressed, a confirmation message will be displayed, prompting the user to verify the request in order to proceed with the collaboration request.




Figure 197: User searches and requests collaboration – Collaboration request confirmation message

Once the user clicks on "OK" button, a collaboration request is sent to the respective operator and a confirmation message is displayed on the top right part of the page and under the "Verifier State" column from the results table. The value for that state changes to "Pending" for the specific operator, until the Operator that the collaboration is sent, responds either positively or negatively. Meaning that will either accept or reject the request.

Search results

Operator CRN	Operator Name	Installation ID	Installation Name	Country	Economic Activity	Verifier State	Certifier State	Actions
CA.0000000000004	TEST LEGAL NAME CA4	CA.0000000000004001	Production Unit Beijing	AW - Aruba	Aluminium	None	N/A	
CN.0000000000001	TEST LEGAL NAME	CN.0000000000001001	ALUM IND	CA - Canada	Aluminium	None	N/A	
CN.0000000000002	TEST LEGAL NAME CN2	CN.0000000000002001	ALL All	HK - Hong Kong	Aluminium	None	N/A	
MZ.0000000000008	TEST LEGAL NAME MZ08	MZ.0000000000008001	CEM	GL - Greenland	Cement	Pending	N/A	
CN.000000000017	TEST LEGAL NAME CN17	CN.000000000017001	TEST PGS APRIL	BD - Bangladesh	Electricity	None	N/A	
CN.000000000019	TEST LEGAL NAME CN19	CN.000000000019001	TestPGSFarm	BH - Bahrain	Fertilizers	None	N/A	

Figure 198: User searches and requests collaboration – Pending collaboration with Operator

Once the collaboration request is accepted (more information for this process can be found in section 4.3.11 User views and accepts a collaboration request from an Accredited verifier) then the accredited

entity can see the specific collaboration with the specific Operator with state set as active in the "Search Operators" page.




Figure 199: Active (State) collaboration between Accredited entity and Operator

As can be observed from the figure above the collaboration State is set to "Active", so collaboration is in effect. In this case the only available action is to unregister the collaboration.

5.3.5 User cancels a collaboration request they have submitted

The user has the capability to cancel a pending collaboration request they have submitted to an operator. In this case the user navigates to the collaboration requests section and selects the Pending requests tab.




Figure 200: Operator Collaboration Requests- Pending requests

The user can then select the Operator CRN and is redirected to the Collaboration Request Details page. From that page the user can retract the collaboration request sent, by clicking on the "Cancel Request" button and confirm their decision by selecting "OK" in the confirmation dialog displayed.




Figure 201: Collaboration request details-Accredited entity can cancel the collaboration request sent

5.3.6 User views and rejects a collaboration request from an Operator

1. Operator sends a collaboration request towards an Accredited entity (certifier/verifier). For more information regarding this procedure, please refer to **4.3.9 User searches and requests a collaboration with an Accredited verifier** for more information. User searches and requests a Collaboration with an Accredited verifier.

2. The request sent from Operator can firstly be seen in received notifications list from the Notifications menu.




Figure 202:Collaboration request to Accredited Entity notification

3. In order to proceed with the collaboration procedure, the user needs to select the “Operator Requests” option from the side menu.




Figure 203: Collaboration request to Accredited Entity notification

The column “Flow” has the value: Incoming, since this is a request that is coming from the Operator and now the page displayed is that of the accredited entity. The “State” column as

the value: Pending, since this is a request coming from the Operator.

On the “Operator Collaboration Requests” page displayed, the user clicks on the link under the “Operator CRN” column The Collaboration Request Details page is displayed.

The “Collaboration Request Details” page is displayed with information provided of the Operator in the Request Information section of the page.
From this page the user has the option to either Accept or Reject request via the respective buttons in the top right corner of the “Collaboration Request Details” page.




Figure 204: Collaboration Request Details

User clicks on “Reject Request” button. A “Reject Request” notification window is displayed, prompting the user to provide a reason for rejection.



Figure 205: Rejection requests pop up window to provide reason for rejecting request

Rejection reason is mandatory for completion and for OK button to be enabled. Once the user provided the reasoning and press the OK button, a confirmation message is displayed that the action was performed successfully.

In the Search Operators page the specific Operator will be seen as available to perform a collaboration to be sent from the accredited entity side and under “Actions” column the “Submit verifier Request button” will be available [⊕].

5.3.7 User views and accepts a collaboration request from an Operator

1. Once Operator sends the collaboration request (see section 4.3.9 User searches and requests a collaboration with an Accredited verifier) then a request can be found in the Operator collaboration Requests page from the Operator Requests section.




Figure 206: Collaboration request sent from Operator

User can click on the link under "Operator CRN" column in order to Navigate to Collaboration Request Details page. In that page the user can see the details of the Operator and proceed with either accept or reject the request.




Figure 207: Collaboration request Details

When press the "Accept Request" button, a confirmation message is displayed prompting the user to proceed with accepting the collaboration request. Upon press the "OK" button, a confirmation message is displayed that the Action was performed successfully.

2. In order to see the approved request, navigate to "Search Operators" section form the side menu and perform a search in the Search Operators page. On the results displayed, the record with the "Verifier State": Active, is the one where the collaboration has been performed.



Figure 208: Active collaboration request

5.3.8 User unregisters (removes) a collaboration with an Operator

Once a collaboration has been established between an Accredited entity and an Operator, that collaboration can also be removed from any of the two parties involved. In this case/scenario the user (Accredited entity) removes the collaboration with the Operator. The collaboration can be removed from the "Search Operators" option from the side menu. Search for the specific Operator where the collaboration took place. Alternatively, can search for all Operators and locate the one where the collaboration is active.




Figure 209:Search Operators - Remove collaboration

In the search results the Operator will be displayed with active collaboration. Under the Actions column the user can click on the unregister collaboration button [⊖] and upon click on "OK" button in the confirmation window that will be displayed, the collaboration will be removed. The state (collaboration state) will change from "Active" to "None".

5.4 ACCREDITED ENTITY DEREGISTRATION

Deregistration of an accredited entity can happen in two ways. One way is for the NCA to initiate the deregistration and the other way is, for the deregistration to be initiated from the accredited entity.

5.4.1 Deregistration request from NCA

The procedure when the deregistration starts from NCA, it is simplified, meaning that the NCA deregisters the accredited entity and no other steps is required. The accredited entity is deregistered.

Firstly, a notification set to the accredited entity and can be found either in the "Unread notifications" section in "Homepage" or in the "Received notifications list" sub section, under "Notifications" section.




Figure 210: Accredited entity deregistration by NCA - Unread Notifications section – Homepage

User can view more information regarding the deregistration by clicking on the view notification [👁] button, located under the Actions column. The following sections are displayed in the details page:

- General information
- Details
- Deregistration Reason
- Deregistration Effective Date Time

The actions in the notifications details page, are: Mark as read checkbox, Archive and Close.




Figure 211: Deregistration notification from Received notifications list - Notifications section

Finalizing, after the deregistration, the State of the Accredited entity in the Accredited entity information page, should display the value: New.




Figure 212: Accredited entity state

5.4.2 Deregistration request sent from Accredited entity is accepted

In order for the deregistration procedure to be initiated, the user needs to navigate to the Accredited Entity Information page that can be found from the corresponding link in the side menu.




Figure 213Accredited Entity Information

From the Accredited Entity Information page depicted in the above figure, the user can click on the "Start Deregistration Request" that is located on the upper right corner of the page. Please also note that the State of the accredited entity is: "Registered".

A pop up window is displayed with some general information about the deregistration so that the user is aware of the process and asking for user verification in order to proceed with such a request. User must enter a verification in the "Reason" field which is the reason for applying for deregistration. After the deregistration reason is filled the "OK" button is enabled and the user can proceed to the submission of the deregistration request.




Figure 214:Deregistration pop up window

Once the request is sent, the State of the Accredited entity changes to: "Deregistration Requested" and the state can be viewed in the "Accredited Entity Information" page.




Figure 215: State update after deregistration requested from accredited entity

Once the NCA responsible for the Accredited entity, accepts the request, the accredited entity will be deregistered successfully, and a notification will be received in both Unread notifications in Homepage and in Received notifications list of Notifications section.




Figure 216: Deregistration of accredited entity - Unread Notification – Homepage




Figure 217:Accredited entity deregistration - Notifications - Received notifications list

Finalizing, in the "Accredited Entity Information"page, the state of the accredited entity should be changed to: "New".




Figure 218: State of accredited entity after deregistration

6 APPENDIX

6.1 CBAM O3CI DATA ELEMENTS

This section provides a comprehensive overview of the data elements displayed on the O3CI screens along with their corresponding properties and business rules. The .xlsx file includes the Operator and Emissions Information, as elaborated in the relevant sections of this document.



CBAM_O3CI_Data_Elements.xlsx