Face Recognition Based Attendance System

1st Anshika Singh
Computer Science and Engineering
Chandigarh University
Mohali, India
anshikasingh2154@gmail.com

2nd Akhilesh Kumar
Computer Science and Engineering
Chandigarh University
Mohali, India
akhileshkumar101512@gmail.com

3rd Sunidhi Thakur
Computer Science and Engineering
Chandigarh University
Mohali, India
sunidhithakur468@gmail.com

4th Payal Thakur
Computer Science and Engineering
Chandigarh University
Mohali, India
payal.e12720@cumail.in

Abstract—Managing attendance manually can be a significant challenge for teachers. To alleviate this issue, educational institutions are turning to smart and automated attendance management systems. These systems effectively address problems such as proxy attendance and fraudulent marking by students. They achieve this by employing live video streams for attendance tracking. Video frames are extracted from the stream using OpenCV, and the key steps in the implementation involve face detection and facial recognition. By comparing recognized faces with a database containing student images, the system establishes the identity of students. This innovative model represents an efficient and reliable approach to attendance management in an educational setting.

Index Terms—Facial recognition, Innovative model, Attendance tracking, Live video streams, Identity

I. Introduction

The attendance marking systems in schools, colleges, and other places has witnessed a significant transformation over time. Historically, attendance was traditionally marked through manual methods, such as taking roll calls or signing attendance registers. These labor-intensive processes were prone to errors, often requiring extensive administrative effort to manage and monitor. The advent of technology has revolutionized attendance marking, with institutions increasingly adopting electronic systems that utilize various technologies, including biometrics, RFID cards, and more recently, facial recognition. These modern systems not only enhance accuracy and efficiency but also enable real-time data access and analysis. They have become essential tools for educational institutions, workplaces, and events, streamlining attendance management and freeing up valuable time and resources for more meaningful tasks. However, the adoption of these technologies also raises concerns related to privacy, data security, and the need for appropriate regulatory frameworks, prompting a wider discussion on their ethical and legal implications. The Facial Recognition-Based Attendance System leverages the capabilities of facial recognition technology to provide a highly efficient and accurate means of tracking attendance. Facial recognition-based solutions utilize advanced algorithms to identify and verify individuals by analyzing their unique facial features. These features, such as the distances between key facial landmarks, are converted into biometric templates, ensuring that each person's identity is distinctive and secure. Facial Recognition-Based Attendance System is highly dependent on the quality of the cameras, the sophistication of the facial recognition algorithms, and the management of the database. While these systems offer numerous advantages, including automation, accuracy, and efficiency, they also raise issues related to privacy, data security, and potential biases in recognition algorithms, which need to be carefully addressed in their implementation.

II. Literature Review

Numerous projects have been undertaken in the realm of attendance management, and one notable system is the RFID-Based Student Attendance Management System. This system employs RFID technology to streamline attendance recording, primarily aiming to reduce the time spent on this administrative task. In a similar vein, there exists an Android-based smart student attendance system that offers a mobile, online solution for expeditious attendance tracking, cost-effectiveness, and automated report generation. Another innovative approach combines RFID technology with facial recognition, enabling the tracking of authorized students as they enter and exit classrooms. Given the increasing prevalence of Android devices, this approach holds significant promise. Additionally, Sunaryono et al. have introduced Android-based systems that not only alleviate the burden of long queues during attendance recording but also enhance automation in the entire process. In light of the latest global COVID-19 pandemic, as officially declared by the World Health Organization there was an urgent call for heightened security measures. Wearing face masks has emerged as a fundamental safeguard to combat the spread of the virus, and it is imperative to ensure public safety within the scope of our concern. Therefore, it is crucial to develop strategies for monitoring compliance with these essential safety protocols. This project addresses concerns about attendance tracking methods used by event organizers or educators and proposes a system that integrates two pivotal

features: facial recognition for attendance management and face mask detection to enforce safety measures. Notably, there is a relevant precedent in the form of an existing mask detection system built on the YOLOv3 framework. Given the imperative need for face mask usage during the pandemic, this study aligns with the current norms. It aims to incorporate face mask detection seamlessly with facial recognition to optimize attendance recording, streamlining the process while ensuring compliance with safety measures.

These projects collectively demonstrate the diverse technological solutions available to address attendance management needs while considering contemporary trends in technology adoption.

III. PROPOSED SYSTEM

In order to take and store their photographs in the dataset, all of the class's pupils must first register by providing the necessary information. Faces will be recognised during each lesson from the classroom's live streamed feed. Images from the dataset will be compared to the faces that were discovered. The attendance of the relevant student will be recorded if a match is established. The faculty member in charge of the session will receive a list of absentees by mail after each session. Below is a description of the system architecture for the suggested system.In order to take and store their photographs in the dataset, all of the class's pupils must first register by providing the necessary information. Faces will be recognised during each lesson from the classroom's live streamed feed. Images from the dataset will be compared to the faces that were discovered. The attendance of the relevant student will be recorded if a match is established. The faculty member in charge of the session will receive a list of absentees by mail after each session.

A. Data set creation

The main data source for this research project's dataset development procedure is a webcam. The OpenCV library is used to capture video frames in real-time from the webcam. For face detection within these gathered frames, the Haar Cascade classifier, specifically the "haarcascade frontalface default.xml" file, is used. To enable later face recognition, detected faces must be crucially linked to labels that reflect people's names. Thanks to the labelling procedure, a K-nearest neighbours (KNN) classifier may be trained to recognise people's faces. This dataset construction approach enables real-time face identification and recognition and provides the foundation for tracking attendance. The storing of the tagged face photographs combined with their corresponding names for recognition and attendance updates offers a comprehensive solution for efficient attendance management in a variety of settings.

The accuracy and effectiveness of the attendance monitoring process are ultimately improved by this strategy, which makes it easier to take attendance while maintaining data confidentiality and integrity.

Figure 1 describes the system architecture for the suggested system.

Fig. 1. System Architecture

B. Face Detection

Face detection is a key element of the system in this project and provides a reliable technique for real-time face identification. The machine learning-based Haar Cascade classifier, which is well known for its efficiency in object detection tasks, is used in this research.

In order to recognise facial features, the Haar Cascade classifier employs a sequence of classifiers that have been trained on both positive and negative picture samples. To improve detection performance, variables like the scale factor and minimum neighbours are carefully set. The scale factor controls the resizing of the image at each image scale, while the minimum neighbors parameter influences the robustness of detection by specifying how many neighbors each candidate rectangle should have to be considered a positive detection.

The Haar Cascade classifier recognises facial features by using a succession of classifiers that have been trained on positive and negative picture examples. To maximise the effectiveness of detection, parameters like the scale factor

and minimum neighbours are carefully set. The minimum neighbours parameter affects the robustness of detection by defining the minimum number of neighbours each candidate rectangle must have in order for a detection to be deemed affirmative. The scale factor regulates the resizing of the image at each image scale.

C. Face Recognition

A key component of the technology is facial recognition, which enables the system to recognise people based on faces that are identified. The K-nearest neighbours (KNN) classifier, a machine learning technique renowned for its ease of use and efficiency in classification applications, is used in this project to create facial recognition.

Utilizing a collection of labelled face photographs, the KNN model is trained. The photos depict the faces of the people, while the labels are their names. The KNN algorithm develops a reference for upcoming recognition by learning to pair particular facial patterns with associated names during training.

The KNN classifier uses the learnt patterns to forecast the labels (names) connected to the identified faces when used for real-time face detection. These predictions are made using the KNN classifier's 'predict' approach. This approach determines the most likely matching name from the training dataset by analysing the facial traits of the detected face. As a result, the system offers precise and effective face recognition capabilities, making it easier to maintain attendance and use other facial identification-based applications.

D. Attendance Updating

An essential component of the project is attendance update, which makes it possible to accurately report attendance based on recognised faces. This section describes the thorough procedure used to monitor attendance records:

The system generates timestamps using the datetime module to guarantee the accuracy of attendance records. These timestamps show the exact time and date that attendance was taken, allowing for auditing and record-keeping.

Storage of Attendance: The system uses a structured methodology to store attendance information. Each date's CSV file contains the attendance records, which are meticulously structured. With this strategy, attendance data is kept organised and readily available for use in research and analysis.

User engagement is seamlessly integrated into the project, which streamlines the attendance-taking procedure. Users can speed up the process by launching the attendance update mechanism by hitting "o." The system is more user-friendly because to this easy design, which also makes it suitable for a variety of settings and users.

Voice Synthesis: The project uses speech synthesis with the Windows SAPI API to provide the process an audio component. The technology immediately offers audio feedback, verbally validating the activity, when attendance is successfully recorded. This feature offers a complete solution for attendance monitoring in a variety of applications while also improving the overall user experience.

IV. RESULTS AND DISCUSSIONS

Users can communicate with the system. Users will mostly be given choices like student registration and attendance tracking here. The student registration form must be filled out completely by the pupils. The webcam immediately starts up after pressing the register button, and the pane that appears begins to detect the faces in the frame. Once 100 samples have been obtained, it automatically starts taking images again and records the data and the data is saves successfully. The training pictures folder will then receive the pre-processed photographs.

Application Launch: To begin, the average user runs the attendance-tracking programme on their computer. Initialization of the webcam for real-time video capturing: The application initialises the webcam.


Fig. 2. Face Detection

Face Detection: As the webcam captures video frames, the system processes each frame to detect faces using the Haar Cascade classifier. When a face is detected, the system highlights and identifies it.

User Interaction: The general user interacts with the system using the computer keyboard. Specifically, they press a designated key, often 'o,' to initiate the attendance-taking process.

Timestamp Generation: Upon pressing the 'o' key, the system generates a timestamp that records the current date and time. This timestamp is essential for organizing attendance records.

Image Capture: The system captures an image of the user's face as they take attendance. This image is typically stored temporarily and may be displayed to the user for verification.

Feedback: The system may use speech synthesis (text-to-speech) to vocally announce the successful attendance update and provide feedback.

Continued User Interaction: After taking attendance, the general user can interact with the system in other ways, such taking attendance for more people or quitting the programme.

Data storage: In the background, the system keeps track of each person's attendance and saves their photographs for later use.

According to the autorefresh settings, the count variable effectively keeps track of how frequently the programme

Fig. 3. Face Recognition

Fig. 4. Attendance Marking

has updated, and the displayed messages adjust accordingly. This can be helpful for developing interactive and dynamic Streamlit apps that regularly change their content.

V. CONCLUSION

This system is designed with the primary goal of establishing a robust class attendance management mechanism through the application of advanced facial recognition techniques. The proposed system will excel in its ability to precisely record attendance by leveraging the unique face IDs of students. The process entails real-time face detection via a webcam, followed by accurate face recognition. Once a student's face is successfully recognized, the system will efficiently record their attendance and ensure the attendance records are promptly updated.

REFERENCES

[1] S. S. Pawar, P. S. Pawar, and S. N. Patil, "RFID-Based Student Attendance Management System," International Journal of Advanced Research in Computer and Communication Engineering, 4(7), 566-570 (2015)

[2] Y. Guo, Y. Wang, Z. Zhang, and Y. Zhang, "Mask Detection System Using the YOLOv3 Framework," arXiv preprint arXiv:2004.10807 (2020)

[3] Brown, Emma, "Facial Recognition Technology and Privacy Concerns: A Critical Analysis.", Journal of Information Privacy and Security, vol. 25, no. 2, 2019, pp. 67-84.

[4] V. G. Patil, A. S. Patil, A. R. Shinde, and S. N. Patil, "Android-Based Smart Student Attendance System," International Journal of Engineering Research and Innovation Technology, 2017.

[5] A. H. Sunaryono, P. Widyantoro, and H. A. Rahmawati, "A Novel RFID-Based Attendance Management System for Educational Institutions," International Journal of Computer Applications, pp 23-29, 2018

[6] Chen, Wei, et al "Facial Recognition in the Era of COVID-19: A Comprehensive Survey," arXiv preprint arXiv:2103.09111, 2021.

[7] Keller, Schepers, and van den Hoven, "The Use of Facial Recognition During the COVID-19 Pandemic: Ethical and Legal Consideration," 2022.

[8] A. Gupta, S. Singh, and M. Sharma, "Online attendance system based on facial recognition with face mask detection, "Journal of Applied Computing and Informatics, vol 37, pp 81-89, 2023.

[9] Lu H, Stratton C, Tang Y (2020) Outbreak of pneumonia of unknown etiology in Wuhan, China: the mystery and the miracle. J Med Virol 92(4):401–402.

[10] Rosebrock, A (2018) OpenCV face recognition. pyimagesearch

[11] Rosebrock, A (2020) COVID-19: face mask detector with OpenCV, Keras/TensorFlow, and deep learning. PyImageSearch.

[12] Rothan HA, Byrareddy SN (2020) The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak. J Autoimmun 109:102433

[13] Hapani, Smit, et al. "Automated Attendance System Using Image Processing." 2018 Fourth International Conference on Computing Communication Control and Automation (ICCUBEA). IEEE, 2018.

[14] Rathod, Hemantkumar, et al. "Automated attendance system using machine learning approach." 2017 International Conference on Nascent Technologies in Engineering (ICNTE). IEEE, 2017.

[15] https://www.superdatascience.com/blogs/opencv-face-recognition

[16] Attendance System based on Face Recognition Venkata Kalyan Polamarasetty, Muralidhar Reddy Reddem, Dheeraj Ravi, Mahith Sai Madala.

[17] Design of Classroom Attendance System Based on Face Recognition,WenxianZeng.

[18] Student Attendance System in Classroom Using Face Recognition Technique, Samuel LukasAditya Rama Mitra,Ririn Ikana Desanti, Dion Krisnadi, Informatics Department,Computer System Department, Information System Department Universitas Pelita Harapan Karawaci, Indonesia.

[19] Shreyak Sawhney, Karan Kacker, Samayak Jain, Shailendra Narayan ,Rakesh Garg "Real Time Smart Attendance system using face recognition techniques "in international conference on cloud computing data scienceand engineering 2019."

[20] Siswanto, Adrian Rhesa Septian, Anto Satriyo Nugroho, and Maulahikmah Galinium. "Implementation of face recognition algorithm for biometrics based time attendance system." 2014 International Conference on ICT For Smart Society (ICISS). IEEE, 2014.