



# MONGODB ATLAS BACKUP PLAN

SECTION-02

TEAM-05

NAVYA DEVINENI

# BACK UP WITH ATLAS

- While deploying in production, one should have backup plan without losing data.

MongoDB Atlas provides two methods for backups:

- Continuous Backups : Within 24 hours, Atlas continuous backups allows one to restore from stored snapshots or selected point. You can also perform query operations.
- Cloud Provider Snapshots : Using the native snapshot functionality, it provides localized backup storage.

# MONGODB CLOUD MANAGER

- It is a hosted backup, monitoring, and automation service and supports backing up and restoring MongoDB deployments from a GUI.
- It creates your snapshot data at set of intervals.

# OPS MANAGER

- MongoDB subscribers can install and run the same core software that powers MongoDB Cloud Manager on their own infrastructure.

# BACKUP WORKFLOW

- Backup performs an initial sync of deployment's data as if it were creating a new, "invisible" member of a replica set.
- Backup executes the initial sync and the tailing of the oplog (stores an ordered history of logical writes to a MongoDB database) using standard MongoDB queries. The cluster being backed up is unaware of the additional copy of the backup data.
- Backup uses a MongoDB instance version equal to or greater than the version of the replica set it backs up.

# PROCESS

- The human way to **mongodump** and **mongorestore** your MongoDB Atlas cluster.
- To install  
`npm install --save mongodb-atlas-backup`

# TO CREATE AN INSTANCE OF DATABASE CONNECTION

```
const backup = new MongoBackup({  
  user: 'userWithMightyAccess',  
  password: '<VERY SECRET PASSWORD>',  
  replicaSet: 'Cluster0-shard-0',  
  nodes: [  
    'cluster0-shard-00-00-cbei2.mongoddb.net:27017',  
    'cluster0-shard-00-01-cbei2.mongoddb.net:27017',  
    'cluster0-shard-00-02-cbei2.mongoddb.net:27017'  
  ]  
})
```

- 
- 
- Cluster dumping

```
backup.dump()
```

- Restore data to your cluster

```
backup.restore()
```





# HOW BACKUP WORKS

- When you activate Backup for a MongoDB deployment, Backup takes snapshots of data from the MongoDB processes you have specified.

# RESTORE DATA

- Backup can restore data from a complete scheduled snapshot or from a selected point between snapshots.
- For sharded clusters you can restore from checkpoints between snapshots.
- For replica sets, you can restore from selected points in time.

# IMPROVEMENTS

- Add support for dumping/restoring specific database (just need to add a pair of command line arguments)
- Extract connection specs from existing Mongo/ose connection.
- Add support for non-Unix OS (aka Windows)