



TEST REPORT

Reg. No. : 50606204429 Reg. Date : 29-Jun-2025 08:26 Collected On : 29-Jun-2025 08:26
Name : Mr. SANDEEP KEDIA Approved On : 29-Jun-2025 10:51
Age : 53 Years Gender : Male Ref. No. : WALK IN Dispatch At :
Ref. By : DR VRAJESH UNADKAT Tele No. : 8347886541
Location :

Test Name	Results	Units	Bio. Ref. Interval
FASTING GLUCOSE			
FASTING GLUCOSE	H 166	mg/dL	Normal: <=99.0 Prediabetes: 100-125 Diabetes :>=126

Method: Glucose Oxidase

Sample Type: Flouride Plasma

Criteria for the diagnosis of diabetes:

1. HbA1c ≥ 6.5 *
- Or
2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.
- Or
3. Two hour plasma glucose ≥ 200 mg/dL during an oral glucose tolerance test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.
- Or
4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose ≥ 200 mg/dL.

*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.
American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34:S11.

This is an electronically authenticated report. "Please verify the authenticity of this report by scanning the QR code to ensure data integrity."

Test done from collected sample.

Printed On: 04-Jul-2025 19:25

Dr. Nirali Lad

MD Pathologist

Reg. No. 45-28934

LLP Identification Number: AAN-8932

We are open 24 x 7 & 365 days



TEST REPORT

Reg. No. : 50606204429 Reg. Date : 29-Jun-2025 08:26 Collected On : 29-Jun-2025 16:22
Name : Mr. SANDEEP KEDIA Approved On : 29-Jun-2025 17:06
Age : 53 Years Gender : Male Ref. No. : WALK IN Dispatch At :
Ref. By : DR VRAJESH UNADKAT Tele No. : 8347886541
Location :

Test Name	Results	Units	Bio. Ref. Interval
POST PRANDIAL GLUCOSE			
POST PRANDIAL GLUCOSE	193	mg/dL	Normal: <=139 Prediabetes : 140-199 Diabetes: >=200

Method: Glucose Oxidase

Sample Type: Fluoride Plasma

Criteria for the diagnosis of diabetes:

1. HbA1c \geq 6.5 *

Or

2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

Or

3. Two hour plasma glucose \geq 200mg/dL during an oral glucose tolerance test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.

Or

4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose \geq 200 mg/dL.

*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.

American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34:S11.

----- End Of Report -----

This is an electronically authenticated report. "Please verify the authenticity of this report by scanning the QR code to ensure data integrity."

Test done from collected sample.

Printed On: 04-Jul-2025 19:25

Dr. Vishal Jhaveri

M.B.B.S, D.C.P

Reg. G-1041

Page 2 of 2

We are open 24 x 7 & 365 days

LLP Identification Number: AAN-8932