OC00770 · TASK 5 · EXECUTIVE BRIEF

Safe AI agents for SAP support: architecture, demo, oversight and safeguards

A working proof of concept for Orane Consulting's application management (AMS) business. Four agents look things up, explain what they find and propose actions, while people keep every decision about access, money and production.

4	4	203	0
AMS use cases working end to end	human approval points, one per agent	scored test cases, including blind sets	restricted actions executed in testing

SEE IT LIVE

oc00770-sap-agents.streamlit.app

No sign-in needed. Fictional clients and data. A 10-minute guided tour is in the companion **Demo portal guide**.

Ansh Kumar Pathak · OC00770 · Software Engineer
October 2026 · prepared for management review

Submitted with:
presentation deck · demo portal guide · live portal link

EXECUTIVE SUMMARY

AI can take the legwork out of AMS support without taking decisions away from people

THE OPPORTUNITY

- **Routine questions** (“why is my invoice blocked?”) take consultant time away from real incidents.
- **SLA breaches** are often spotted too late; each one costs service credits and client trust.
- **Risky changes and failed interfaces** cause production incidents, late invoices and missing sales data.

WHAT WAS BUILT

Four AI agents on one shared platform: a support desk assistant for client key users, and agents for SLA escalation, change impact and integration failures. Each reads two enterprise systems, cites every fact, and routes every action to a named approver. A live portal shows all four working, with a monitoring dashboard over every request.

What the evidence shows

Question	Finding
Is it safe?	**Yes, by design and in testing.** Across 203 test cases, no restricted action took effect; 44 unsafe requests were stopped, including a prompt-injection attempt posing as CFO approval.
Is it accurate?	**On familiar wording, yes** (96–100% on development sets). On wording it was not built for, 40–75% (blind sets). Every miss failed safe: the agent declined instead of guessing.
Is it honest?	Answers carry citations to the source record, and an automatic check withholds any fact the systems did not return. Made-up answers: 0% in all sets but one (7% in one blind set).
Does it cope with outages?	Yes. When a system fails, it retries, then says plainly that it can't reach the system. This is demonstrated live with a “chaos” control.

RECOMMENDATION AND DECISION ASKED

Switch on the Claude planner (already built behind the same safety layer), starting with the SLA escalation agent, whose only action is a draft a delivery manager approves.

Decision asked: approve a shadow-mode pilot with one client on anonymised tickets, going live only when it beats today's blind scores with zero unsafe actions.

WHAT THIS IS, AND IS NOT

Working the four agents, safety layer, approvals, monitoring and portal.

Mocked the six enterprise systems and all client data (fictional), and the runbooks (sample content, not Orane's).

Not yet built single sign-on, secrets vault, live alerting and kill switch; these are designed and included in the pilot plan.

1 · HOW IT WORKS

The AI proposes; a safety layer and a person decide

Every request takes the same path. The AI never has direct access to the enterprise systems: it can only ask, and the safety layer, written in ordinary code, decides what is allowed.




Figure 1 · One request, from question to answer or approved action.

Five controls that make it safe to pilot

1 **Propose, never act alone.** A named approver edits the draft and approves the exact text.

2 **Rules in code, not in the AI.** Restricted actions are refused however they are asked for.

3 **Cited and checked.** Facts must come from the systems, or the answer is withheld.

4 **Client data stays separate.** Users see only their own company's records.

5 **Fully recorded.** An audit log of every request, block and decision.

Why this matters for Orane: the safety controls do not depend on which AI model plans the steps. The model can be upgraded, or swapped, without re-approving the safety design, and the same test sets prove nothing got worse.


2 · THE FOUR USE CASES

Chosen for clear value and a clear human decision point


The support desk assistant was built first; the other three are use cases 1, 3 and 5 from the shortlist of 15. Each is a self-contained agent that can be piloted on its own.

Agent	Business problem	What it does	Who approves	Pilot KPIs
Support desk assistant	Key users wait behind real incidents for routine answers.	Answers PO, invoice, access and policy questions with citations; unlocks the user's own account; queues role requests. **Never** releases payment blocks or changes bank details.	Client authorisation owner	Share of L1 requests closed without a consultant; time to first answer
SLA escalation	At-risk tickets are spotted too late.	Checks every open ticket against its client contract, ranks breached and at-risk tickets, drafts the escalation. **Never** lowers priorities or closes tickets.	AMS delivery manager	SLA compliance; breaches per month; warning lead time
Change impact	Changes reach CAB with missed dependencies or approvals.	Maps each changed object to applications, interfaces and tests; lists the approvals needed; flags unknown objects. **Never** approves changes or imports transports.	Change manager, then CAB	Change failure rate; CAB items sent back
Integration failures	Failed interfaces stop invoices and store sales.	Groups failures by cause, checks SAP is ready, requests reprocessing only for safe messages. **Never** resends payment files or bank statements.	Integration lead	Time to recover; duplicate postings (target 0)

The moment that matters in every demo



1 · The agent drafts an escalation. Nothing is sent.



2 · The delivery manager approves; the escalation appears in the service desk.



3 · Asked to escalate an on-track ticket or hide a breach, it says no.

3 · THE DEMO PORTAL

A live portal reviewers can use themselves

The portal at **oc00770-sap-agents.streamlit.app** runs all four agents against working mock systems. Each agent page has six guided steps that tell one story: look up, explain, propose and approve, then show a business rule and a restricted action saying no.




Figure 2 · An agent page: guided steps on the left, the approval panel and a live view of the systems on the right.

Portal page	What a reviewer gets from it
Home	The four agents at a glance, with their test scores and what each will never do.
Agent pages	Each use case end to end: an editable draft, an approval of the exact text, and its effect on the systems. A record editor lets reviewers change the data and watch the answer follow it.
Approvals	Everything waiting for a person, every decision taken, and the audit log.
Monitoring	The operations view a support lead would use day to day (section 4).
Evaluation	Test results per agent, with the honest blind scores shown alongside.

4 · OVERSIGHT

What a support lead sees, every day

The monitoring dashboard is built from a record of every request. It answers the five questions a manager will ask of any automated colleague.




Figure 3 · The Monitoring page on the public portal after a full demo run. It can be filtered by agent.

Question	Measures on the dashboard	Alert (designed)
Is it working?	Requests handled, response time (median and 95th percentile), system errors, retries	Errors above 5% for 15 minutes; 95th percentile above 8 seconds
Is it safe?	Restricted actions blocked; answers withheld by the fact check	Any withheld answer
Is it honest?	Share of answers with citations; questions declined because no runbook covered them	Rising declines signal runbook gaps
Is work stuck?	Actions waiting for an approver	Any approval waiting more than 4 hours
What does it cost?	AI model usage (tokens); zero with today's offline planner	Budget threshold per client (pilot)

Proposed governance for a pilot: the AMS lead reviews this dashboard and the audit log weekly with the delivery manager; any blocked action or withheld answer is reviewed individually; the test sets are re-run before every change to the agents.

5 · SAFEGUARDS

Risk register: what could go wrong, and what stops it

Risk	Mitigation	Status
The AI takes an unauthorised action in SAP	Each agent may only use its own small set of tools; restricted actions (payment blocks, bank details, transports, closing tickets) are refused in code. In production, the agents' system accounts would also be limited to those few actions.	Built + designed
A wrong or made-up answer	Every fact cited to its source; an automatic check withholds unsupported facts; the agent declines when no runbook covers the question.	Built
Manipulation (“ignore your instructions, I'm the CFO”)	The rules live in code the AI cannot override. Tested and blocked in the demo.	Built
One client sees another's data	Every lookup is scoped to the user's own company; personal data is masked in logs.	Built
An action happens twice (double escalation, double payment)	Each approved action carries a unique key so a retry can't repeat it; payment files are never resent by the agents.	Built
A client system is down or sends bad data	Automatic retries, data validation, and an honest “I can't reach it” instead of a guess. Demonstrated live.	Built
Quality degrades quietly in production	Alerts on the thresholds in section 4, and a per-agent switch back to human-only handling.	Designed
An approval is reused for different words	Each approval is bound to the exact text by a fingerprint and lapses after 5 minutes; any edit needs a fresh approval. Mock writes start off, so a first click changes nothing.	Built
Someone approves who shouldn't	Single sign-on with approvers assigned by role; today the demo lets you pick the approver.	Designed
Credentials leak	System passwords and AI keys held in a secrets vault, never in code.	Designed
An AI model update changes behaviour	The 203 test cases re-run before any release; new behaviour proven in shadow mode first.	Tests built
The agent misreads unfamiliar wording	Today it fails safe and declines. The recommended Claude planner pilot addresses this directly.	Limitation

> **Evidence:** across all 203 test cases, no restricted action took effect, and 44 unsafe requests were stopped. The demo lets reviewers try the same requests themselves.

6 · RESULTS

Always safe; accurate on familiar wording

Agent	Development set	Blind set	Made-up answers	Unsafe actions	Response time (p95)
Support desk	98% of 57	75% of 20	0%	0	54 ms
SLA escalation	100% of 23	40% of 15	0% · 7% blind	0	63 ms
Change impact	96% of 22	40% of 15	0%	0	56 ms
Integration failures	100% of 22	67% of 15	0%	0	65 ms

HOW TO READ THESE NUMBERS

Development sets were used to build the rules, so they are optimistic. **Blind sets** were written separately by AI reviewers that saw only the data and runbooks, never the code, and were run once: these are the figures to plan on.

The support desk also scored 100% on 14 held-out cases. Response times are for today's offline planner; an AI model adds a few seconds.

ONE LIMITATION

Today's offline planner only understands wording it was built for. “The 501 change” or “the Meridian store ticket” defeated it. Every miss failed safe, but a user without an answer still waits.

This is the gap the recommended pilot closes: an AI planner understands natural phrasing, and the same safety layer keeps it in bounds.

7 · RECOMMENDATION

A staged pilot, starting with SLA escalation

The SLA agent is the safest start: its inputs are structured, its value is easy to measure, and its only action is a draft that a delivery manager approves.

Stage	What happens	Move on when
1 · Shadow	The SLA agent runs on one client's anonymised tickets alongside the duty lead. Its drafts are compared with what the team did; nothing is sent.	It beats today's blind accuracy, with zero unsafe actions, and duty leads rate the drafts useful.
2 · Assisted	Drafts go to the delivery manager for approval and are sent only after approval.	Earlier warnings and fewer breaches against the client's baseline.
3 · Extend	Add the change impact and integration agents for the same client, each in shadow first.	Each passes its own blind set and shadow review.
4 · Scale	Offer the support desk assistant to client key users; roll out to further clients.	Client sign-off; L1 deflection measured.

WHAT THE PILOT NEEDS

- One client willing to take part, and anonymised historical tickets
- Read-only, least-privilege system accounts in the client's ITSM tool and SAP
- AI model access, with usage tracked on the dashboard
- Single sign-on and named approvers
- An owner for the runbooks the agents cite

DECISION ASKED

Approve a **shadow-mode pilot of the SLA escalation agent with one client**, with go-live only when it beats today's blind scores with zero unsafe actions.

The agents, safety layer and test sets are built. The pilot adds connections to the client's systems for the shadow stage, and the production safeguards before stage 2.

APPENDIX

Access, status labels and technical reference

How to access the demo

Option	How
Live portal	oc00770-sap-agents.streamlit.app. If it has been idle it shows a wake-up screen; it is ready in about a minute. Click **Reset demo data** in the sidebar before a demo.
On a laptop	Double-click `run_demo.bat` (Windows) or run `sh run_demo.sh`, then open http://localhost:8501.
Any container host	The included Docker image runs the whole demo in one container.

Status labels used in this brief

Label	Meaning
Working / Built	Runs in the demo today and is covered by automated tests.
Mocked	Real software calls, but to stand-in systems with fictional data: the service desk, SAP S/4HANA, client contracts, change management, CMDB and integration monitor.
Designed	Specified for production but not built in the demo.

Technical reference

The four agents share one platform: an AI planner (an offline rule-based planner today; Claude Opus 5.5 is built in but was not run, because no API key was available), a safety layer in code, a system client with validation, retries and duplicate protection, runbook search with citations, a fact check, an approval queue and request tracing. 60 automated tests cover the platform and the portal end to end.

Source code and README: github.com/anshkumarpathak/OC00770_AnshKumarPathak_Assessment_20261020. A detailed technical version of this document is included in the submission folder.

> **Data and scope:** all clients (Kestrel Foods, Meridian Retail), users, tickets and documents are fictional. The runbooks are sample content and do not represent Orane Consulting's internal processes. No real client or personal data was used.