



# राष्ट्रीय यूनानी चिकित्सा संस्थान, गाज़ियाबाद NATIONAL INSTITUTE OF UNANI MEDICINE, GHAZIABAD

(आयुष मंत्रालय, भारत सरकार के अधीन एक स्वायत्त संस्थान)

(An autonomous Organisation under Ministry of AYUSH, Govt. of India)

कमला नेहरू नगर, निकट सी.बी.आई.अकादमी, हापुड़ रोड, गाज़ियाबाद-201002

Kamla Nehru Nagar, Near C.B.I Academy, Hapur Road, Ghaziabad-201002

प्रधान कार्यालय: कोट्टिगे पाल्या, मगाडी मैन रोड, बेंगलुरु-560091/ Head Office: Kottigepalya, Magadi Main Road, Bengaluru-560091

## LABORATORY REPORTS

Name :	Age/Sex : Yrs/	Registered Date/Time :
Lab No :	OPD/IPD:	Sample Collection Date/Time :
Ref By Dr. :		Certified Date/ Time:

## SEROLOGY

Test Name	Specimen	Result	Ref. Interval	Method
-----------	----------	--------	---------------	--------

**HIV I & II – Screening** Serum Non-Reactive **Immunochromatography**

- This is a screening test only. All samples detected reactive must be confirmed by Western Blot or PCR
- False positive test results are seen in Leprosy, renal disorders, TB, HSV, Hypergamma globulinemia, RA, ANA, Lipemic serum
- Although a positive result may indicate infection with HIV-1 or HIV-2 virus, a diagnosis of AIDS can only be made on clinical grounds
- A negative result does not eliminate the possibility of HIV-1/ HIV-2 Infection. The specimen may contain low levels of antibodies.

**HCV – Screening** Serum Non-Reactive **Immunochromatography**

- This is only a screening test. All reactive samples should be tested by an ELISA confirmatory test.

**HBsAg – Screening** Serum Non-Reactive **Immunochromatography**

- The test is validated for the detection of HBsAg in serum or plasma only and not in other body fluids.
- This is only a screening test. All reactive samples should be confirmed by confirmatory test like PCR. The results of the test must be interpreted in relation to the clinical data.
- False positive result can be obtained due to presence of elevated RF factor.

**VDRL** Serum Non-Reactive **Immunochromatography**

\*\*\*End of Report\*\*\*

Verified By

Certified By

(Mohd. Qasim/ Mohd. Ajim)  
Lab Technician

(Dr. Bhawna Nagel, MBBS M.D)  
Pathologist (DMC No: 06063)

Not Valid for Medico-Legal Purpose