Linux Command

Command name (C) + options (O) + Arguments (A)

(i) **Cat** → display content of file. eg:- Cat abc.txt
(C) (A)

Cat -n abc.txt
or (C) (O) (A)
Cat --number abc.text

Clear → Clear the terminal

(ii) **mkdir**

Comedy action horror

mkdir -p kids/anime/2010. → kid → anime → 2010.

(iii) **ncal** → Calander of current month.

ncal 2022
ncal july 2022

multiple option.

ncal november 2000 -w -M

ncal november -2000 -wM

(iii) **man** → display manual pages of command

man Cat
↳ next page space

q to quit

(iv) **PWD** → Print working directory → file / folder

(v) **CD** → Change directory

(vi) **ls** → Content of directory.
- -l → modification time
- -lc → Change time
- -lu → Access time of the file

file a b → two files.
file 'a b' → one file.

touch → Create a file if not exist or modify/update the modification-time

Nano → text editor open within terminal. If file not there, it create one.

nano text.txt

→ Ctrl + X → exit
Ctrl + Shift + C → Copy
Ctrl - X : → Save & exit
Ctrl - U : → Paste.
Ctrl - O : → write file to disk
Alt + U : → undo
/ → to search

Don't remember command just open website of nano.

rm → rm -d hello // remove empty directories
or rm -- dir hello
rm -r a // remove directories

Cp → cp a.txt b.txt ../../action/

More about cat

Cat a.txt b.txt > c.txt
↳ overwrite

Cat a.txt >> c.txt
↳ append.
(add to next line)

Cat a.txt → abc
Cat b.txt → xyz
Cat > a.txt

Press Ctrl+D ; Ctrl+C
→ to exit

Reverse command.

→ tac a.txt
→ rev a.txt

Head and tail command.

head foods.txt → first 10
tail foods.txt → Last 10

tail -4 food.txt
tail -f foods.txt → Output appended data as file grow.

Standard output & Standart error.

redirect.
ls > a.txt

ls -z > hello.txt 2> bye.txt
store correct store error

For nice clean view:-
less Food.txt

Sorting :-

ls -lh > file.txt

↳ sort file

→ sort -k5h files

↓

human readable.

ls -lh | sort -kh5

Searching

grep "pattern" file

tail -f foods.txt | grep "tomato"

Arthematic operation :- echo $((2+3))

Also use (cd download /; ls)

&&

||

Shortcut key

ctrl + A → starting

ctrl + E → ending

Alt B → skip word backward.

Alt f → word forward.

ctrl + K → clear text from cursor to line's end.

ctrl + Y → paste

ctrl + U → delete from strat to cursor

ctrl + D → till the end of word.

ctrl + W → from the start of word

clear or ctrl L → clear.

ctrl Alt D → open terminal in ubuntu

Tab → auto complete sentence

find :- find /home/anshu/ -name "apple"
find /path -name "*.pdf"
find file -d -name "abc" → for directories.

* Case sensetive Case insensetive
find -iname "*resume*"

In time :- find /path -mtime -7 → for file modified in last 7 days
find /path -mtime +7 → for file modified more than 7 days ago

find '(' -size +200M -atime -30 -or -size +1G ')'
find /path -name "*.txt" -exec command {} ';'

→ execute the command you want
→ end of command
↳ represent the placeholder for the found file or directory.

find | xargs echo → do not read name with space.

Permission :- l rwx rwx rwx

- l → file / link / directory
- rwx → owner
- rwx → group
- rwx → other

r = read
w = write
x = execute

Chmod :- Syntax :- chmod _____ file name.

who → (u/g/o) user grp other
what (-/+/=) remove add set
which (rwx)

(add)
Chmod u+x Sample
(remove)
Chmod u-x Sample

su :- used to login to diff user temperaly.

login
su - Anshu

Log out
exit

Group sudo adduser [user name] [grp name]

bashrc → we can make and save them in this. Present in home directory.

eg :- PS1 = type....

either restart or run command after that
Source .bashrc

Chown → Change owner.

Alias :- alias quotes = 'Cat ~/Document/quotes'