7/11/2017 Report

Calling method

Testing method letterFrequencies

pass pass pass

Student files

Letters.java:

```
1
     public class Letters
            Counts the frequencies of letters A-Za-z in a string
 4
            @param str a string
            Freturn an array of 26 counts. The i-th count is the number of occurrences of 'A' + i or 'a' + i.
        public int[] letterFrequencies(String str)
10
     int[] counts = new int[26];
    for (int i = 0; i < str.length (); i++)</pre>
11
12
13
                char ch = str.charAt(i);
if (ch == 'a' || ch == 'A')
14
15
16
                    counts[0]++;
18
19
                 if (ch == 'b' || ch == 'C')
                    counts[1]++;
21
22
23
                 if (ch == 'c' || ch == 'D')
24
                    counts[2]++;
26
                 if (ch == 'd' || ch == 'D')
27
29
                    counts[3]++;
30
                 if (ch == 'e' || ch == 'E')
32
                    counts[4]++;
33
                 if (ch == 'f' || ch == 'F')
35
36
                    counts[5]++;
38
                 if (ch == 'g' || ch == 'G')
39
41
                    counts[6]++;
42
                 if (ch == 'h' || ch == 'H')
44
45
                    counts[7]++;
                 if (ch == 'i' || ch == 'I')
47
48
                    counts[8]++;
50
                 if (ch == 'j' || ch == 'J')
51
                    counts[9]++;
53
54
55
56
                 if (ch == 'k' || ch == 'K')
57
                    counts[10]++;
58
59
                 if (ch == 'l' || ch == 'L')
61
                    counts[11]++;
62
                 if (ch == 'm' || ch == 'M')
64
65
                    counts[12]++:
67
68
                 if (ch == 'n' || ch == 'N')
                    counts[13]++;
70
                 if (ch == 'o' || ch == '0')
73
                    counts[14]++;
                 if (ch == 'p' || ch == 'P')
76
                    counts[15]++;
```

Report

```
7/11/2017
                    if (ch == 'q' || ch == 'Q')
   79
80
                       counts[16]++;
   82
83
                    if (ch == 'r' || ch == 'R')
                       counts[17]++;
   85
86
                    if (ch == 's' || ch == 'S')
   88
89
                       counts[18]++;
                    if (ch == 't' || ch == 'T')
   91
92
                       counts[19]++;
    93
   94
95
                    if (ch == 'u' || ch == 'U')
   96
97
98
                       counts[20]++;
                   } if (ch == 'v' || ch == 'V')
   99
   100
   101
                       counts[21]++;
   102
                    if (ch == 'w' || ch == 'W')
   103
   104
                       counts[22]++;
   105
   106
                    if (ch == 'x' || ch == 'X')
   108
                       counts[23]++;
   109
                   }
if (ch == 'y' || ch == 'Y')
   111
   112
                       counts[24]++;
   114
                    if (ch == 'z' || ch == 'Z')
   115
   116
                       counts[25]++;
   117
118
   119
   120
121
               return counts;
   122
   123
124
```

Score

3/3

Download

2017-07-12T02:57:13Z