PharmEasy Labs

Report for Anshul Neema(38Y/M)

Tests asked Vitamin D And B12 Combo

Test date 25 March 2026 **Report status** Complete Report

REPORT VERIFIED VERIFIED BY DOCTOR

6 STEP quality control to ensure 100% report accuracy

- Qualified and trained technicians
- Temperature-controlled containers to store samples
- Strict quality checks on samples before processing
- Regular monitoring of lab analyzers by experts
- Assured machine inspection on a daily basis
- Verified reports by qualified pathologists

25+ Years of Trust & Experience | NABL Accredited Labs | 100+ Crore Samples Processed

PharmEasy Labs

NAME : ANSHUL NEEMA(38Y/M)
REF. BY : SELF
TEST ASKED : VITAMIN D AND B12 COMBO

Report Availability Summary

Note: Please refer to the table below for status of your tests.

2 Ready | **0** Ready with Cancellation | **0** Processing | **0** Cancelled in Lab

TEST DETAILS	REPORT STATUS
VITAMIN D	Ready
VITAMIN B12 COMBO	Ready

PharmEasy Labs

NAME : ANSHUL NEEMA(38Y/M)
REF. BY : SELF
TEST ASKED : VITAMIN D AND B12 COMBO

TEST NAME	TECHNOLOGY	VALUE	UNITS
25-OH VITAMIN D (TOTAL)	**C.L.I.A**	**14**	**ng/mL**

Bio. Ref. Interval. :

DEFICIENCY : <20 ng/ml || INSUFFICIENCY : 20-<30 ng/ml
SUFFICIENCY : 30-100 ng/ml || TOXICITY : >100 ng/ml

Clinical Significance:

Vitamin D is a fat soluble vitamin that has been known to help the body absorb and retain calcium and phosphorous; both are critical for building bone health. Decrease in vitamin D total levels indicate inadequate exposure of sunlight, dietary deficiency, nephrotic syndrome. Increase in vitamin D total levels indicate Vitamin D intoxication.

Specifications: Precision: Intra assay (%CV):5.3%, Inter assay (%CV):11.9% ; Sensitivity:3.2 ng/ml.

Kit Validation Reference: Holick MF. Vitamin D Deficiency. N Engl J Med. 2007;357:266–81.

Method : Fully Automated Chemi Luminescent Immuno Assay

VITAMIN B-12	C.L.I.A	271	pg/mL

Bio. Ref. Interval. :

Normal : 211 - 911 pg/ml

Clinical significance :
Vitamin B12 or cyanocobalamin, is a complex corrinoid compound found exclusively from animal dietary sources, such as meat, eggs and milk. It is critical in normal DNA synthesis, which in turn affects erythrocyte maturation and in the formation of myelin sheath. Vitamin-B12 is used to find out neurological abnormalities and impaired DNA synthesis associated with macrocytic anemias. For diagnostic purpose, results should always be assessed in conjunction with the patients medical history, clinical examination and other findings.

Specifications: Intra assay (%CV):5.0%, Inter assay (%CV):9.2 %;Sensitivity:45 pg/ml

Kit Validation reference:
Chen IW, Sperling MI, Heminger LA. Vitamin B12. In: Pesce AJ, Kaplan LA, eds. Methods in Clinical Chemistry. St. Louis: CV Mosby; 1987:569–73.

Method : COMPETITIVE CHEMI LUMINESCENT IMMUNO ASSAY

Please correlate with clinical conditions.

Sample Collected on (SCT) : 25 March 2026 12:33
Sample Received on (SRT) : 25 March 2026 17:56
Report Released on (RRT) : 25 March 2026 19:20
Sample Type : SERUM
Labcode : 0605098014/DG007
Barcode : DR291800

Dr Shalu Goyal MD(Path)

Dr Bhavya MD(Path)

Note:- Underlined values are Critical Values, Clinician's attention required.

Clinically Tested by :Thyrocare Technologies Ltd

PharmEasy Labs
Registered Address: DOCON TECHNOLOGIES PRIVATE LIMITED, Office No 208, 209 & 210 Second floor, A wing, 'Dattani Plaza', Near East West Industrial Estate, Safed Pool, Saki Naka, Andheri (East), Mumbai - 400072
Lab Address: Gargi Aura, 420C-2nd Floor, IDA Scheme 114 Part 1, Dewas Naka, Indore, Madhya Pradesh - 452010
7022 000 900

CONDITIONS OF REPORTING

- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Docon Technologies Private Limited,Thyrocare Technologies Limited and its employees/representatives do not assume any liability,responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.

EXPLANATIONS

- **Name -** The name is as declared by the client and recorded by the personnel who collected the specimen.
- **Ref.By -** The name of the doctor who has recommended testing as declared by the client.
- **Labcode -** This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode -** This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCT -** Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT -** Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT -** Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range -** Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- For suggestions, complaints or feedback, write to us at grievance-office@docon.co.in or call us on 7022000900.