

MySQL Workbench

Anshul x

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

Views
Stored Procedures
Functions
practise
salesdb
sql_join
studentmanagement
Tables
courses
Views
Stored Procedures
Functions
sub_queries
zomato
Tables
delivery_partner
employee

Administration Schemas

Information

Schema: studentmanagement

insurance_data - insurance_da... sleep_efficiency sales1 movies users orders (1) delivery_partner food menu restaurants marks students courses x students

Limit to 50 rows

```
91 -- Q3 Find Top 3 students overall
92 • SELECT
93     s.id,
94     s.name,
95     ROUND(AVG(e.grade),2) AS average_grade
96 FROM students s
97 JOIN enrollments e
98 ON s.id=e.student_id
99 GROUP BY s.id,s.name
100 ORDER BY average_grade DESC
101 LIMIT 3;
102
103 -- Q4 count students who failed (grade <40)
104 • SELECT COUNT(*) AS failed_students
105 FROM enrollments
106 WHERE grade<40;
```

Result Grid

failed_students
2

Result 10 x

Output

Action Output

Object Info Session

Message

Duration / Fetch

31°

Search

ENG IN

86%

9:50 PM 6/29/2026

MySQL Workbench

Anshul x

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

Views
Stored Procedures
Functions
practise
salesdb
sql_join
studentmanagement
Tables
courses
Views
Stored Procedures
Functions
sub_queries
zomato
Tables
delivery_partner
employee

Administration Schemas

Information

Schema: studentmanagement

insurance_data - insurance_da... sleep_efficiency sales1 movies users orders (1) delivery_partner food menu restaurants marks students courses x students

Limit to 50 rows

```
86 FROM enrollments e
87 JOIN courses c
88 ON e.course_id=c.id
89 GROUP BY c.name;
90
91 -- Q3 Find Top 3 students overall
92 SELECT
93     s.id,
94     s.name,
95     ROUND(AVG(e.grade),2) AS average_grade
96 FROM students s
97 JOIN enrollments e
98 ON s.id=e.student_id
99 GROUP BY s.id,s.name
100 ORDER BY average_grade DESC
101 LIMIT 3;
```

Result Grid

	id	name	average_grade
▶	4	Sneha	91.50
▶	1	Ankit	87.50
▶	2	Priya	78.50

Result 9

Output

Action Output

Object Info Session

Message

Duration / Fetch

31° Search

9:48 PM 6/29/2026

MySQL Workbench

Anshul x

File Edit View Query Database Server Tools Scripting Help

Navigator

insurance_data - insurance_da... sleep_efficiency sales1 movies users orders (1) delivery_partner food menu restaurants marks students **courses** students

Limit to 50 rows

```
74 FROM enrollments e
75 JOIN students s
76 ON e.student_id = s.id
77 JOIN courses c
78 ON e.course_id = c.id
79 ORDER BY c.name, s.name;
80
81
82 -- Q2 Find average grade per course
83 * SELECT
84     c.name,
85     ROUND(AVG(e.grade),2) AS average_grade
86 FROM enrollments e
87 JOIN courses c
88 ON e.course_id=c.id
89 GROUP BY c.name;
90
```

Result Grid

	name	average_grade
SQL		85.00
Python		61.67
Power BI		85.00
Excel		42.00

Result 8

Output

Action Output

Object Info Session

Schema: studentmanagement

Duration / Fetch

9:47 PM 6/29/2026

MySQL Workbench

Anshul x

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

Views
Stored Procedures
Functions
practise
salesdb
sql_join
studentmanagement
Tables
courses
Views
Stored Procedures
Functions
sub_queries
zomato
Tables
delivery_partner
employee

Administration Schemas

Information

Schema: studentmanagement

insurance_data - insurance_da... sleep_efficiency sales1 movies users orders (1) delivery_partner food menu restaurants marks students courses x students

Limit to 50 rows

```
65
66 * select * from enrollments;
67
68 -- Q1 List all students enrolled in each course
69 * SELECT
70     s.id,
71     s.name AS student_name,
72     c.name AS course_name,
73     e.grade
74 FROM enrollments e
75 JOIN students s
76 ON e.student_id = s.id
77 JOIN courses c
78 ON e.course_id = c.id
79 ORDER BY c.name, s.name;
80
81
```

Result Grid

	id	student_name	course_name	grade
▶	5	Amit	Excel	39
	3	Rahul	Excel	45
	2	Priya	Power BI	82
	4	Sneha	Power BI	88
	5	Amit	Python	60
	1	Ankit	Python	90
	3	Rahul	Python	35
	1	Ankit	SQL	85
	2	Priya	SQL	75

Result 7

Output

Action Output

Object Info Session

Message

Duration / Fetch

33° Search 9:47 PM 6/29/2026

MySQL Workbench

Anshul x

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

Views
Stored Procedures
Functions
practise
salesdb
sql_join
studentmanagement
Tables
courses
Views
Stored Procedures
Functions
sub_queries
zomato
Tables
delivery_partner
employee

Administration Schemas

Information

Schema: studentmanagement

insurance_data - insurance_da... sleep_efficiency sales1 movies users orders (1) delivery_partner food menu restaurants marks students courses x students

Limit to 50 rows

```
48     grade INT,  
49     FOREIGN KEY(student_id) REFERENCES students(id),  
50     FOREIGN KEY(course_id) REFERENCES courses(id)  
51 );  
52  
53 -- Insert Enrollment  
54 * INSERT INTO enrollments VALUES  
55 (1,101,85),  
56 (1,102,90),  
57 (2,101,75),  
58 (2,103,82),  
59 (3,102,35),  
60 (3,104,45),  
61 (4,101,95),  
62 (4,103,88),  
63 (5,104,39),  
64 (5,102,60);  
65  
66 * select * from enrollments;
```

Result Grid

student_id	course_id	grade
1	101	85
1	102	90
2	101	75
2	103	82
3	102	35

enrollments 6 x

Output

Action Output

Object Info Session

Message

Duration / Fetch

33°

Search

ENG IN

82%

9:44 PM 6/29/2026

MySQL Workbench

Anshul x

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

Schemas

- Views
- Stored Procedures
- Functions
- practise
- salesdb
- sql_join
- studentmanagement
 - Tables
 - courses
 - Views
 - Stored Procedures
 - Functions
 - sub_queries
 - zomato
 - Tables
 - delivery_partner
 - employee

Administration Schemas

Information

Schema: studentmanagement

insurance_data - insurance_da... sleep_efficiency sales1 movies users orders (1) delivery_partner food menu restaurants marks students **courses** students

Limit to 50 rows

```
1 * SELECT * FROM studentmanagement.courses;
2 -- Create students table
3 CREATE TABLE students (
4     id INT PRIMARY KEY,
5     name VARCHAR(50),
6     age INT,
7     gender VARCHAR(10),
8     city VARCHAR(50)
9 );
10
11 -- Insert Data
12 INSERT INTO students VALUES
13 (1, 'Ankit', 20, 'Male', 'Delhi'),
14 (2, 'Priya', 21, 'Female', 'Mumbai'),
15 (3, 'Rahul', 19, 'Male', 'Pune'),
16 (4, 'Sneha', 22, 'Female', 'Jaipur'),
17 (5, 'Amit', 20, 'Male', 'Chandigarh');
18
19 select * from students;
```

Result Grid

	id	name	age	gender	city
▶	1	Ankit	20	Male	Delhi
	2	Priya	21	Female	Mumbai
	3	Rahul	19	Male	Pune
	4	Sneha	22	Female	Jaipur
	5	Amit	20	Male	Chandigarh

students 5

Output

Action Output

Object Info Session

Message

Duration / Fetch

33° Search 9:43 PM 6/29/2026

[illegible]

MySQL Workbench

Anshul x

File Edit View Query Database Server Tools Scripting Help

Navigator

Schemas

Filter objects

Views
Stored Procedures
Functions
practise
salesdb
sql_join
studentmanagement

Tables

courses
students

Columns
Indexes
Foreign Keys
Triggers

Views
Stored Procedures
Functions

Administration Schemas

Information

Schema: studentmanagement

menu insurance_data - insurance_da... sleep_efficiency sales1 movies users orders (1) delivery_partner food menu restaurants marks students COURSES

Limit to 50 rows

```
16 (105, 'Tableau'),
17 (106, 'Machine Learning'),
18 (107, 'Data Structures'),
19 (108, 'DBMS'),
20 (109, 'Cloud Computing'),
21 (110, 'Big Data');
22
23 -- Verify table
24 select * from courses;
```

Result Grid

id	name
101	SQL
102	Python
103	Power BI
104	Excel
105	Tableau
106	Machine Learning
107	Data Structures
108	DBMS
109	Cloud Computing
110	Big Data

courses 3 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 182	21:36:12	INSERT INTO courses (id, name) VALUES (101, 'SQL'), (102, 'Python'), (103, 'Power BI'), (104, 'Excel'), (105, 'T...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec
✓ 183	21:36:44	select * from courses LIMIT 0, 50	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

33°

Search

ENG IN

76%

9:36 PM 6/29/2026

MySQL Workbench

Anshul x

File Edit View Query Database Server Tools Scripting Help

Navigator

Filter objects

Schemas

- Views
- Stored Procedures
- Functions
- practise
- salesdb
- sql_join
- studentmanagement
 - Tables
 - courses
 - students
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

Schema: studentmanagement

menu insurance_data - insurance_da... sleep_efficiency sales1 movies users orders (1) delivery_partner food menu restaurants marks students COURSES

Limit to 50 rows

```
1 • SELECT * FROM studentmanagement.courses;
2
3 -- Create Table Courses
4 • CREATE TABLE courses (
5     id INT PRIMARY KEY,
6     name VARCHAR(50)
7 );
8
9 -- insert courses data
10 • INSERT INTO courses (id, name)
11     VALUES
12     (101, 'SQL'),
13     (102, 'Python'),
14     (103, 'Power BI'),
15     (104, 'Excel'),
16     (105, 'Tableau'),
17     (106, 'Machine Learning'),
18     (107, 'Data Structures'),
19     (108, 'DBMS'),
20     (109, 'Cloud Computing'),
21     (110, 'Big Data');
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 181	21:34:39	CREATE TABLE courses (id INT PRIMARY KEY, name VARCHAR(50))	0 row(s) affected	0.016 sec
✓ 182	21:36:12	INSERT INTO courses (id, name) VALUES (101, 'SQL'), (102, 'Python'), (103, 'Power BI'), (104, 'Excel'), (105, 'T...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec

Object Info Session

33°

Search

9:36 PM 6/29/2026

MySQL Workbench

Anshul x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- Views
- Stored Procedures
- Functions
- practise
- salesdb
- sql_join
- studentmanagement
 - Tables
 - courses
 - students
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - Views
 - Stored Procedures
 - Functions

Administration Schemas

Information

Schema: studentmanagement

menu insurance_data - insurance_da... sleep_efficiency sales1 movies users orders (1) delivery_partner food menu restaurants marks students COURSES

Limit to 50 rows

```
1 • SELECT * FROM studentmanagement.courses;
2
3 -- Create Table Courses
4 • CREATE TABLE courses (
5     id INT PRIMARY KEY,
6     name VARCHAR(50)
7 );
8
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 180	21:33:32	drop table courses	0 row(s) affected	0.031 sec
✓ 181	21:34:39	CREATE TABLE courses (id INT PRIMARY KEY, name VARCHAR(50))	0 row(s) affected	0.016 sec

Object Info Session

33°

Search

9:34 PM 6/29/2026