

```
import sys
import os

# Navigate from notebooks/ up to src/ and add to path
sys.path.append(os.path.abspath("../..")) # points to src/

from utils.eda_utils import *
```

```
from src.utils.eda_utils import *
sys.modules
```

```
{'sys': <module 'sys' (built-in)>,
'builtins': <module 'builtins' (built-in)>,
'_frozen_importlib': <module '_frozen_importlib' (frozen)>,
'_imp': <module '_imp' (built-in)>,
'_thread': <module '_thread' (built-in)>,
'_warnings': <module '_warnings' (built-in)>,
'_weakref': <module '_weakref' (built-in)>,
'_io': <module '_io' (built-in)>,
'marshal': <module 'marshal' (built-in)>,
'posix': <module 'posix' (built-in)>,
'_frozen_importlib_external': <module '_frozen_importlib_external' (frozen)>,
'time': <module 'time' (built-in)>,
'zipimport': <module 'zipimport' (frozen)>,
'_codecs': <module '_codecs' (built-in)>,
'codecs': <module 'codecs' (frozen)>,
'encodings.aliases': <module 'encodings.aliases' from '/usr/lib/python3.12/encoding
s/aliases.py'>,
'encodings': <module 'encodings' from '/usr/lib/python3.12/encodings/__init__.py'>,
'encodings.utf_8': <module 'encodings.utf_8' from '/usr/lib/python3.12/encodings/utf
_8.py'>,
'_signal': <module '_signal' (built-in)>,
'_abc': <module '_abc' (built-in)>,
'abc': <module 'abc' (frozen)>,
'io': <module 'io' (frozen)>,
'__main__': <module '__main__'>,
'_stat': <module '_stat' (built-in)>,
'stat': <module 'stat' (frozen)>,
'_collections_abc': <module '_collections_abc' (frozen)>,
'genericpath': <module 'genericpath' (frozen)>,
'posixpath': <module 'posixpath' (frozen)>,
'os.path': <module 'posixpath' (frozen)>,
'os': <module 'os' (frozen)>,
'_sitebuiltins': <module '_sitebuiltins' (frozen)>,
'__future__': <module '__future__' from '/usr/lib/python3.12/__future__.py'>,
'_virtualenv': <module '_virtualenv' from '/home/anshulgarg/Documents/ObsidianVault/
Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/_virtualenv.py'>,
'_distutils_hack': <module '_distutils_hack' from '/usr/lib/python3/dist-packages/_d
istutils_hack/__init__.py'>,
'appport_python_hook': <module 'appport_python_hook' from '/usr/lib/python3/dist-packa
ges/appport_python_hook.py'>,
'sitecustomize': <module 'sitecustomize' from '/usr/lib/python3.12/sitecustomize.p
y'>,
'site': <module 'site' (frozen)>,
'importlib._bootstrap': <module '_frozen_importlib' (frozen)>,
'importlib._bootstrap_external': <module '_frozen_importlib_external' (frozen)>,
'warnings': <module 'warnings' from '/usr/lib/python3.12/warnings.py'>,
'importlib': <module 'importlib' from '/usr/lib/python3.12/importlib/__init__.py'>,
'importlib.machinery': <module 'importlib.machinery' (frozen)>,
'importlib._abc': <module 'importlib._abc' from '/usr/lib/python3.12/importlib/_abc.
py'>,
'itertools': <module 'itertools' (built-in)>,
'keyword': <module 'keyword' from '/usr/lib/python3.12/keyword.py'>,
'_operator': <module '_operator' (built-in)>,
'operator': <module 'operator' from '/usr/lib/python3.12/operator.py'>,
'reprlib': <module 'reprlib' from '/usr/lib/python3.12/reprlib.py'>,
'_collections': <module '_collections' (built-in)>,
```

```
'collections': <module 'collections' from '/usr/lib/python3.12/collections/__init__.py'>,
'types': <module 'types' from '/usr/lib/python3.12/types.py'>,
'_functools': <module '_functools' (built-in)>,
'functools': <module 'functools' from '/usr/lib/python3.12/functools.py'>,
'_weakrefset': <module '_weakrefset' from '/usr/lib/python3.12/_weakrefset.py'>,
'threading': <module 'threading' from '/usr/lib/python3.12/threading.py'>,
'importlib.util': <module 'importlib.util' (frozen)>,
'runpy': <module 'runpy' (frozen)>,
'enum': <module 'enum' from '/usr/lib/python3.12/enum.py'>,
'_sre': <module '_sre' (built-in)>,
're._constants': <module 're._constants' from '/usr/lib/python3.12/re/_constants.py'>,
're._parser': <module 're._parser' from '/usr/lib/python3.12/re/_parser.py'>,
're._casefix': <module 're._casefix' from '/usr/lib/python3.12/re/_casefix.py'>,
're._compiler': <module 're._compiler' from '/usr/lib/python3.12/re/_compiler.py'>,
'copyreg': <module 'copyreg' from '/usr/lib/python3.12/copyreg.py'>,
're': <module 're' from '/usr/lib/python3.12/re/__init__.py'>,
'fnmatch': <module 'fnmatch' from '/usr/lib/python3.12/fnmatch.py'>,
'errno': <module 'errno' (built-in)>,
'urllib': <module 'urllib' from '/usr/lib/python3.12/urllib/__init__.py'>,
'math': <module 'math' (built-in)>,
'ipaddress': <module 'ipaddress' from '/usr/lib/python3.12/ipaddress.py'>,
'urllib.parse': <module 'urllib.parse' from '/usr/lib/python3.12/urllib/parse.py'>,
'ntpath': <module 'ntpath' (frozen)>,
'pathlib': <module 'pathlib' from '/usr/lib/python3.12/pathlib.py'>,
'ipykernel._version': <module 'ipykernel._version' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/_version.py'>,
'_json': <module '_json' from '/usr/lib/python3.12/lib-dynload/_json.cpython-312-x86_64-linux-gnu.so'>,
'json.scanner': <module 'json.scanner' from '/usr/lib/python3.12/json/scanner.py'>,
'json.decoder': <module 'json.decoder' from '/usr/lib/python3.12/json/decoder.py'>,
'json.encoder': <module 'json.encoder' from '/usr/lib/python3.12/json/encoder.py'>,
'json': <module 'json' from '/usr/lib/python3.12/json/__init__.py'>,
'_locale': <module '_locale' (built-in)>,
'locale': <module 'locale' from '/usr/lib/python3.12/locale.py'>,
'signal': <module 'signal' from '/usr/lib/python3.12/signal.py'>,
'contextlib': <module 'contextlib' from '/usr/lib/python3.12/contextlib.py'>,
'fcntl': <module 'fcntl' (built-in)>,
'_posixsubprocess': <module '_posixsubprocess' (built-in)>,
'select': <module 'select' (built-in)>,
'collections.abc': <module 'collections.abc' from '/usr/lib/python3.12/collections/abc.py'>,
'selectors': <module 'selectors' from '/usr/lib/python3.12/selectors.py'>,
'subprocess': <module 'subprocess' from '/usr/lib/python3.12/subprocess.py'>,
'_typing': <module '_typing' (built-in)>,
'typing.io': typing.io,
'typing.re': typing.re,
'typing': <module 'typing' from '/usr/lib/python3.12/typing.py'>,
'jupyter_client._version': <module 'jupyter_client._version' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/_version.py'>,
'platform': <module 'platform' from '/usr/lib/python3.12/platform.py'>,
'zmq.backend.select': <module 'zmq.backend.select' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/backend/sel
```

```

ect.py'>,
'cython_runtime': <module 'cython_runtime'>,
'_ast': <module '_ast' (built-in)>,
'ast': <module 'ast' from '/usr/lib/python3.12/ast.py'>,
'_opcode': <module '_opcode' (built-in)>,
'opcode': <module 'opcode' from '/usr/lib/python3.12/opcode.py'>,
'dis': <module 'dis' from '/usr/lib/python3.12/dis.py'>,
'token': <module 'token' from '/usr/lib/python3.12/token.py'>,
'_tokenize': <module '_tokenize' (built-in)>,
'tokenize': <module 'tokenize' from '/usr/lib/python3.12/tokenize.py'>,
'linecache': <module 'linecache' from '/usr/lib/python3.12/linecache.py'>,
'inspect': <module 'inspect' from '/usr/lib/python3.12/inspect.py'>,
'_cython_3_1_3limited_fastcallnofinalize': <module '_cython_3_1_3limited_fastcallnofinalize'>,
'weakref': <module 'weakref' from '/usr/lib/python3.12/weakref.py'>,
'zmq.constants': <module 'zmq.constants' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/constants.py'>,
'zmq.error': <module 'zmq.error' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/error.py'>,
'zmq.backend.cython._zmq': <module 'zmq.backend.cython._zmq' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/backend/cython/_zmq.abi3.so'>,
'zmq.backend.cython': <module 'zmq.backend.cython' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/backend/cython/__init__.py'>,
'zmq.backend': <module 'zmq.backend' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/backend/__init__.py'>,
'atexit': <module 'atexit' (built-in)>,
'zmq.typing': <module 'zmq.typing' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/typing.py'>,
'zmq.utils': <module 'zmq.utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/utils/__init__.py'>,
'zmq.utils.interop': <module 'zmq.utils.interop' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/utils/interop.py'>,
'zmq.sugar.attrsettr': <module 'zmq.sugar.attrsettr' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/sugar/attrsettr.py'>,
'_struct': <module '_struct' (built-in)>,
'struct': <module 'struct' from '/usr/lib/python3.12/struct.py'>,
'_compat_pickle': <module '_compat_pickle' from '/usr/lib/python3.12/_compat_pickle.py'>,
'_pickle': <module '_pickle' (built-in)>,
'pickle': <module 'pickle' from '/usr/lib/python3.12/pickle.py'>,
'_bisect': <module '_bisect' (built-in)>,
'bisect': <module 'bisect' from '/usr/lib/python3.12/bisect.py'>,
'_random': <module '_random' (built-in)>,
'_sha2': <module '_sha2' (built-in)>,
'random': <module 'random' from '/usr/lib/python3.12/random.py'>,
'zmq.utils.jsonapi': <module 'zmq.utils.jsonapi' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/utils/jsonapi.py'>,
'zmq.sugar.poll': <module 'zmq.sugar.poll' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/sugar/poll.py'>,
'zmq.sugar.socket': <module 'zmq.sugar.socket' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/sugar/socket.p

```

```
y'>,
'zmq.sugar.context': <module 'zmq.sugar.context' from '/home/anshulgarg/Documents/0bsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/sugar/context.py'>,
'zmq.sugar.frame': <module 'zmq.sugar.frame' from '/home/anshulgarg/Documents/0bsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/sugar/frame.py'>,
'zmq.sugar.tracker': <module 'zmq.sugar.tracker' from '/home/anshulgarg/Documents/0bsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/sugar/tracker.py'>,
'zmq.sugar.version': <module 'zmq.sugar.version' from '/home/anshulgarg/Documents/0bsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/sugar/version.py'>,
'zmq.sugar.stopwatch': <module 'zmq.sugar.stopwatch' from '/home/anshulgarg/Documents/0bsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/sugar/stopwatch.py'>,
'zmq.sugar': <module 'zmq.sugar' from '/home/anshulgarg/Documents/0bsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/sugar/__init__.py'>,
'zmq': <module 'zmq' from '/home/anshulgarg/Documents/0bsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/__init__.py'>,
'concurrent': <module 'concurrent' from '/usr/lib/python3.12/concurrent/__init__.py'>,
'textwrap': <module 'textwrap' from '/usr/lib/python3.12/textwrap.py'>,
'traceback': <module 'traceback' from '/usr/lib/python3.12/traceback.py'>,
'_string': <module '_string' (built-in)>,
'string': <module 'string' from '/usr/lib/python3.12/string.py'>,
'logging': <module 'logging' from '/usr/lib/python3.12/logging/__init__.py'>,
'concurrent.futures._base': <module 'concurrent.futures._base' from '/usr/lib/python3.12/concurrent/futures/_base.py'>,
'concurrent.futures': <module 'concurrent.futures' from '/usr/lib/python3.12/concurrent/futures/__init__.py'>,
'_heapq': <module '_heapq' (built-in)>,
'heapq': <module 'heapq' from '/usr/lib/python3.12/heapq.py'>,
'_socket': <module '_socket' (built-in)>,
'array': <module 'array' (built-in)>,
'socket': <module 'socket' from '/usr/lib/python3.12/socket.py'>,
'_ssl': <module '_ssl' from '/usr/lib/python3.12/lib-dynload/_ssl.cpython-312-x86_64-linux-gnu.so'>,
'binascii': <module 'binascii' (built-in)>,
'base64': <module 'base64' from '/usr/lib/python3.12/base64.py'>,
'ssl': <module 'ssl' from '/usr/lib/python3.12/ssl.py'>,
'asyncio.constants': <module 'asyncio.constants' from '/usr/lib/python3.12/asyncio/constants.py'>,
'asyncio.coroutines': <module 'asyncio.coroutines' from '/usr/lib/python3.12/asyncio/coroutines.py'>,
'_contextvars': <module '_contextvars' from '/usr/lib/python3.12/lib-dynload/_contextvars.cpython-312-x86_64-linux-gnu.so'>,
'contextvars': <module 'contextvars' from '/usr/lib/python3.12/contextvars.py'>,
'asyncio.format_helpers': <module 'asyncio.format_helpers' from '/usr/lib/python3.12/asyncio/format_helpers.py'>,
'asyncio.base_futures': <module 'asyncio.base_futures' from '/usr/lib/python3.12/asyncio/base_futures.py'>,
'asyncio.exceptions': <module 'asyncio.exceptions' from '/usr/lib/python3.12/asyncio/exceptions.py'>,
'asyncio.base_tasks': <module 'asyncio.base_tasks' from '/usr/lib/python3.12/asyncio/base_tasks.py'>,
'_asyncio': <module '_asyncio' from '/usr/lib/python3.12/lib-dynload/_asyncio.cpython
```

```
n-312-x86_64-linux-gnu.so'>,
  'asyncio.events': <module 'asyncio.events' from '/usr/lib/python3.12/asyncio/events.
py'>,
  'asyncio.futures': <module 'asyncio.futures' from '/usr/lib/python3.12/asyncio/futur
es.py'>,
  'asyncio.protocols': <module 'asyncio.protocols' from '/usr/lib/python3.12/asyncio/p
rotocols.py'>,
  'asyncio.transports': <module 'asyncio.transports' from '/usr/lib/python3.12/asyncl
io/transports.py'>,
  'asyncio.log': <module 'asyncio.log' from '/usr/lib/python3.12/asyncio/log.py'>,
  'asyncio.sslproto': <module 'asyncio.sslproto' from '/usr/lib/python3.12/asyncio/ssl
proto.py'>,
  'asyncio.mixins': <module 'asyncio.mixins' from '/usr/lib/python3.12/asyncio/mixins.
py'>,
  'asyncio.locks': <module 'asyncio.locks' from '/usr/lib/python3.12/asyncio/locks.p
y'>,
  'asyncio.timeouts': <module 'asyncio.timeouts' from '/usr/lib/python3.12/asyncio/tim
eouts.py'>,
  'asyncio.tasks': <module 'asyncio.tasks' from '/usr/lib/python3.12/asyncio/tasks.p
y'>,
  'asyncio.staggered': <module 'asyncio.staggered' from '/usr/lib/python3.12/asyncio/s
taggered.py'>,
  'asyncio.trsock': <module 'asyncio.trsock' from '/usr/lib/python3.12/asyncio/trsock.
py'>,
  'asyncio.base_events': <module 'asyncio.base_events' from '/usr/lib/python3.12/asyncl
io/base_events.py'>,
  'asyncio.runners': <module 'asyncio.runners' from '/usr/lib/python3.12/asyncio/runne
rs.py'>,
  'asyncio.queues': <module 'asyncio.queues' from '/usr/lib/python3.12/asyncio/queues.
py'>,
  'asyncio.streams': <module 'asyncio.streams' from '/usr/lib/python3.12/asyncio/strea
ms.py'>,
  'asyncio.subprocess': <module 'asyncio.subprocess' from '/usr/lib/python3.12/asyncl
io/subprocess.py'>,
  'asyncio.taskgroups': <module 'asyncio.taskgroups' from '/usr/lib/python3.12/asyncl
io/taskgroups.py'>,
  'asyncio.threads': <module 'asyncio.threads' from '/usr/lib/python3.12/asyncio/threa
ds.py'>,
  'asyncio.base_subprocess': <module 'asyncio.base_subprocess' from '/usr/lib/python3.
12/asyncio/base_subprocess.py'>,
  'asyncio.selector_events': <module 'asyncio.selector_events' from '/usr/lib/python3.
12/asyncio/selector_events.py'>,
  'asyncio.unix_events': <module 'asyncio.unix_events' from '/usr/lib/python3.12/asyncl
io/unix_events.py'>,
  'asyncio': <module 'asyncio' from '/usr/lib/python3.12/asyncio/__init__.py'>,
  'zmq._future': <module 'zmq._future' from '/home/anshulgarg/Documents/ObsidianVault/H
estabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/_future.py'>,
  'zmq.asyncio': <module 'zmq.asyncio' from '/home/anshulgarg/Documents/ObsidianVault/H
estabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/asyncio.py'>,
  'traitlets.utils': <module 'traitlets.utils' from '/home/anshulgarg/Documents/Obseidi
anVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/traitlets/utils/__ini
t__.py'>,
  'traitlets.utils.bunch': <module 'traitlets.utils.bunch' from '/home/anshulgarg/Docu
ments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/traitlet
s/utils/bunch.py'>,
  'traitlets.utils.descriptions': <module 'traitlets.utils.descriptions' from '/home/a
```

```
nshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-pack
ages/traitlets/utils/descriptions.py'>,
'traitlets.utils.getargspec': <module 'traitlets.utils.getargspec' from '/home/anshu
lgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-package
s/traitlets/utils/getargspec.py'>,
'traitlets.utils.importstring': <module 'traitlets.utils.importstring' from '/home/a
nshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-pack
ages/traitlets/utils/importstring.py'>,
'traitlets.utils.sentinel': <module 'traitlets.utils.sentinel' from '/home/anshulgar
g/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/tra
itlets/utils/sentinel.py'>,
'traitlets.utils.warnings': <module 'traitlets.utils.warnings' from '/home/anshulgar
g/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/tra
itlets/utils/warnings.py'>,
'traitlets.traitlets': <module 'traitlets.traitlets' from '/home/anshulgarg/Document
s/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/traitlets/tra
itlets.py'>,
'traitlets._version': <module 'traitlets._version' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/traitlets/_vers
ion.py'>,
'copy': <module 'copy' from '/usr/lib/python3.12/copy.py'>,
'traitlets.utils.decorators': <module 'traitlets.utils.decorators' from '/home/anshu
lgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-package
s/traitlets/utils/decorators.py'>,
'traitlets': <module 'traitlets' from '/home/anshulgarg/Documents/ObsidianVault/Hest
abit/Week6/day-1/.venv/lib/python3.12/site-packages/traitlets/__init__.py'>,
'_queue': <module '_queue' from '/usr/lib/python3.12/lib-dynload/_queue.cpython-312-
x86_64-linux-gnu.so'>,
'queue': <module 'queue' from '/usr/lib/python3.12/queue.py'>,
'jupyter_core.version': <module 'jupyter_core.version' from '/home/anshulgarg/Docume
nts/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_cor
e/version.py'>,
'jupyter_core': <module 'jupyter_core' from '/home/anshulgarg/Documents/ObsidianVaul
t/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_core/__init__.py'>,
'jupyter_core.utils': <module 'jupyter_core.utils' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_core/ut
ils/__init__.py'>,
'jupyter_client.channelsabc': <module 'jupyter_client.channelsabc' from '/home/anshu
lgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-package
s/jupyter_client/channelsabc.py'>,
'_hashlib': <module '_hashlib' from '/usr/lib/python3.12/lib-dynload/_hashlib.cpytho
n-312-x86_64-linux-gnu.so'>,
'_blake2': <module '_blake2' (built-in)>,
'hashlib': <module 'hashlib' from '/usr/lib/python3.12/hashlib.py'>,
'hmac': <module 'hmac' from '/usr/lib/python3.12/hmac.py'>,
'dataclasses': <module 'dataclasses' from '/usr/lib/python3.12/dataclasses.py'>,
'pprint': <module 'pprint' from '/usr/lib/python3.12/pprint.py'>,
'_datetime': <module '_datetime' (built-in)>,
'datetime': <module 'datetime' from '/usr/lib/python3.12/datetime.py'>,
'tornado': <module 'tornado' from '/home/anshulgarg/Documents/ObsidianVault/Hestabi
t/Week6/day-1/.venv/lib/python3.12/site-packages/tornado/__init__.py'>,
'numbers': <module 'numbers' from '/usr/lib/python3.12/numbers.py'>,
'logging.handlers': <module 'logging.handlers' from '/usr/lib/python3.12/logging/han
dlers.py'>,
'html.entities': <module 'html.entities' from '/usr/lib/python3.12/html/entities.p
y'>,>
```

```
'html': <module 'html' from '/usr/lib/python3.12/html/__init__.py'>,
'zlib': <module 'zlib' (built-in)>,
'tornado.speedups': <module 'tornado.speedups' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/tornado/speedups.abi3.so'>,
'tornado.util': <module 'tornado.util' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/tornado/util.py'>,
'tornado.escape': <module 'tornado.escape' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/tornado/escape.py'>,
'colorama.ansi': <module 'colorama.ansi' from '/usr/lib/python3/dist-packages/colorama/ansi.py'>,
'_ctypes': <module '_ctypes' from '/usr/lib/python3.12/lib-dynload/_ctypes.cpython-312-x86_64-linux-gnu.so'>,
'ctypes._endian': <module 'ctypes._endian' from '/usr/lib/python3.12/ctypes/_endian.py'>,
'ctypes': <module 'ctypes' from '/usr/lib/python3.12/ctypes/__init__.py'>,
'colorama.win32': <module 'colorama.win32' from '/usr/lib/python3/dist-packages/colorama/win32.py'>,
'colorama.winterm': <module 'colorama.winterm' from '/usr/lib/python3/dist-packages/colorama/winterm.py'>,
'colorama.ansitowin32': <module 'colorama.ansitowin32' from '/usr/lib/python3/dist-packages/colorama/ansitowin32.py'>,
'colorama.initialise': <module 'colorama.initialise' from '/usr/lib/python3/dist-packages/colorama/initialise.py'>,
'colorama': <module 'colorama' from '/usr/lib/python3/dist-packages/colorama/__init__.py'>,
'_curses': <module '_curses' from '/usr/lib/python3.12/lib-dynload/_curses.cpython-312-x86_64-linux-gnu.so'>,
'curses': <module 'curses' from '/usr/lib/python3.12/curses/__init__.py'>,
'tornado.log': <module 'tornado.log' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/tornado/log.py'>,
'tornado.concurrent': <module 'tornado.concurrent' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/tornado/concurrent.py'>,
'tornado.ioloop': <module 'tornado.ioloop' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/tornado/ioloop.py'>,
'socketserver': <module 'socketserver' from '/usr/lib/python3.12/socketserver.py'>,
'logging.config': <module 'logging.config' from '/usr/lib/python3.12/logging/config.py'>,
'traitlets.utils.text': <module 'traitlets.utils.text' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/traitlets/utils/text.py'>,
'gettext': <module 'gettext' from '/usr/lib/python3.12/gettext.py'>,
'argparse': <module 'argparse' from '/usr/lib/python3.12/argparse.py'>,
'traitlets.config.loader': <module 'traitlets.config.loader' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/traitlets/config/loader.py'>,
'traitlets.config.configurable': <module 'traitlets.config.configurable' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/traitlets/config/configurable.py'>,
'traitlets.utils.nested_update': <module 'traitlets.utils.nested_update' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/traitlets/utils/nested_update.py'>,
'traitlets.config.application': <module 'traitlets.config.application' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/traitlets/config/application.py'>,
```



```
'traitlets.config': <module 'traitlets.config' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/traitlets/config/__init__.py'>,
'traitlets.log': <module 'traitlets.log' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/traitlets/log.py'>,
'zmq.eventloop': <module 'zmq.eventloop' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/eventloop/__init__.py'>,
'zmq.eventloop.zmqstream': <module 'zmq.eventloop.zmqstream' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/zmq/eventloop/zmqstream.py'>,
'jupyter_client.adapter': <module 'jupyter_client.adapter' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/adapter.py'>,
'dateutil._version': <module 'dateutil._version' from '/usr/lib/python3/dist-packages/dateutil/_version.py'>,
'dateutil': <module 'dateutil' from '/usr/lib/python3/dist-packages/dateutil/__init__.py'>,
'calendar': <module 'calendar' from '/usr/lib/python3.12/calendar.py'>,
'six': <module 'six' from '/usr/lib/python3/dist-packages/six.py'>,
'_decimal': <module '_decimal' from '/usr/lib/python3.12/lib-dynload/_decimal.cpython-312-x86_64-linux-gnu.so'>,
'decimal': <module 'decimal' from '/usr/lib/python3.12/decimal.py'>,
'dateutil._common': <module 'dateutil._common' from '/usr/lib/python3/dist-packages/dateutil/_common.py'>,
'dateutil.relativedelta': <module 'dateutil.relativedelta' from '/usr/lib/python3/dist-packages/dateutil/relativedelta.py'>,
'six.moves': <module 'six.moves' (<six._SixMetaPathImporter object at 0x79773bb21880>)>,
'dateutil.tz._common': <module 'dateutil.tz._common' from '/usr/lib/python3/dist-packages/dateutil/tz/_common.py'>,
'dateutil.tz._factories': <module 'dateutil.tz._factories' from '/usr/lib/python3/dist-packages/dateutil/tz/_factories.py'>,
'dateutil.tz.tz': <module 'dateutil.tz.tz' from '/usr/lib/python3/dist-packages/dateutil/tz/tz.py'>,
'dateutil.tz': <module 'dateutil.tz' from '/usr/lib/python3/dist-packages/dateutil/tz/__init__.py'>,
'dateutil.parser._parser': <module 'dateutil.parser._parser' from '/usr/lib/python3/dist-packages/dateutil/parser/_parser.py'>,
'dateutil.parser.isoparser': <module 'dateutil.parser.isoparser' from '/usr/lib/python3/dist-packages/dateutil/parser/isoparser.py'>,
'dateutil.parser': <module 'dateutil.parser' from '/usr/lib/python3/dist-packages/dateutil/parser/__init__.py'>,
'_strptime': <module '_strptime' from '/usr/lib/python3.12/_strptime.py'>,
'jupyter_client.jsonutil': <module 'jupyter_client.jsonutil' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/jsonutil.py'>,
'msgpack._version': <module 'msgpack._version' from '/usr/lib/python3/dist-packages/msgpack/_version.py'>,
'msgpack.exceptions': <module 'msgpack.exceptions' from '/usr/lib/python3/dist-packages/msgpack/exceptions.py'>,
'msgpack.ext': <module 'msgpack.ext' from '/usr/lib/python3/dist-packages/msgpack/ext.py'>,
'_cython_3_0_8': <module '_cython_3_0_8'>,
'msgpack._cmsgpack': <module 'msgpack._cmsgpack' from '/usr/lib/python3/dist-packages/msgpack/_cmsgpack.cpython-312-x86_64-linux-gnu.so'>,>
```

```
'msgpack': <module 'msgpack' from '/usr/lib/python3/dist-packages/msgpack/__init__.py'>,
'jupyter_client.session': <module 'jupyter_client.session' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/session.py'>,
'jupyter_client.channels': <module 'jupyter_client.channels' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/channels.py'>,
'termios': <module 'termios' from '/usr/lib/python3.12/lib-dynload/termios.cpython-312-x86_64-linux-gnu.so'>,
'getpass': <module 'getpass' from '/usr/lib/python3.12/getpass.py'>,
'jupyter_client.clientabc': <module 'jupyter_client.clientabc' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/clientabc.py'>,
'glob': <module 'glob' from '/usr/lib/python3.12/glob.py'>,
'_compression': <module '_compression' from '/usr/lib/python3.12/_compression.py'>,
'_bz2': <module '_bz2' from '/usr/lib/python3.12/lib-dynload/_bz2.cpython-312-x86_64-linux-gnu.so'>,
'bz2': <module 'bz2' from '/usr/lib/python3.12/bz2.py'>,
'_lzma': <module '_lzma' from '/usr/lib/python3.12/lib-dynload/_lzma.cpython-312-x86_64-linux-gnu.so'>,
'lzma': <module 'lzma' from '/usr/lib/python3.12/lzma.py'>,
'shutil': <module 'shutil' from '/usr/lib/python3.12/shutil.py'>,
'tempfile': <module 'tempfile' from '/usr/lib/python3.12/tempfile.py'>,
'platformdirs.api': <module 'platformdirs.api' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/platformdirs/api.py'>,
'platformdirs.version': <module 'platformdirs.version' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/platformdirs/version.py'>,
'configparser': <module 'configparser' from '/usr/lib/python3.12/configparser.py'>,
'platformdirs._xdg': <module 'platformdirs._xdg' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/platformdirs/_xdg.py'>,
'platformdirs.unix': <module 'platformdirs.unix' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/platformdirs/unix.py'>,
'platformdirs': <module 'platformdirs' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/platformdirs/__init__.py'>,
'jupyter_core.paths': <module 'jupyter_core.paths' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_core/paths.py'>,
'jupyter_client.localinterfaces': <module 'jupyter_client.localinterfaces' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/localinterfaces.py'>,
'jupyter_client.utils': <module 'jupyter_client.utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/utils.py'>,
'jupyter_client.connect': <module 'jupyter_client.connect' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/connect.py'>,
'jupyter_client.client': <module 'jupyter_client.client' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/client.py'>,
'jupyter_client.asynchronous.client': <module 'jupyter_client.asynchronous.client' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/asynchronous/client.py'>
```

```
12/site-packages/jupyter_client/asynchronous/client.py'>,
'jupyter_client.asynchronous': <module 'jupyter_client.asynchronous' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/asynchronous/__init__.py'>,
'jupyter_client.blocking.client': <module 'jupyter_client.blocking.client' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/blocking/client.py'>,
'jupyter_client.blocking': <module 'jupyter_client.blocking' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/blocking/__init__.py'>,
'jupyter_client.launcher': <module 'jupyter_client.launcher' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/launcher.py'>,
'uuid': <module 'uuid' from '/usr/lib/python3.12/uuid.py'>,
'_csv': <module '_csv' (built-in)>,
'csv': <module 'csv' from '/usr/lib/python3.12/csv.py'>,
'email': <module 'email' from '/usr/lib/python3.12/email/__init__.py'>,
'zipfile._path.glob': <module 'zipfile._path.glob' from '/usr/lib/python3.12/zipfile/_path/glob.py'>,
'zipfile._path': <module 'zipfile._path' from '/usr/lib/python3.12/zipfile/_path/__init__.py'>,
'zipfile': <module 'zipfile' from '/usr/lib/python3.12/zipfile/__init__.py'>,
'quopri': <module 'quopri' from '/usr/lib/python3.12/quopri.py'>,
'email._parseaddr': <module 'email._parseaddr' from '/usr/lib/python3.12/email/_parseaddr.py'>,
'email.base64mime': <module 'email.base64mime' from '/usr/lib/python3.12/email/base64mime.py'>,
'email.quoprimime': <module 'email.quoprimime' from '/usr/lib/python3.12/email/quoprimime.py'>,
'email.errors': <module 'email.errors' from '/usr/lib/python3.12/email/errors.py'>,
'email.encoders': <module 'email.encoders' from '/usr/lib/python3.12/email/encoders.py'>,
'email.charset': <module 'email.charset' from '/usr/lib/python3.12/email/charset.py'>,
'email.utils': <module 'email.utils' from '/usr/lib/python3.12/email/utils.py'>,
'email.header': <module 'email.header' from '/usr/lib/python3.12/email/header.py'>,
'email._policybase': <module 'email._policybase' from '/usr/lib/python3.12/email/_policybase.py'>,
'email._encoded_words': <module 'email._encoded_words' from '/usr/lib/python3.12/email/_encoded_words.py'>,
'email.iterators': <module 'email.iterators' from '/usr/lib/python3.12/email/iterators.py'>,
'email.message': <module 'email.message' from '/usr/lib/python3.12/email/message.py'>,
'importlib.metadata._functools': <module 'importlib.metadata._functools' from '/usr/lib/python3.12/importlib/metadata/_functools.py'>,
'importlib.metadata._text': <module 'importlib.metadata._text' from '/usr/lib/python3.12/importlib/metadata/_text.py'>,
'importlib.metadata._adapters': <module 'importlib.metadata._adapters' from '/usr/lib/python3.12/importlib/metadata/_adapters.py'>,
'importlib.metadata._meta': <module 'importlib.metadata._meta' from '/usr/lib/python3.12/importlib/metadata/_meta.py'>,
'importlib.metadata._collections': <module 'importlib.metadata._collections' from '/usr/lib/python3.12/importlib/metadata/_collections.py'>,
'importlib.metadata._itertools': <module 'importlib.metadata._itertools' from '/usr/lib/python3.12/importlib/metadata/_itertools.py'>,
```

```
'importlib.resources.abc': <module 'importlib.resources.abc' from '/usr/lib/python3.12/importlib/resources/abc.py'>,
'importlib.resources._adapters': <module 'importlib.resources._adapters' from '/usr/lib/python3.12/importlib/resources/_adapters.py'>,
'importlib.resources._common': <module 'importlib.resources._common' from '/usr/lib/python3.12/importlib/resources/_common.py'>,
'importlib.resources._legacy': <module 'importlib.resources._legacy' from '/usr/lib/python3.12/importlib/resources/_legacy.py'>,
'importlib.resources': <module 'importlib.resources' from '/usr/lib/python3.12/importlib/resources/__init__.py'>,
'importlib.abc': <module 'importlib.abc' from '/usr/lib/python3.12/importlib/abc.py'>,
'importlib.metadata': <module 'importlib.metadata' from '/usr/lib/python3.12/importlib/metadata/__init__.py'>,
'jupyter_client.provisioning.provisioner_base': <module 'jupyter_client.provisioning.provisioner_base' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/provisioning/provisioner_base.py'>,
'jupyter_client.provisioning.factory': <module 'jupyter_client.provisioning.factory' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/provisioning/factory.py'>,
'jupyter_client.provisioning.local_provisioner': <module 'jupyter_client.provisioning.local_provisioner' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/provisioning/local_provisioner.py'>,
'jupyter_client.provisioning': <module 'jupyter_client.provisioning' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/provisioning/__init__.py'>,
'jupyter_client.kernelspec': <module 'jupyter_client.kernelspec' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/kernelspec.py'>,
'jupyter_client.managerabc': <module 'jupyter_client.managerabc' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/managerabc.py'>,
'jupyter_client.manager': <module 'jupyter_client.manager' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/manager.py'>,
'jupyter_client.multikernelmanager': <module 'jupyter_client.multikernelmanager' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/multikernelmanager.py'>,
'jupyter_client': <module 'jupyter_client' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jupyter_client/__init__.py'>,
'ipykernel.connect': <module 'ipykernel.connect' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/connect.py'>,
'ipykernel': <module 'ipykernel' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/__init__.py'>,
'IPython.core': <module 'IPython.core' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/__init__.py'>,
'IPython.core.getipython': <module 'IPython.core.getipython' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/getipython.py'>,
'IPython.core.release': <module 'IPython.core.release' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/release.py'>,
```

```
'executing._utils': <module 'executing._utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/executing/_utils.py'>,
'executing._exceptions': <module 'executing._exceptions' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/executing/_exceptions.py'>,
'executing._position_node_finder': <module 'executing._position_node_finder' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/executing/_position_node_finder.py'>,
'executing.executing': <module 'executing.executing' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/executing/executing.py'>,
'executing._pytest_utils': <module 'executing._pytest_utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/executing/_pytest_utils.py'>,
'executing.version': <module 'executing.version' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/executing/version.py'>,
'executing': <module 'executing' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/executing/__init__.py'>,
'asttokens.line_numbers': <module 'asttokens.line_numbers' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/asttokens/line_numbers.py'>,
'asttokens.util': <module 'asttokens.util' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/asttokens/util.py'>,
'asttokens.asttokens': <module 'asttokens.asttokens' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/asttokens/asttokens.py'>,
'asttokens': <module 'asttokens' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/asttokens/__init__.py'>,
'fractions': <module 'fractions' from '/usr/lib/python3.12/fractions.py'>,
'pure_eval.utils': <module 'pure_eval.utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/pure_eval/utils.py'>,
'pure_eval.my_getattr_static': <module 'pure_eval.my_getattr_static' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/pure_eval/my_getattr_static.py'>,
'pure_eval.core': <module 'pure_eval.core' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/pure_eval/core.py'>,
'pure_eval.version': <module 'pure_eval.version' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/pure_eval/version.py'>,
'pure_eval': <module 'pure_eval' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/pure_eval/__init__.py'>,
'stack_data.utils': <module 'stack_data.utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/stack_data/utils.py'>,
'stack_data.core': <module 'stack_data.core' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/stack_data/core.py'>,
'stack_data.formatting': <module 'stack_data.formatting' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/stack_data/formatting.py'>,
'stack_data.serializing': <module 'stack_data.serializing' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/stack_data/serializing.py'>,
'stack_data.version': <module 'stack_data.version' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/stack_data/vers
```

```
ion.py'>,
  'stack_data': <module 'stack_data' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/stack_data/__init__.py'>,
  'pygments': <module 'pygments' from '/usr/lib/python3/dist-packages/pygments/__init__.py'>,
  'pygments.formatters._mapping': <module 'pygments.formatters._mapping' from '/usr/lib/python3/dist-packages/pygments/formatters/_mapping.py'>,
  'pygments.plugin': <module 'pygments.plugin' from '/usr/lib/python3/dist-packages/pygments/plugin.py'>,
  'pygments.util': <module 'pygments.util' from '/usr/lib/python3/dist-packages/pygments/util.py'>,
  'pygments.formatters': <module 'pygments.formatters' from '/usr/lib/python3/dist-packages/pygments/formatters/__init__.py'>,
  'pygments.styles._mapping': <module 'pygments.styles._mapping' from '/usr/lib/python3/dist-packages/pygments/styles/_mapping.py'>,
  'pygments.styles': <module 'pygments.styles' from '/usr/lib/python3/dist-packages/pygments/styles/__init__.py'>,
  'pygments.formatter': <module 'pygments.formatter' from '/usr/lib/python3/dist-packages/pygments/formatter.py'>,
  'pygments.console': <module 'pygments.console' from '/usr/lib/python3/dist-packages/pygments/console.py'>,
  'pygments.token': <module 'pygments.token' from '/usr/lib/python3/dist-packages/pygments/token.py'>,
  'pygments.style': <module 'pygments.style' from '/usr/lib/python3/dist-packages/pygments/style.py'>,
  'pygments.formatters.terminal256': <module 'pygments.formatters.terminal256' from '/usr/lib/python3/dist-packages/pygments/formatters/terminal256.py'>,
  'IPython.utils': <module 'IPython.utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/__init__.py'>,
  'shlex': <module 'shlex' from '/usr/lib/python3.12/shlex.py'>,
  'IPython.utils.encoding': <module 'IPython.utils.encoding' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/encoding.py'>,
  'IPython.utils.py3compat': <module 'IPython.utils.py3compat' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/py3compat.py'>,
  'IPython.utils._process_common': <module 'IPython.utils._process_common' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/_process_common.py'>,
  'IPython.utils._process_posix': <module 'IPython.utils._process_posix' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/_process_posix.py'>,
  'IPython.utils.process': <module 'IPython.utils.process' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/process.py'>,
  'IPython.utils.path': <module 'IPython.utils.path' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/path.py'>,
  'pygments.styles.monokai': <module 'pygments.styles.monokai' from '/usr/lib/python3/dist-packages/pygments/styles/monokai.py'>,
  'pygments.styles.default': <module 'pygments.styles.default' from '/usr/lib/python3/dist-packages/pygments/styles/default.py'>,
  'pygments.styles.pastie': <module 'pygments.styles.pastie' from '/usr/lib/python3/dist-packages/pygments/styles/pastie.py'>,
  'pygments.styles.gruvbox': <module 'pygments.styles.gruvbox' from '/usr/lib/python3/
```

```
dist-packages/pygments/styles/gruvbox.py'>,
'IPython.utils.PyColorize': <module 'IPython.utils.PyColorize' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/PyColorize.py'>,
'IPython.utils.terminal': <module 'IPython.utils.terminal' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/terminal.py'>,
'IPython.core.display_trap': <module 'IPython.core.display_trap' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/display_trap.py'>,
'pkgutil': <module 'pkgutil' from '/usr/lib/python3.12/pkgutil.py'>,
'sysconfig': <module 'sysconfig' from '/usr/lib/python3.12/sysconfig.py'>,
'_sysconfigdata__x86_64-linux-gnu': <module '_sysconfigdata__x86_64-linux-gnu' from '/usr/lib/python3.12/_sysconfigdata__x86_64-linux-gnu.py'>,
'pydoc': <module 'pydoc' from '/usr/lib/python3.12/pydoc.py'>,
'codeop': <module 'codeop' from '/usr/lib/python3.12/codeop.py'>,
'IPython.core.debugger_backport': <module 'IPython.core.debugger_backport' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/debugger_backport.py'>,
'cmd': <module 'cmd' from '/usr/lib/python3.12/cmd.py'>,
'bdb': <module 'bdb' from '/usr/lib/python3.12/bdb.py'>,
'code': <module 'code' from '/usr/lib/python3.12/code.py'>,
'pdb': <module 'pdb' from '/usr/lib/python3.12/pdb.py'>,
'IPython.core.debugger': <module 'IPython.core.debugger' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/debugger.py'>,
'IPython.core.tbtools': <module 'IPython.core.tbtools' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/tbtools.py'>,
'IPython.core.doctb': <module 'IPython.core.doctb' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/doctb.py'>,
'IPython.core.ultratb': <module 'IPython.core.ultratb' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/ultratb.py'>,
'IPython.utils._sysinfo': <module 'IPython.utils._sysinfo' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/_sysinfo.py'>,
'IPython.utils.sysinfo': <module 'IPython.utils.sysinfo' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/sysinfo.py'>,
'IPython.core.crashhandler': <module 'IPython.core.crashhandler' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/crashhandler.py'>,
'IPython.utils.importstring': <module 'IPython.utils.importstring' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/importstring.py'>,
'IPython.paths': <module 'IPython.paths' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/paths.py'>,
'IPython.core.profiledir': <module 'IPython.core.profiledir' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/profiledir.py'>,
'IPython.core.application': <module 'IPython.core.application' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/application.py'>,
'IPython.terminal': <module 'IPython.terminal' from '/home/anshulgarg/Documents/Obse
```

```
dianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/terminal/__
init__.py'>,
'IPython.core.compilerop': <module 'IPython.core.compilerop' from '/home/anshulgarg/
Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPyth
on/core/compilerop.py'>,
'IPython.core.error': <module 'IPython.core.error' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/er
ror.py'>,
'IPython.utils.docs': <module 'IPython.utils.docs' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/d
ocs.py'>,
'IPython.utils.decorators': <module 'IPython.utils.decorators' from '/home/anshulgar
g/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPy
thon/utils/decorators.py'>,
'IPython.utils.text': <module 'IPython.utils.text' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/t
ext.py'>,
'IPython.core.magic_arguments': <module 'IPython.core.magic_arguments' from '/home/a
nshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-pack
ages/IPython/core/magic_arguments.py'>,
'getopt': <module 'getopt' from '/usr/lib/python3.12/getopt.py'>,
'IPython.core.display_functions': <module 'IPython.core.display_functions' from '/ho
me/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-
packages/IPython/core/display_functions.py'>,
'mimetypes': <module 'mimetypes' from '/usr/lib/python3.12/mimetypes.py'>,
'IPython.testing': <module 'IPython.testing' from '/home/anshulgarg/Documents/Obsemi
anVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/testing/__ini
t__.py'>,
'IPython.testing.skipdoctest': <module 'IPython.testing.skipdoctest' from '/home/ans
hulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packag
es/IPython/testing/skipdoctest.py'>,
'IPython.core.display': <module 'IPython.core.display' from '/home/anshulgarg/Docume
nts/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/cor
e/display.py'>,
'IPython.lib': <module 'IPython.lib' from '/home/anshulgarg/Documents/ObsidianVault/
Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/lib/__init__.py'>,
'IPython.lib.display': <module 'IPython.lib.display' from '/home/anshulgarg/Document
s/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/lib/d
isplay.py'>,
'IPython.display': <module 'IPython.display' from '/home/anshulgarg/Documents/Obsemi
anVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/display.py'>,
'IPython.utils.data': <module 'IPython.utils.data' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/d
ata.py'>,
'IPython.core.page': <module 'IPython.core.page' from '/home/anshulgarg/Documents/Ob
sidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/pag
e.py'>,
'IPython.lib.pretty': <module 'IPython.lib.pretty' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/lib/pre
tty.py'>,
'IPython.utils.openpy': <module 'IPython.utils.openpy' from '/home/anshulgarg/Docume
nts/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/uti
ls/openpy.py'>,
'IPython.utils.dir2': <module 'IPython.utils.dir2' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/d
ir2.py'>,>
```



```
'IPython.utils.wildcard': <module 'IPython.utils.wildcard' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/wildcard.py'>,
'pygments.lexers._mapping': <module 'pygments.lexers._mapping' from '/usr/lib/python3/dist-packages/pygments/lexers/_mapping.py'>,
'pygments.modeline': <module 'pygments.modeline' from '/usr/lib/python3/dist-packages/pygments/modeline.py'>,
'pygments.lexers': <module 'pygments.lexers' from '/usr/lib/python3/dist-packages/pygments/lexers/__init__.py'>,
'pygments.filter': <module 'pygments.filter' from '/usr/lib/python3/dist-packages/pygments/filter.py'>,
'pygments.filters': <module 'pygments.filters' from '/usr/lib/python3/dist-packages/pygments/filters/__init__.py'>,
'pygments.regexopt': <module 'pygments.regexopt' from '/usr/lib/python3/dist-packages/pygments/regexopt.py'>,
'pygments.lexer': <module 'pygments.lexer' from '/usr/lib/python3/dist-packages/pygments/lexer.py'>,
'pygments.unistring': <module 'pygments.unistring' from '/usr/lib/python3/dist-packages/pygments/unistring.py'>,
'pygments.lexers.python': <module 'pygments.lexers.python' from '/usr/lib/python3/dist-packages/pygments/lexers/python.py'>,
'pygments.formatters.html': <module 'pygments.formatters.html' from '/usr/lib/python3/dist-packages/pygments/formatters/html.py'>,
'IPython.core.oinspect': <module 'IPython.core.oinspect' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/oinspect.py'>,
'IPython.utils.tokenutil': <module 'IPython.utils.tokenutil' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/tokenutil.py'>,
'IPython.core.inputtransformer2': <module 'IPython.core.inputtransformer2' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/inputtransformer2.py'>,
'IPython.utils.ipstruct': <module 'IPython.utils.ipstruct' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/ipstruct.py'>,
'IPython.core.magic': <module 'IPython.core.magic' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magic.py'>,
'IPython.external': <module 'IPython.external' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/external/__init__.py'>,
'IPython.external.pickleshare': <module 'IPython.external.pickleshare' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/external/pickleshare.py'>,
'IPython.core.hooks': <module 'IPython.core.hooks' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/hooks.py'>,
'IPython.core.autocall': <module 'IPython.core.autocall' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/autocall.py'>,
'IPython.core.macro': <module 'IPython.core.macro' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/macro.py'>,
'IPython.core.splitinput': <module 'IPython.core.splitinput' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/splitinput.py'>,
```

```
'IPython.core.prefilter': <module 'IPython.core.prefilter' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/prefilter.py'>,
'IPython.core.alias': <module 'IPython.core.alias' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/alias.py'>,
'IPython.core.builtin_trap': <module 'IPython.core.builtin_trap' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/builtin_trap.py'>,
'decorator': <module 'decorator' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/decorator.py'>,
'_sqlite3': <module '_sqlite3' from '/usr/lib/python3.12/lib-dynload/_sqlite3.cpython-312-x86_64-linux-gnu.so'>,
'sqlite3.dbapi2': <module 'sqlite3.dbapi2' from '/usr/lib/python3.12/sqlite3/dbapi2.py'>,
'sqlite3': <module 'sqlite3' from '/usr/lib/python3.12/sqlite3/__init__.py'>,
'IPython.core.history': <module 'IPython.core.history' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/history.py'>,
'IPython.core.displayhook': <module 'IPython.core.displayhook' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/displayhook.py'>,
'IPython.core.displaypub': <module 'IPython.core.displaypub' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/displaypub.py'>,
'IPython.core.events': <module 'IPython.core.events' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/events.py'>,
'IPython.core.extensions': <module 'IPython.core.extensions' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/extensions.py'>,
'IPython.utils.sentinel': <module 'IPython.utils.sentinel' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/sentinel.py'>,
'IPython.core.formatters': <module 'IPython.core.formatters' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/formatters.py'>,
'IPython.core.logger': <module 'IPython.core.logger' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/logger.py'>,
'IPython.core.payload': <module 'IPython.core.payload' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/payload.py'>,
'IPython.core.tips': <module 'IPython.core.tips' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/tips.py'>,
'IPython.core.usage': <module 'IPython.core.usage' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/usage.py'>,
'IPython.utils.capture': <module 'IPython.utils.capture' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/capture.py'>,
'IPython.utils.io': <module 'IPython.utils.io' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/io.py'>,
'IPython.utils.strdispatch': <module 'IPython.utils.strdispatch' from '/home/anshulg
```

```
arg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/
utils/strdispatch.py'>,
  'IPython.utils.syspathcontext': <module 'IPython.utils.syspathcontext' from '/home/an
shulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-pack
ages/IPython/utils/syspathcontext.py'>,
  'IPython.core.async_helpers': <module 'IPython.core.async_helpers' from '/home/anshu
lgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-package
s/IPython/core/async_helpers.py'>,
  'IPython.core.interactiveshell': <module 'IPython.core.interactiveshell' from '/hom
e/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-p
ackages/IPython/core/interactiveshell.py'>,
  'prompt_toolkit.application.current': <module 'prompt_toolkit.application.current' f
rom '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.
12/site-packages/prompt_toolkit/application/current.py'>,
  'prompt_toolkit.eventloop.utils': <module 'prompt_toolkit.eventloop.utils' from '/ho
me/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-
packages/prompt_toolkit/eventloop/utils.py'>,
  'prompt_toolkit.eventloop.async_generator': <module 'prompt_toolkit.eventloop.async_
generator' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/
lib/python3.12/site-packages/prompt_toolkit/eventloop/async_generator.py'>,
  'prompt_toolkit.eventloop.inputhook': <module 'prompt_toolkit.eventloop.inputhook' f
rom '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.
12/site-packages/prompt_toolkit/eventloop/inputhook.py'>,
  'prompt_toolkit.eventloop': <module 'prompt_toolkit.eventloop' from '/home/anshulgar
g/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/pro
mpt_toolkit/eventloop/__init__.py'>,
  'prompt_toolkit.application.run_in_terminal': <module 'prompt_toolkit.application.ru
n_in_terminal' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.v
env/lib/python3.12/site-packages/prompt_toolkit/application/run_in_terminal.py'>,
  'prompt_toolkit.selection': <module 'prompt_toolkit.selection' from '/home/anshulgar
g/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/pro
mpt_toolkit/selection.py'>,
  'prompt_toolkit.clipboard.base': <module 'prompt_toolkit.clipboard.base' from '/hom
e/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-p
ackages/prompt_toolkit/clipboard/base.py'>,
  'prompt_toolkit.clipboard.in_memory': <module 'prompt_toolkit.clipboard.in_memory' f
rom '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.
12/site-packages/prompt_toolkit/clipboard/in_memory.py'>,
  'prompt_toolkit.clipboard': <module 'prompt_toolkit.clipboard' from '/home/anshulgar
g/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/pro
mpt_toolkit/clipboard/__init__.py'>,
  'prompt_toolkit.cache': <module 'prompt_toolkit.cache' from '/home/anshulgarg/Docume
nts/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_tool
kit/cache.py'>,
  'prompt_toolkit.enums': <module 'prompt_toolkit.enums' from '/home/anshulgarg/Docume
nts/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_tool
kit/enums.py'>,
  'prompt_toolkit.filters.base': <module 'prompt_toolkit.filters.base' from '/home/ans
hulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packag
es/prompt_toolkit/filters/base.py'>,
  'prompt_toolkit.filters.app': <module 'prompt_toolkit.filters.app' from '/home/anshu
lgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-package
s/prompt_toolkit/filters/app.py'>,
  'prompt_toolkit.filters.cli': <module 'prompt_toolkit.filters.cli' from '/home/anshu
lgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-package
s/prompt_toolkit/filters/cli.py'>,
```

```
'prompt_toolkit.filters.utils': <module 'prompt_toolkit.filters.utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/filters/utils.py'>,
'prompt_toolkit.filters': <module 'prompt_toolkit.filters' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/filters/__init__.py'>,
'prompt_toolkit.document': <module 'prompt_toolkit.document' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/document.py'>,
'prompt_toolkit.auto_suggest': <module 'prompt_toolkit.auto_suggest' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/auto_suggest.py'>,
'prompt_toolkit.keys': <module 'prompt_toolkit.keys' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/keys.py'>,
'prompt_toolkit.key_binding.key_bindings': <module 'prompt_toolkit.key_binding.key_bindings' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/key_binding/key_bindings.py'>,
'wcwidth.bisearch': <module 'wcwidth.bisearch' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/bisearch.py'>,
'wcwidth.table_grapheme': <module 'wcwidth.table_grapheme' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/table_grapheme.py'>,
'wcwidth.grapheme': <module 'wcwidth.grapheme' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/grapheme.py'>,
'wcwidth.table_mc': <module 'wcwidth.table_mc' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/table_mc.py'>,
'wcwidth.sgr_state': <module 'wcwidth.sgr_state' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/sgr_state.py'>,
'wcwidth.table_vs16': <module 'wcwidth.table_vs16' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/table_vs16.py'>,
'wcwidth.table_wide': <module 'wcwidth.table_wide' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/table_wide.py'>,
'wcwidth.table_zero': <module 'wcwidth.table_zero' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/table_zero.py'>,
'wcwidth.control_codes': <module 'wcwidth.control_codes' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/control_codes.py'>,
'wcwidth.table_ambiguous': <module 'wcwidth.table_ambiguous' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/table_ambiguous.py'>,
'wcwidth.escape_sequences': <module 'wcwidth.escape_sequences' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/escape_sequences.py'>,
'wcwidth.unicode_versions': <module 'wcwidth.unicode_versions' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/unicode_versions.py'>,
'wcwidth.wcwidth': <module 'wcwidth.wcwidth' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/wcwidth.py'>,
```

```
'secrets': <module 'secrets' from '/usr/lib/python3.12/secrets.py'>,
'wcwidth.textwrap': <module 'wcwidth.textwrap' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/textwrap.py'>,
'wcwidth': <module 'wcwidth' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/wcwidth/__init__.py'>,
'prompt_toolkit.utils': <module 'prompt_toolkit.utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/utils.py'>,
'prompt_toolkit.key_binding.key_processor': <module 'prompt_toolkit.key_binding.key_processor' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/key_binding/key_processor.py'>,
'prompt_toolkit.key_binding': <module 'prompt_toolkit.key_binding' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/key_binding/__init__.py'>,
'prompt_toolkit.key_binding.vi_state': <module 'prompt_toolkit.key_binding.vi_state' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/key_binding/vi_state.py'>,
'prompt_toolkit.cursor_shapes': <module 'prompt_toolkit.cursor_shapes' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/cursor_shapes.py'>,
'prompt_toolkit.data_structures': <module 'prompt_toolkit.data_structures' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/data_structures.py'>,
'prompt_toolkit.styles.base': <module 'prompt_toolkit.styles.base' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/styles/base.py'>,
'prompt_toolkit.styles.named_colors': <module 'prompt_toolkit.styles.named_colors' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/styles/named_colors.py'>,
'prompt_toolkit.styles.style': <module 'prompt_toolkit.styles.style' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/styles/style.py'>,
'prompt_toolkit.styles.defaults': <module 'prompt_toolkit.styles.defaults' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/styles/defaults.py'>,
'prompt_toolkit.styles.pygments': <module 'prompt_toolkit.styles.pygments' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/styles/pygments.py'>,
'colorsys': <module 'colorsys' from '/usr/lib/python3.12/colorsys.py'>,
'prompt_toolkit.styles.style_transformation': <module 'prompt_toolkit.styles.style_transformation' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/styles/style_transformation.py'>,
'prompt_toolkit.styles': <module 'prompt_toolkit.styles' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/styles/__init__.py'>,
'prompt_toolkit.output.color_depth': <module 'prompt_toolkit.output.color_depth' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/output/color_depth.py'>,
'prompt_toolkit.output.base': <module 'prompt_toolkit.output.base' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/output/base.py'>,
'prompt_toolkit.output.flush_stdout': <module 'prompt_toolkit.output.flush_stdout' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/output/flush_stdout.py'>,
'prompt_toolkit.output.plain_text': <module 'prompt_toolkit.output.plain_text' from
```

```

'/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/output/plain_text.py'>,
'prompt_toolkit.output.defaults': <module 'prompt_toolkit.output.defaults' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/output/defaults.py'>,
'prompt_toolkit.output': <module 'prompt_toolkit.output' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/output/__init__.py'>,
'prompt_toolkit.output.vt100': <module 'prompt_toolkit.output.vt100' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/output/vt100.py'>,
'prompt_toolkit.mouse_events': <module 'prompt_toolkit.mouse_events' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/mouse_events.py'>,
'prompt_toolkit.formatted_text.base': <module 'prompt_toolkit.formatted_text.base' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/formatted_text/base.py'>,
'prompt_toolkit.formatted_text.ansi': <module 'prompt_toolkit.formatted_text.ansi' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/formatted_text/ansi.py'>,
'xml': <module 'xml' from '/usr/lib/python3.12/xml/__init__.py'>,
'xml.dom.domreg': <module 'xml.dom.domreg' from '/usr/lib/python3.12/xml/dom/domreg.py'>,
'xml.dom': <module 'xml.dom' from '/usr/lib/python3.12/xml/dom/__init__.py'>,
'xml.dom.minicompat': <module 'xml.dom.minicompat' from '/usr/lib/python3.12/xml/dom/minicompat.py'>,
'xml.dom.NodeFilter': <module 'xml.dom.NodeFilter' from '/usr/lib/python3.12/xml/dom/NodeFilter.py'>,
'xml.dom.xmlbuilder': <module 'xml.dom.xmlbuilder' from '/usr/lib/python3.12/xml/dom/xmlbuilder.py'>,
'xml.dom.minidom': <module 'xml.dom.minidom' from '/usr/lib/python3.12/xml/dom/minidom.py'>,
'prompt_toolkit.formatted_text.html': <module 'prompt_toolkit.formatted_text.html' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/formatted_text/html.py'>,
'prompt_toolkit.formatted_text.pygments': <module 'prompt_toolkit.formatted_text.pygments' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/formatted_text/pygments.py'>,
'prompt_toolkit.formatted_text.utils': <module 'prompt_toolkit.formatted_text.utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/formatted_text/utils.py'>,
'prompt_toolkit.formatted_text': <module 'prompt_toolkit.formatted_text' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/formatted_text/__init__.py'>,
'prompt_toolkit.completion.base': <module 'prompt_toolkit.completion.base' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/completion/base.py'>,
'prompt_toolkit.completion.deduplicate': <module 'prompt_toolkit.completion.deduplicate' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/completion/deduplicate.py'>,
'prompt_toolkit.completion.filesystem': <module 'prompt_toolkit.completion.filesystem' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/completion/filesystem.py'>,
'prompt_toolkit.completion.word_completer': <module 'prompt_toolkit.completion.word_completer' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/completion/word_completer.py'>,

```

```
'prompt_toolkit.completion.fuzzy_completer': <module 'prompt_toolkit.completion.fuzz
y_completer' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.ven
v/lib/python3.12/site-packages/prompt_toolkit/completion/fuzzy_completer.py'>,
'prompt_toolkit.completion.nested': <module 'prompt_toolkit.completion.nested' from
'/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/s
ite-packages/prompt_toolkit/completion/nested.py'>,
'prompt_toolkit.completion': <module 'prompt_toolkit.completion' from '/home/anshulg
arg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/p
rompt_toolkit/completion/__init__.py'>,
'prompt_toolkit.history': <module 'prompt_toolkit.history' from '/home/anshulgarg/Do
cuments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_
toolkit/history.py'>,
'prompt_toolkit.search': <module 'prompt_toolkit.search' from '/home/anshulgarg/Docu
ments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_to
olkit/search.py'>,
'prompt_toolkit.validation': <module 'prompt_toolkit.validation' from '/home/anshulg
arg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/p
rompt_toolkit/validation.py'>,
'prompt_toolkit.buffer': <module 'prompt_toolkit.buffer' from '/home/anshulgarg/Docu
ments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_to
olkit/buffer.py'>,
'prompt_toolkit.input.base': <module 'prompt_toolkit.input.base' from '/home/anshulg
arg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/p
rompt_toolkit/input/base.py'>,
'prompt_toolkit.input.defaults': <module 'prompt_toolkit.input.defaults' from '/hom
e/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-p
ackages/prompt_toolkit/input/defaults.py'>,
'prompt_toolkit.input': <module 'prompt_toolkit.input' from '/home/anshulgarg/Docume
nts/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_tool
kit/input/__init__.py'>,
'prompt_toolkit.input.typeahead': <module 'prompt_toolkit.input.typeahead' from '/ho
me/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-
packages/prompt_toolkit/input/typeahead.py'>,
'prompt_toolkit.key_binding.bindings': <module 'prompt_toolkit.key_binding.bindings'
from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python
3.12/site-packages/prompt_toolkit/key_binding/bindings/__init__.py'>,
'prompt_toolkit.key_binding.bindings.scroll': <module 'prompt_toolkit.key_binding.bi
ndings.scroll' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.v
env/lib/python3.12/site-packages/prompt_toolkit/key_binding/bindings/scroll.py'>,
'prompt_toolkit.key_binding.bindings.page_navigation': <module 'prompt_toolkit.key_b
inding.bindings.page_navigation' from '/home/anshulgarg/Documents/ObsidianVault/Hesta
bit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/key_binding/binding
s/page_navigation.py'>,
'prompt_toolkit.lexers.base': <module 'prompt_toolkit.lexers.base' from '/home/anshu
lgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-package
s/prompt_toolkit/lexers/base.py'>,
'prompt_toolkit.lexers.pygments': <module 'prompt_toolkit.lexers.pygments' from '/ho
me/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-
packages/prompt_toolkit/lexers/pygments.py'>,
'prompt_toolkit.lexers': <module 'prompt_toolkit.lexers' from '/home/anshulgarg/Docu
ments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_to
olkit/lexers/__init__.py'>,
'prompt_toolkit.layout.utils': <module 'prompt_toolkit.layout.utils' from '/home/ans
hulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packag
es/prompt_toolkit/layout/utils.py'>,
'prompt_toolkit.layout.processors': <module 'prompt_toolkit.layout.processors' from
```

```

'/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/layout/processors.py'>,
'prompt_toolkit.layout.controls': <module 'prompt_toolkit.layout.controls' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/layout/controls.py'>,
'prompt_toolkit.layout.dimension': <module 'prompt_toolkit.layout.dimension' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/layout/dimension.py'>,
'prompt_toolkit.layout.margins': <module 'prompt_toolkit.layout.margins' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/layout/margins.py'>,
'prompt_toolkit.layout.mouse_handlers': <module 'prompt_toolkit.layout.mouse_handlers' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/layout/mouse_handlers.py'>,
'prompt_toolkit.layout.screen': <module 'prompt_toolkit.layout.screen' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/layout/screen.py'>,
'prompt_toolkit.layout.containers': <module 'prompt_toolkit.layout.containers' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/layout/containers.py'>,
'prompt_toolkit.layout.layout': <module 'prompt_toolkit.layout.layout' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/layout/layout.py'>,
'prompt_toolkit.layout.menus': <module 'prompt_toolkit.layout.menus' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/layout/menus.py'>,
'prompt_toolkit.layout.scrollable_pane': <module 'prompt_toolkit.layout.scrollable_pane' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/layout/scrollable_pane.py'>,
'prompt_toolkit.layout': <module 'prompt_toolkit.layout' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/layout/__init__.py'>,
'prompt_toolkit.key_binding.bindings.completion': <module 'prompt_toolkit.key_binding.bindings.completion' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/key_binding/bindings/completion.py'>,
'prompt_toolkit.key_binding.bindings.named_commands': <module 'prompt_toolkit.key_binding.bindings.named_commands' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/key_binding/bindings/named_commands.py'>,
'prompt_toolkit.key_binding.bindings.basic': <module 'prompt_toolkit.key_binding.bindings.basic' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/key_binding/bindings/basic.py'>,
'prompt_toolkit.key_binding.bindings.cpr': <module 'prompt_toolkit.key_binding.bindings.cpr' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/key_binding/bindings/cpr.py'>,
'prompt_toolkit.key_binding.bindings.emacs': <module 'prompt_toolkit.key_binding.bindings.emacs' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/key_binding/bindings/emacs.py'>,
'prompt_toolkit.key_binding.bindings.mouse': <module 'prompt_toolkit.key_binding.bindings.mouse' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/key_binding/bindings/mouse.py'>,
'prompt_toolkit.input.ansi_escape_sequences': <module 'prompt_toolkit.input.ansi_escape_sequences' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/input/ansi_escape_sequences.py'>,
'prompt_toolkit.input.vt100_parser': <module 'prompt_toolkit.input.vt100_parser' fro

```



```
m '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/input/vt100_parser.py'>,
'prompt_toolkit.key_binding.digraphs': <module 'prompt_toolkit.key_binding.digraphs'
from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python
3.12/site-packages/prompt_toolkit/key_binding/digraphs.py'>,
'prompt_toolkit.key_binding.bindings.vi': <module 'prompt_toolkit.key_binding.bindin
gs.vi' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/
python3.12/site-packages/prompt_toolkit/key_binding/bindings/vi.py'>,
'prompt_toolkit.key_binding.defaults': <module 'prompt_toolkit.key_binding.defaults'
from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python
3.12/site-packages/prompt_toolkit/key_binding/defaults.py'>,
'prompt_toolkit.key_binding.emacs_state': <module 'prompt_toolkit.key_binding.emacs_
state' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/
python3.12/site-packages/prompt_toolkit/key_binding/emacs_state.py'>,
'prompt_toolkit.layout.dummy': <module 'prompt_toolkit.layout.dummy' from '/home/ans
hulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packag
es/prompt_toolkit/layout/dummy.py'>,
'prompt_toolkit.renderer': <module 'prompt_toolkit.renderer' from '/home/anshulgarg/
Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/promp
t_toolkit/renderer.py'>,
'prompt_toolkit.application.application': <module 'prompt_toolkit.application.applic
ation' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/
python3.12/site-packages/prompt_toolkit/application/application.py'>,
'prompt_toolkit.application.dummy': <module 'prompt_toolkit.application.dummy' from
'/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/s
ite-packages/prompt_toolkit/application/dummy.py'>,
'prompt_toolkit.application': <module 'prompt_toolkit.application' from '/home/anshu
lgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-package
s/prompt_toolkit/application/__init__.py'>,
'prompt_toolkit.widgets.toolbars': <module 'prompt_toolkit.widgets.toolbars' from '/
home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/sit
e-packages/prompt_toolkit/widgets/toolbars.py'>,
'prompt_toolkit.widgets.base': <module 'prompt_toolkit.widgets.base' from '/home/ans
hulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packag
es/prompt_toolkit/widgets/base.py'>,
'prompt_toolkit.key_binding.bindings.focus': <module 'prompt_toolkit.key_binding.bin
dings.focus' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.ven
v/lib/python3.12/site-packages/prompt_toolkit/key_binding/bindings/focus.py'>,
'prompt_toolkit.widgets.dialogs': <module 'prompt_toolkit.widgets.dialogs' from '/ho
me/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-
packages/prompt_toolkit/widgets/dialogs.py'>,
'prompt_toolkit.widgets.menus': <module 'prompt_toolkit.widgets.menus' from '/home/a
nshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-pack
ages/prompt_toolkit/widgets/menus.py'>,
'prompt_toolkit.widgets': <module 'prompt_toolkit.widgets' from '/home/anshulgarg/Do
cuments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_
toolkit/widgets/__init__.py'>,
'prompt_toolkit.shortcuts.choice_input': <module 'prompt_toolkit.shortcuts.choice_in
put' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/py
thon3.12/site-packages/prompt_toolkit/shortcuts/choice_input.py'>,
'prompt_toolkit.shortcuts.dialogs': <module 'prompt_toolkit.shortcuts.dialogs' from
'/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/s
ite-packages/prompt_toolkit/shortcuts/dialogs.py'>,
'xml.parsers': <module 'xml.parsers' from '/usr/lib/python3.12/xml/parsers/__init__.
py'>,
'pyexpat.errors': <module 'pyexpat.errors'>,
```

```
'pyexpat.model': <module 'pyexpat.model'>,
'pyexpat': <module 'pyexpat' (built-in)>,
'xml.parsers.expat.model': <module 'pyexpat.model'>,
'xml.parsers.expat.errors': <module 'pyexpat.errors'>,
'xml.parsers.expat': <module 'xml.parsers.expat' from '/usr/lib/python3.12/xml/parsers/
expat.py'>,
'xml.dom.expatbuilder': <module 'xml.dom.expatbuilder' from '/usr/lib/python3.12/xm
l/dom/expatbuilder.py'>,
'prompt_toolkit.shortcuts.progress_bar.formatters': <module 'prompt_toolkit.shortcut
s.progress_bar.formatters' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/We
ek6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/shortcuts/progress_bar/fo
rmatters.py'>,
'prompt_toolkit.shortcuts.progress_bar.base': <module 'prompt_toolkit.shortcuts.prog
ress_bar.base' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.v
env/lib/python3.12/site-packages/prompt_toolkit/shortcuts/progress_bar/base.py'>,
'prompt_toolkit.shortcuts.progress_bar': <module 'prompt_toolkit.shortcuts.progress_
bar' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/py
thon3.12/site-packages/prompt_toolkit/shortcuts/progress_bar/__init__.py'>,
'prompt_toolkit.key_binding.bindings.auto_suggest': <module 'prompt_toolkit.key_bind
ing.bindings.auto_suggest' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/We
ek6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/key_binding/bindings/auto
_suggest.py'>,
'prompt_toolkit.key_binding.bindings.open_in_editor': <module 'prompt_toolkit.key_bi
nding.bindings.open_in_editor' from '/home/anshulgarg/Documents/ObsidianVault/Hestabi
t/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/key_binding/bindings/
open_in_editor.py'>,
'prompt_toolkit.shortcuts.prompt': <module 'prompt_toolkit.shortcuts.prompt' from '/
home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/sit
e-packages/prompt_toolkit/shortcuts/prompt.py'>,
'prompt_toolkit.shortcuts.utils': <module 'prompt_toolkit.shortcuts.utils' from '/ho
me/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-
packages/prompt_toolkit/shortcuts/utils.py'>,
'prompt_toolkit.shortcuts': <module 'prompt_toolkit.shortcuts' from '/home/anshulgar
g/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/pro
mpt_toolkit/shortcuts/__init__.py'>,
'email.feedparser': <module 'email.feedparser' from '/usr/lib/python3.12/email/feedp
arser.py'>,
'email.parser': <module 'email.parser' from '/usr/lib/python3.12/email/parser.py'>,
'prompt_toolkit': <module 'prompt_toolkit' from '/home/anshulgarg/Documents/Obsidian
Vault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/prompt_toolkit/__init_
_.py'>,
'prompt_toolkit.patch_stdout': <module 'prompt_toolkit.patch_stdout' from '/home/ans
hulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packag
es/prompt_toolkit/patch_stdout.py'>,
'unicondata': <module 'unicondata' (built-in)>,
'IPython.core.guarded_eval': <module 'IPython.core.guarded_eval' from '/home/anshulg
arg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/I
Python/core/guarded_eval.py'>,
'IPython.core.latex_symbols': <module 'IPython.core.latex_symbols' from '/home/anshu
lgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-package
s/IPython/core/latex_symbols.py'>,
'IPython.utils.generics': <module 'IPython.utils.generics' from '/home/anshulgarg/Do
cuments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPytho
n/utils/generics.py'>,
'parso.utils': <module 'parso.utils' from '/home/anshulgarg/Documents/ObsidianVault/
Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/utils.py'>,
```

```
'parso.tree': <module 'parso.tree' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/tree.py'>,
'parso.python': <module 'parso.python' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/python/__init__.py'>,
'parso.python.token': <module 'parso.python.token' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/python/token.py'>,
'parso.python.tokenize': <module 'parso.python.tokenize' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/python/tokenize.py'>,
'parso.pgen2.grammar_parser': <module 'parso.pgen2.grammar_parser' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/pgen2/grammar_parser.py'>,
'parso.pgen2.generator': <module 'parso.pgen2.generator' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/pgen2/generator.py'>,
'parso.pgen2': <module 'parso.pgen2' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/pgen2/__init__.py'>,
'parso.parser': <module 'parso.parser' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/parser.py'>,
'parso._compatibility': <module 'parso._compatibility' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/_compatibility.py'>,
'difflib': <module 'difflib' from '/usr/lib/python3.12/difflib.py'>,
'parso.python.prefix': <module 'parso.python.prefix' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/python/prefix.py'>,
'parso.python.tree': <module 'parso.python.tree' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/python/tree.py'>,
'parso.python.parser': <module 'parso.python.parser' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/python/parser.py'>,
'parso.python.diff': <module 'parso.python.diff' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/python/diff.py'>,
'gc': <module 'gc' (built-in)>,
'parso.cache': <module 'parso.cache' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/cache.py'>,
'parso.normalizer': <module 'parso.normalizer' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/normalizer.py'>,
'parso.python.errors': <module 'parso.python.errors' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/python/errors.py'>,
'parso.python.pep8': <module 'parso.python.pep8' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/python/pep8.py'>,
'parso.file_io': <module 'parso.file_io' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/file_io.py'>,
'parso.grammar': <module 'parso.grammar' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/grammar.py'>,
'parso': <module 'parso' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/parso/__init__.py'>,
'jedi.parser_utils': <module 'jedi.parser_utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/parser_util
```

```
s.py'>,
'jedi.debug': <module 'jedi.debug' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/debug.py'>,
'jedi.settings': <module 'jedi.settings' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/settings.py'>,
'jedi.cache': <module 'jedi.cache' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/cache.py'>,
'jedi.file_io': <module 'jedi.file_io' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/file_io.py'>,
'jedi.inference.cache': <module 'jedi.inference.cache' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/cache.py'>,
'jedi.inference.helpers': <module 'jedi.inference.helpers' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/helpers.py'>,
'jedi.inference.utils': <module 'jedi.inference.utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/utils.py'>,
'jedi.inference.base_value': <module 'jedi.inference.base_value' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/base_value.py'>,
'jedi.inference.sys_path': <module 'jedi.inference.sys_path' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/sys_path.py'>,
'jedi.inference.recursion': <module 'jedi.inference.recursion' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/recursion.py'>,
'jedi.inference.flow_analysis': <module 'jedi.inference.flow_analysis' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/flow_analysis.py'>,
'jedi.common': <module 'jedi.common' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/common.py'>,
'jedi.inference.lazy_value': <module 'jedi.inference.lazy_value' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/lazy_value.py'>,
'jedi.inference.docstrings': <module 'jedi.inference.docstrings' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/docstrings.py'>,
'jedi.plugins': <module 'jedi.plugins' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/plugins/__init__.py'>,
'jedi.inference.names': <module 'jedi.inference.names' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/names.py'>,
'jedi.inference.filters': <module 'jedi.inference.filters' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/filters.py'>,
'jedi.inference.compiled.getattr_static': <module 'jedi.inference.compiled.getattr_static' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/compiled/getattr_static.py'>,
'jedi.inference.compiled.access': <module 'jedi.inference.compiled.access' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/compiled/access.py'>,
'jedi.inference.signature': <module 'jedi.inference.signature' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/signature.py'>,
'jedi.inference.context': <module 'jedi.inference.context' from '/home/anshulgarg/Do
```

```
cuments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/context.py'>,
'jedi.inference.compiled.value': <module 'jedi.inference.compiled.value' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/compiled/value.py'>,
'jedi.inference.compiled': <module 'jedi.inference.compiled' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/compiled/__init__.py'>,
'jedi.inference.analysis': <module 'jedi.inference.analysis' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/analysis.py'>,
'jedi.inference.gradual': <module 'jedi.inference.gradual' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/gradual/__init__.py'>,
'jedi.inference.value.module': <module 'jedi.inference.value.module' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/value/module.py'>,
'jedi.inference.value.dynamic_arrays': <module 'jedi.inference.value.dynamic_arrays' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/value/dynamic_arrays.py'>,
'jedi.inference.value.iterable': <module 'jedi.inference.value.iterable' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/value/iterable.py'>,
'jedi.inference.arguments': <module 'jedi.inference.arguments' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/arguments.py'>,
'jedi.inference.parser_cache': <module 'jedi.inference.parser_cache' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/parser_cache.py'>,
'jedi.inference.gradual.generics': <module 'jedi.inference.gradual.generics' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/gradual/generics.py'>,
'jedi.inference.value.function': <module 'jedi.inference.value.function' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/value/function.py'>,
'jedi.inference.value.klass': <module 'jedi.inference.value.klass' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/value/klass.py'>,
'jedi.inference.value.instance': <module 'jedi.inference.value.instance' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/value/instance.py'>,
'jedi.inference.value': <module 'jedi.inference.value' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/value/__init__.py'>,
'jedi.inference.gradual.base': <module 'jedi.inference.gradual.base' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/gradual/base.py'>,
'jedi.inference.gradual.type_var': <module 'jedi.inference.gradual.type_var' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/gradual/type_var.py'>,
'jedi.inference.gradual.typing': <module 'jedi.inference.gradual.typing' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/gradual/typing.py'>,
'jedi.inference.gradual.stub_value': <module 'jedi.inference.gradual.stub_value' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/gradual/stub_value.py'>,
```

```
'jedi.inference.gradual.typeshed': <module 'jedi.inference.gradual.typeshed' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/gradual/typeshed.py'>,
'jedi._compatibility': <module 'jedi._compatibility' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/_compatibility.py'>,
'jedi.inference.compiled.subprocess.functions': <module 'jedi.inference.compiled.subprocess.functions' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/compiled/subprocess/functions.py'>,
'jedi.api.exceptions': <module 'jedi.api.exceptions' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/exceptions.py'>,
'jedi.inference.compiled.subprocess': <module 'jedi.inference.compiled.subprocess' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/compiled/subprocess/__init__.py'>,
'jedi.inference.imports': <module 'jedi.inference.imports' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/imports.py'>,
'jedi.inference.param': <module 'jedi.inference.param' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/param.py'>,
'jedi.inference.gradual.annotation': <module 'jedi.inference.gradual.annotation' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/gradual/annotation.py'>,
'jedi.inference.value.decorator': <module 'jedi.inference.value.decorator' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/value/decorator.py'>,
'jedi.inference.syntax_tree': <module 'jedi.inference.syntax_tree' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/syntax_tree.py'>,
'jedi.inference': <module 'jedi.inference' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/__init__.py'>,
'jedi.inference.gradual.conversion': <module 'jedi.inference.gradual.conversion' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/gradual/conversion.py'>,
'jedi.inference.compiled.mixed': <module 'jedi.inference.compiled.mixed' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/compiled/mixed.py'>,
'pydoc_data': <module 'pydoc_data' from '/usr/lib/python3.12/pydoc_data/__init__.py'>,
'pydoc_data.topics': <module 'pydoc_data.topics' from '/usr/lib/python3.12/pydoc_data/topics.py'>,
'jedi.api.keywords': <module 'jedi.api.keywords' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/keywords.py'>,
'jedi.api.completion_cache': <module 'jedi.api.completion_cache' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/completion_cache.py'>,
'jedi.api.helpers': <module 'jedi.api.helpers' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/helpers.py'>,
'jedi.api.classes': <module 'jedi.api.classes' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/classes.py'>,>
```

```
'jedi.api.interpreter': <module 'jedi.api.interpreter' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/interpreter.py'>,
'jedi.api.strings': <module 'jedi.api.strings' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/strings.py'>,
'jedi.api.file_name': <module 'jedi.api.file_name' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/file_name.py'>,
'jedi.inference.docstring_utils': <module 'jedi.inference.docstring_utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/docstring_utils.py'>,
'jedi.api.completion': <module 'jedi.api.completion' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/completion.py'>,
'filecmp': <module 'filecmp' from '/usr/lib/python3.12/filecmp.py'>,
'jedi.api.environment': <module 'jedi.api.environment' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/environment.py'>,
'jedi.inference.references': <module 'jedi.inference.references' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/references.py'>,
'jedi.api.project': <module 'jedi.api.project' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/project.py'>,
'jedi.api.errors': <module 'jedi.api.errors' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/errors.py'>,
'jedi.inference.value.namespace': <module 'jedi.inference.value.namespace' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/value/namespace.py'>,
'jedi.api.refactoring': <module 'jedi.api.refactoring' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/refactoring/__init__.py'>,
'jedi.api.refactoring.extract': <module 'jedi.api.refactoring.extract' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/refactoring/extract.py'>,
'jedi.inference.gradual.utils': <module 'jedi.inference.gradual.utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/inference/gradual/utils.py'>,
'jedi.api': <module 'jedi.api' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/api/__init__.py'>,
'jedi.plugins.stdlib': <module 'jedi.plugins.stdlib' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/plugins/stdlib.py'>,
'jedi.plugins.flask': <module 'jedi.plugins.flask' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/plugins/flask.py'>,
'jedi.plugins.pytest': <module 'jedi.plugins.pytest' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/plugins/pytest.py'>,
'jedi.plugins.django': <module 'jedi.plugins.django' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/plugins/django.py'>,
'jedi.plugins.registry': <module 'jedi.plugins.registry' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/plugins/registry.py'>,
```

```
'jedi': <module 'jedi' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/jedi/__init__.py'>,
'IPython.core.completer': <module 'IPython.core.completer' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/completer.py'>,
'IPython.terminal.ptutils': <module 'IPython.terminal.ptutils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/terminal/ptutils.py'>,
'IPython.terminal.shortcuts.auto_match': <module 'IPython.terminal.shortcuts.auto_match' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/terminal/shortcuts/auto_match.py'>,
'IPython.terminal.shortcuts.filters': <module 'IPython.terminal.shortcuts.filters' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/terminal/shortcuts/filters.py'>,
'IPython.terminal.shortcuts.auto_suggest': <module 'IPython.terminal.shortcuts.auto_suggest' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/terminal/shortcuts/auto_suggest.py'>,
'IPython.terminal.shortcuts': <module 'IPython.terminal.shortcuts' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/terminal/shortcuts/__init__.py'>,
'concurrent.futures.thread': <module 'concurrent.futures.thread' from '/usr/lib/python3.12/concurrent/futures/thread.py'>,
'IPython.terminal.debugger': <module 'IPython.terminal.debugger' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/terminal/debugger.py'>,
'IPython.lib.clipboard': <module 'IPython.lib.clipboard' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/lib/clipboard.py'>,
'IPython.terminal.magics': <module 'IPython.terminal.magics' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/terminal/magics.py'>,
'IPython.terminal.pt_inpuhooks': <module 'IPython.terminal.pt_inpuhooks' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/terminal/pt_inpuhooks/__init__.py'>,
'IPython.terminal.prompts': <module 'IPython.terminal.prompts' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/terminal/prompts.py'>,
'IPython.terminal.interactiveshell': <module 'IPython.terminal.interactiveshell' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/terminal/interactiveshell.py'>,
'IPython.core.magics.auto': <module 'IPython.core.magics.auto' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/auto.py'>,
'IPython.core.magics.basic': <module 'IPython.core.magics.basic' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/basic.py'>,
'http': <module 'http' from '/usr/lib/python3.12/http/__init__.py'>,
'http.client': <module 'http.client' from '/usr/lib/python3.12/http/client.py'>,
'urllib.response': <module 'urllib.response' from '/usr/lib/python3.12/urllib/response.py'>,
'urllib.error': <module 'urllib.error' from '/usr/lib/python3.12/urllib/error.py'>,
'urllib.request': <module 'urllib.request' from '/usr/lib/python3.12/urllib/request.py'>,
'IPython.utils.contexts': <module 'IPython.utils.contexts' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/contexts.py'>,
```



```
'IPython.core.magics.code': <module 'IPython.core.magics.code' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/code.py'>,
'IPython.core.magics.config': <module 'IPython.core.magics.config' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/config.py'>,
'IPython.core.magics.display': <module 'IPython.core.magics.display' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/display.py'>,
'_lsprof': <module '_lsprof' from '/usr/lib/python3.12/lib-dynload/_lsprof.cpython-312-x86_64-linux-gnu.so'>,
'profile': <module 'profile' from '/usr/lib/python3.12/profile.py'>,
'cProfile': <module 'cProfile' from '/usr/lib/python3.12/cProfile.py'>,
'pstats': <module 'pstats' from '/usr/lib/python3.12/pstats.py'>,
'timeit': <module 'timeit' from '/usr/lib/python3.12/timeit.py'>,
'IPython.utils.module_paths': <module 'IPython.utils.module_paths' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/module_paths.py'>,
'resource': <module 'resource' from '/usr/lib/python3.12/lib-dynload/resource.cpython-312-x86_64-linux-gnu.so'>,
'IPython.utils.timing': <module 'IPython.utils.timing' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/timing.py'>,
'IPython.core.magics.ast_mod': <module 'IPython.core.magics.ast_mod' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/ast_mod.py'>,
'IPython.core.magics.execution': <module 'IPython.core.magics.execution' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/execution.py'>,
'IPython.core.magics.extension': <module 'IPython.core.magics.extension' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/extension.py'>,
'IPython.core.magics.history': <module 'IPython.core.magics.history' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/history.py'>,
'IPython.core.magics.logging': <module 'IPython.core.magics.logging' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/logging.py'>,
'IPython.core.magics.namespace': <module 'IPython.core.magics.namespace' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/namespace.py'>,
'IPython.core.magics.osm': <module 'IPython.core.magics.osm' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/osm.py'>,
'IPython.core.magics.packaging': <module 'IPython.core.magics.packaging' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/packaging.py'>,
'IPython.core.magics.pylab': <module 'IPython.core.magics.pylab' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/pylab.py'>,
'IPython.core.magics.script': <module 'IPython.core.magics.script' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/script.py'>,
'IPython.core.magics': <module 'IPython.core.magics' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/magics/__init__.py'>,
```

```
'IPython.core.shellapp': <module 'IPython.core.shellapp' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/shellapp.py'>,
'IPython.extensions': <module 'IPython.extensions' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/extensions/__init__.py'>,
'IPython.extensions.storemagic': <module 'IPython.extensions.storemagic' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/extensions/storemagic.py'>,
'IPython.terminal.ipapp': <module 'IPython.terminal.ipapp' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/terminal/ipapp.py'>,
'IPython.terminal.embed': <module 'IPython.terminal.embed' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/terminal/embed.py'>,
'IPython.utils.frame': <module 'IPython.utils.frame' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/utils/frame.py'>,
'IPython': <module 'IPython' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/__init__.py'>,
'ipykernel.thread': <module 'ipykernel.thread' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/thread.py'>,
'ipykernel.control': <module 'ipykernel.control' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/control.py'>,
'ipykernel.heartbeat': <module 'ipykernel.heartbeat' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/heartbeat.py'>,
'ipykernel.iostream': <module 'ipykernel.iostream' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/iostream.py'>,
'comm.base_comm': <module 'comm.base_comm' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/comm/base_comm.py'>,
'comm': <module 'comm' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/comm/__init__.py'>,
'ipykernel.jsonutil': <module 'ipykernel.jsonutil' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/jsonutil.py'>,
'pwd': <module 'pwd' (built-in)>,
'psutil._common': <module 'psutil._common' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/psutil/_common.py'>,
'psutil._ntuples': <module 'psutil._ntuples' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/psutil/_ntuples.py'>,
'psutil._psposix': <module 'psutil._psposix' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/psutil/_psposix.py'>,
'psutil._psutil_linux': <module 'psutil._psutil_linux' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/psutil/_psutil_linux.abi3.so'>,
'psutil._pslinux': <module 'psutil._pslinux' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/psutil/_pslinux.py'>,
'psutil': <module 'psutil' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/psutil/__init__.py'>,
'ipykernel.utils': <module 'ipykernel.utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/utils.py'>,
'ipykernel.kernelbase': <module 'ipykernel.kernelbase' from '/home/anshulgarg/Docume
```

```
nts/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/k
ernelbase.py'>,
'ipykernel.comm.comm': <module 'ipykernel.comm.comm' from '/home/anshulgarg/Document
s/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/com
m/comm.py'>,
'ipykernel.comm.manager': <module 'ipykernel.comm.manager' from '/home/anshulgarg/Do
cuments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykern
el/comm/manager.py'>,
'ipykernel.comm': <module 'ipykernel.comm' from '/home/anshulgarg/Documents/Obsidian
Vault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/comm/__init_
_.py'>,
'ipykernel.compiler': <module 'ipykernel.compiler' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/compil
er.py'>,
'packaging': <module 'packaging' from '/home/anshulgarg/Documents/ObsidianVault/Hest
abit/Week6/day-1/.venv/lib/python3.12/site-packages/packaging/__init__.py'>,
'packaging._structures': <module 'packaging._structures' from '/home/anshulgarg/Docu
ments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/packagin
g/_structures.py'>,
'packaging.version': <module 'packaging.version' from '/home/anshulgarg/Documents/Ob
sidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/packaging/versio
n.py'>,
'ipykernel.eventloops': <module 'ipykernel.eventloops' from '/home/anshulgarg/Docume
nts/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/e
ventloops.py'>,
'ipykernel.displayhook': <module 'ipykernel.displayhook' from '/home/anshulgarg/Docu
ments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykerne
l/displayhook.py'>,
'ipykernel.zmqshell': <module 'ipykernel.zmqshell' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/zmqsh
ell.py'>,
'ipykernel.ipkernel': <module 'ipykernel.ipkernel' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/ipker
nel.py'>,
'ipykernel.parentpoller': <module 'ipykernel.parentpoller' from '/home/anshulgarg/Do
cuments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykern
el/parentpoller.py'>,
'ipykernel.socket_pair': <module 'ipykernel.socket_pair' from '/home/anshulgarg/Docu
ments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykerne
l/socket_pair.py'>,
'ipykernel.subshell': <module 'ipykernel.subshell' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/subsh
ell.py'>,
'ipykernel.subshell_manager': <module 'ipykernel.subshell_manager' from '/home/anshu
lgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-package
s/ipykernel/subshell_manager.py'>,
'ipykernel.shellchannel': <module 'ipykernel.shellchannel' from '/home/anshulgarg/Do
cuments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykern
el/shellchannel.py'>,
'ipykernel.kernelapp': <module 'ipykernel.kernelapp' from '/home/anshulgarg/Document
s/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/ker
nelapp.py'>,
'tornado.platform': <module 'tornado.platform' from '/home/anshulgarg/Documents/Obsi
dianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/tornado/platform/_
__init__.py'>,
'tornado.gen': <module 'tornado.gen' from '/home/anshulgarg/Documents/ObsidianVault/
```

```
Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/tornado/gen.py'>,
'tornado.platform.asyncio': <module 'tornado.platform.asyncio' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/tornado/platform/asyncio.py'>,
'faulthandler': <module 'faulthandler' (built-in)>,
'tornado.locks': <module 'tornado.locks' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/tornado/locks.py'>,
'tornado.queues': <module 'tornado.queues' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/tornado/queues.py'>,
'debugpy._version': <module 'debugpy._version' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/_version.py'>,
'debugpy.public_api': <module 'debugpy.public_api' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/public_api.py'>,
'debugpy': <module 'debugpy' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/__init__.py'>,
'debugpy._vendored._util': <module 'debugpy._vendored._util' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/_vendored/_util.py'>,
'debugpy._vendored': <module 'debugpy._vendored' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/_vendored/__init__.py'>,
'encodings.ascii': <module 'encodings.ascii' from '/usr/lib/python3.12/encodings/ascii.py'>,
'encodings.latin_1': <module 'encodings.latin_1' from '/usr/lib/python3.12/encodings/latin_1.py'>,
'stringprep': <module 'stringprep' from '/usr/lib/python3.12/stringprep.py'>,
'encodings.idna': <module 'encodings.idna' from '/usr/lib/python3.12/encodings/idna.py'>,
'xmlrpc': <module 'xmlrpc' from '/usr/lib/python3.12/xmlrpc/__init__.py'>,
'gzip': <module 'gzip' from '/usr/lib/python3.12/gzip.py'>,
'xmlrpc.client': <module 'xmlrpc.client' from '/usr/lib/python3.12/xmlrpc/client.py'>,
'http.server': <module 'http.server' from '/usr/lib/python3.12/http/server.py'>,
'xmlrpc.server': <module 'xmlrpc.server' from '/usr/lib/python3.12/xmlrpc/server.py'>,
'_cython_3_0_11': <module '_cython_3_0_11'>,
'pydevconsole': <module 'pydevconsole' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/_vendored/pydevd/pydevconsole.py'>,
'debugpy._vendored.force_pydevd': <module 'debugpy._vendored.force_pydevd' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/_vendored/force_pydevd.py'>,
'debugpy.server': <module 'debugpy.server' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/server/__init__.py'>,
'debugpy.adapter': <module 'debugpy.adapter' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/adapter/__init__.py'>,
'debugpy.common': <module 'debugpy.common' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/common/__init__.py'>,
'debugpy.common.json': <module 'debugpy.common.json' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/common/json.py'>,>
```

```
'debugpy.common.timestamp': <module 'debugpy.common.timestamp' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/common/timestamp.py'>,
'debugpy.common.util': <module 'debugpy.common.util' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/common/util.py'>,
'debugpy.common.log': <module 'debugpy.common.log' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/common/log.py'>,
'debugpy.common.sockets': <module 'debugpy.common.sockets' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/common/sockets.py'>,
'debugpy.server.api': <module 'debugpy.server.api' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/debugpy/server/api.py'>,
'ipykernel.debugger': <module 'ipykernel.debugger' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/ipykernel/debugger.py'>,
'IPython.core.completerlib': <module 'IPython.core.completerlib' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/IPython/core/completerlib.py'>,
'pydev_jupyter_utils': <module 'pydev_jupyter_utils' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/jupyter_debug/pydev_jupyter_utils.py'>,
'_pydevd_bundle': <module '_pydevd_bundle' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/__init__.py'>,
'_pydev_bundle': <module '_pydev_bundle' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydev_bundle/__init__.py'>,
'_pydevd_bundle.pydevd_vm_type': <module '_pydevd_bundle.pydevd_vm_type' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/pydevd_vm_type.py'>,
'_pydevimps': <module '_pydevimps' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevimps/__init__.py'>,
'_pydevimps._pydev_saved_modules': <module '_pydevimps._pydev_saved_modules' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevimps/_pydev_saved_modules.py'>,
'_pydevd_bundle.pydevd_constants': <module '_pydevd_bundle.pydevd_constants' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/pydevd_constants.py'>,
'_pydev_bundle.pydev_log': <module '_pydev_bundle.pydev_log' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydev_bundle/pydev_log.py'>,
'_pydevd_bundle.pydevd_exec2': <module '_pydevd_bundle.pydevd_exec2' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/pydevd_exec2.py'>,
'_pydev_bundle.pydev_imports': <module '_pydev_bundle.pydev_imports' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydev_bundle/pydev_imports.py'>,
'pydevd_plugins': <module 'pydevd_plugins' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/pydevd_plugins/__init__.py'>,
'pydevd_plugins.extensions': <module 'pydevd_plugins.extensions' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/pydevd_plugins/extensions/__init__.py'>,
```

```
'_pydevd_bundle.pydevd_extension_utils': <module '_pydevd_bundle.pydevd_extension_utils' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/pydevd_extension_utils.py'>,
'_pydev_bundle._pydev_filesystem_encoding': <module '_pydev_bundle._pydev_filesystem_encoding' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydev_bundle/_pydev_filesystem_encoding.py'>,
'_pydevd_bundle.pydevd_comm_constants': <module '_pydevd_bundle.pydevd_comm_constants' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/pydevd_comm_constants.py'>,
'pydevd_file_utils': <module 'pydevd_file_utils' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/pydevd_file_utils.py'>,
'_pydevd_bundle.pydevd_asyncio_provider': <module '_pydevd_bundle.pydevd_asyncio_provider' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/pydevd_asyncio_provider.py'>,
'_pydevd_bundle.pydevd_utils': <module '_pydevd_bundle.pydevd_utils' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/pydevd_utils.py'>,
'_pydevd_bundle.pydevd_resolver': <module '_pydevd_bundle.pydevd_resolver' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/pydevd_resolver.py'>,
'_pydevd_bundle.pydevd_extension_api': <module '_pydevd_bundle.pydevd_extension_api' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/pydevd_extension_api.py'>,
'_pydevd_bundle.pydevd_frame_type_handler': <module '_pydevd_bundle.pydevd_frame_type_handler' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/pydevd_frame_type_handler.py'>,
'_pydevd_bundle.pydevd_repr_utils': <module '_pydevd_bundle.pydevd_repr_utils' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/pydevd_repr_utils.py'>,
'_pydevd_bundle.pydevd_import_class': <module '_pydevd_bundle.pydevd_import_class' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/pydevd_import_class.py'>,
'_pydevd_bundle.pydevd_user_type_renderers_utils': <module '_pydevd_bundle.pydevd_user_type_renderers_utils' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/pydevd_user_type_renderers_utils.py'>,
'_pydevd_bundle.pydevd_xml': <module '_pydevd_bundle.pydevd_xml' from '/home/anshulgarg/.local/share/JetBrains/Toolbox/apps/dataspell/plugins/python-ce/helpers/pydev/_pydevd_bundle/pydevd_xml.py'>,
'matplotlib._api.deprecation': <module 'matplotlib._api.deprecation' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/matplotlib/_api/deprecation.py'>,
'matplotlib._api': <module 'matplotlib._api' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/matplotlib/_api/__init__.py'>,
'matplotlib._version': <module 'matplotlib._version' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/matplotlib/_version.py'>,
'numpy.version': <module 'numpy.version' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/version.py'>,
'numpy._expired_attrs_2_0': <module 'numpy._expired_attrs_2_0' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_expired_attrs_2_0.py'>,
'numpy._utils._conversions': <module 'numpy._utils._conversions' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_utils/_conversions.py'>
```

```
umpy/_utils/_conversions.py'>,
'numpy._utils': <module 'numpy._utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_utils/__init__.py'>,
'numpy._globals': <module 'numpy._globals' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_globals.py'>,
'numpy._distributor_init': <module 'numpy._distributor_init' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_distributor_init.py'>,
'numpy.exceptions': <module 'numpy.exceptions' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/exceptions.py'>,
'numpy._core._exceptions': <module 'numpy._core._exceptions' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_exceptions.py'>,
'numpy._core.printoptions': <module 'numpy._core.printoptions' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/printoptions.py'>,
'numpy.dtypes': <module 'numpy.dtypes' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/dtypes.py'>,
'numpy._core._multiarray_umath': <module 'numpy._core._multiarray_umath' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_multiarray_umath.cpython-312-x86_64-linux-gnu.so'>,
'numpy._utils._inspect': <module 'numpy._utils._inspect' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_utils/_inspect.py'>,
'numpy._core.overrides': <module 'numpy._core.overrides' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/overrides.py'>,
'numpy._core.multiarray': <module 'numpy._core.multiarray' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/multiarray.py'>,
'numpy._core.umath': <module 'numpy._core.umath' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/umath.h.py'>,
'numpy._core._dtype': <module 'numpy._core._dtype' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_dtype.py'>,
'numpy._core._string_helpers': <module 'numpy._core._string_helpers' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_string_helpers.py'>,
'numpy._core._type_aliases': <module 'numpy._core._type_aliases' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_type_aliases.py'>,
'numpy._core._numeric_types': <module 'numpy._core._numeric_types' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_numeric_types.py'>,
'numpy._core._methods': <module 'numpy._core._methods' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_methods.py'>,
'numpy._core._fromnumeric': <module 'numpy._core._fromnumeric' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_fromnumeric.py'>,
'numpy._core._shape_base': <module 'numpy._core._shape_base' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_shape_base.py'>,
'numpy._core._ufunc_config': <module 'numpy._core._ufunc_config' from '/home/anshulg
```

```
arg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_ufunc_config.py'>,
'numpy._core._asarray': <module 'numpy._core._asarray' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_asarray.py'>,
'numpy._core.arrayprint': <module 'numpy._core.arrayprint' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/arrayprint.py'>,
'numpy._core.numeric': <module 'numpy._core.numeric' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/numeric.py'>,
'numpy._core.einsumfunc': <module 'numpy._core.einsumfunc' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/einsumfunc.py'>,
'numpy._core.function_base': <module 'numpy._core.function_base' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/function_base.py'>,
'numpy._core.getlimits': <module 'numpy._core.getlimits' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/getlimits.py'>,
'numpy._core.memmap': <module 'numpy._core.memmap' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/memmap.py'>,
'numpy._core.records': <module 'numpy._core.records' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/records.py'>,
'numpy._core._add_newdocs': <module 'numpy._core._add_newdocs' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_add_newdocs.py'>,
'numpy._core._add_newdocs_scalars': <module 'numpy._core._add_newdocs_scalars' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_add_newdocs_scalars.py'>,
'numpy._core._dtype_ctypes': <module 'numpy._core._dtype_ctypes' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_dtype_ctypes.py'>,
'numpy._core._internal': <module 'numpy._core._internal' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/_internal.py'>,
'numpy._pytesttester': <module 'numpy._pytesttester' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_pytesttester.py'>,
'numpy._core': <module 'numpy._core' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_core/__init__.py'>,
'numpy.__config__': <module 'numpy.__config__' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/__config__.py'>,
'numpy._typing._nbit_base': <module 'numpy._typing._nbit_base' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_typing/_nbit_base.py'>,
'numpy._typing._nested_sequence': <module 'numpy._typing._nested_sequence' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_typing/_nested_sequence.py'>,
'numpy._typing._shape': <module 'numpy._typing._shape' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_typing/_shape.py'>,
'numpy._typing._array_like': <module 'numpy._typing._array_like' from '/home/anshulg
```



```
arg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_typing/_array_like.py'>,
'numpy._typing._char_codes': <module 'numpy._typing._char_codes' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_typing/_char_codes.py'>,
'numpy._typing._dtype_like': <module 'numpy._typing._dtype_like' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_typing/_dtype_like.py'>,
'numpy._typing._nbit': <module 'numpy._typing._nbit' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_typing/_nbit.py'>,
'numpy._typing._scalars': <module 'numpy._typing._scalars' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_typing/_scalars.py'>,
'numpy._typing._ufunc': <module 'numpy._typing._ufunc' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_typing/_ufunc.py'>,
'numpy._typing': <module 'numpy._typing' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_typing/__init__.py'>,
'numpy.lib._stride_tricks_impl': <module 'numpy.lib._stride_tricks_impl' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/_stride_tricks_impl.py'>,
'numpy.lib._twodim_base_impl': <module 'numpy.lib._twodim_base_impl' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/_twodim_base_impl.py'>,
'numpy.lib._array_utils_impl': <module 'numpy.lib._array_utils_impl' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/_array_utils_impl.py'>,
'numpy.lib.array_utils': <module 'numpy.lib.array_utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/array_utils.py'>,
'numpy.linalg._umath_linalg': <module 'numpy.linalg._umath_linalg' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/linalg/_umath_linalg.cpython-312-x86_64-linux-gnu.so'>,
'numpy.linalg._linalg': <module 'numpy.linalg._linalg' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/linalg/_linalg.py'>,
'numpy.linalg': <module 'numpy.linalg' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/linalg/__init__.py'>,
'numpy.matrixlib.defmatrix': <module 'numpy.matrixlib.defmatrix' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/matrixlib/defmatrix.py'>,
'numpy.matrixlib': <module 'numpy.matrixlib' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/matrixlib/__init__.py'>,
'numpy.lib._histograms_impl': <module 'numpy.lib._histograms_impl' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/_histograms_impl.py'>,
'numpy.lib._function_base_impl': <module 'numpy.lib._function_base_impl' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/_function_base_impl.py'>,
'numpy.lib._index_tricks_impl': <module 'numpy.lib._index_tricks_impl' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/_index_tricks_impl.py'>,
'numpy.lib._arraypad_impl': <module 'numpy.lib._arraypad_impl' from '/home/anshulgar
```

```
g/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/num
py/lib/_arraypad_impl.py'>,
'numpy.lib._arraysetops_impl': <module 'numpy.lib._arraysetops_impl' from '/home/ans
hulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packag
es/numpy/lib/_arraysetops_impl.py'>,
'numpy.lib._arrayiterator_impl': <module 'numpy.lib._arrayiterator_impl' from '/home/a
nshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-pack
ages/numpy/lib/_arrayiterator_impl.py'>,
'numpy.lib._nanfunctions_impl': <module 'numpy.lib._nanfunctions_impl' from '/home/a
nshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-pack
ages/numpy/lib/_nanfunctions_impl.py'>,
'numpy.lib._utils_impl': <module 'numpy.lib._utils_impl' from '/home/anshulgarg/Docu
ments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/li
b/_utils_impl.py'>,
'numpy.lib._format_impl': <module 'numpy.lib._format_impl' from '/home/anshulgarg/Do
cuments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/l
ib/_format_impl.py'>,
'numpy.lib.format': <module 'numpy.lib.format' from '/home/anshulgarg/Documents/Obsi
dianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/format.p
y'>,
'numpy.lib._datasource': <module 'numpy.lib._datasource' from '/home/anshulgarg/Docu
ments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/li
b/_datasource.py'>,
'numpy.lib._iotools': <module 'numpy.lib._iotools' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/_ioto
ols.py'>,
'numpy.lib._npymath_impl': <module 'numpy.lib._npymath_impl' from '/home/anshulgarg/Docu
ments/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/li
b/_npymath_impl.py'>,
'numpy.lib._ufunclike_impl': <module 'numpy.lib._ufunclike_impl' from '/home/anshul
garg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/n
umpy/lib/_ufunclike_impl.py'>,
'numpy.lib._type_check_impl': <module 'numpy.lib._type_check_impl' from '/home/anshu
lgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-package
s/numpy/lib/_type_check_impl.py'>,
'numpy.lib._polynomial_impl': <module 'numpy.lib._polynomial_impl' from '/home/anshu
lgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-package
s/numpy/lib/_polynomial_impl.py'>,
'numpy.lib._shape_base_impl': <module 'numpy.lib._shape_base_impl' from '/home/anshu
lgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-package
s/numpy/lib/_shape_base_impl.py'>,
'numpy.lib._version': <module 'numpy.lib._version' from '/home/anshulgarg/Documents/
ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/_vers
ion.py'>,
'numpy.lib.introspect': <module 'numpy.lib.introspect' from '/home/anshulgarg/Docume
nts/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/i
ntrospect.py'>,
'numpy.lib.mixins': <module 'numpy.lib.mixins' from '/home/anshulgarg/Documents/Obsi
dianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/mixins.p
y'>,
'numpy.lib.npyio': <module 'numpy.lib.npyio' from '/home/anshulgarg/Documents/Obsi
dianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/npyio.py'>,
'numpy.lib._scimath_impl': <module 'numpy.lib._scimath_impl' from '/home/anshulgarg/
Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/num
py/lib/_scimath_impl.py'>,
'numpy.lib.scimath': <module 'numpy.lib.scimath' from '/home/anshulgarg/Documents/Ob
```

```
sidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/scimath.py'>,
'numpy.lib.stride_tricks': <module 'numpy.lib.stride_tricks' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/stride_tricks.py'>,
'numpy.lib': <module 'numpy.lib' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/lib/__init__.py'>,
'numpy._array_api_info': <module 'numpy._array_api_info' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/_array_api_info.py'>,
'numpy': <module 'numpy' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/numpy/__init__.py'>,
'matplotlib._c_internal_utils': <module 'matplotlib._c_internal_utils' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/matplotlib/_c_internal_utils.cpython-312-x86_64-linux-gnu.so'>,
'matplotlib.cbook': <module 'matplotlib.cbook' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/matplotlib/cbook.py'>,
'matplotlib.docstring': <module 'matplotlib.docstring' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/matplotlib/docstring.py'>,
'matplotlib.backends.registry': <module 'matplotlib.backends.registry' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/matplotlib/backends/registry.py'>,
'matplotlib.backends': <module 'matplotlib.backends' from '/home/anshulgarg/Documents/ObsidianVault/Hestabit/Week6/day-1/.venv/lib/python3.12/site-packages/matplotlib/backends/__init__.py'>,
'PIL._version': <module 'PIL._version' from '/usr/lib/python3/dist-packages/PIL/_version.py'>,
'PIL': <module 'PIL' from '/usr/lib/python3/dist-packages/PIL/__init__.py'>,
'PIL.ExifTags': <module 'PIL.ExifTags' from '/usr/lib/python3/dist-packages/PIL/ExifTags.py'>,
'PIL.ImageMode': <module 'PIL.ImageMode' from '/usr/lib/python3/dist-packages/PIL/ImageMode.py'>,
'PIL.TiffTags': <module 'PIL.TiffTags' from '/usr/lib/python3/dist-packages/PIL/TiffTags.py'>,
'PIL._binary': <module 'PIL._binary' from '/usr/lib/python3/dist-packages/PIL/_binary.py'>,
'PIL._typing': <module 'PIL._typing' from '/usr/lib/python3/dist-packages/PIL/_typing.py'>,
'PIL._util': <module 'PIL._util' from '/usr/lib/python3/dist-packages/PIL/_util.py'>,
'PIL._imaging': <module 'PIL._imaging' from '/usr/lib/python3/dist-packages/PIL/_imaging.cpython-312-x86_64-linux-gnu.so'>,
'PIL.Image': <module 'PIL.Image' from '/usr/lib/python3/dist-packages/PIL/Image.py'>,
'PIL.ImageChops': <module 'PIL.ImageChops' from '/usr/lib/python3/dist-packages/PIL/ImageChops.py'>,
'PIL._deprecate': <module 'PIL._deprecate' from '/usr/lib/python3/dist-packages/PIL/_deprecate.py'>,
'PIL.ImageFile': <module 'PIL.ImageFile' from '/usr/lib/python3/dist-packages/PIL/ImageFile.py'>,
'PIL.GimpGradientFile': <module 'PIL.GimpGradientFile' from '/usr/lib/python3/dist-packages/PIL/GimpGradientFile.py'>,
'PIL.GimpPaletteFile': <module 'PIL.GimpPaletteFile' from '/usr/lib/python3/dist-packages/PIL/GimpPaletteFile.py'>,>
```

```
'PIL.ImageColor': <module 'PIL.ImageColor' from '/usr/lib/python3/dist-packages/PIL/ImageColor.py'>,
'PIL.PaletteFile': <module 'PIL.PaletteFile' from '/usr/lib/python3/dist-packages/PIL/PaletteFile.py'>,
'PIL.ImagePalette': <module 'PIL.ImagePalette' from '/usr/lib/python3/dist-packages/PIL/ImagePalette.py'>,
...}
```

```
# Cell 3: Load the housing dataset
```

```
df = pd.read_csv('../data/raw/house-prices-advanced-regression-techniques/train.csv')
```

```
print("=" * 60)
```

```
print("DATASET LOADED SUCCESSFULLY")
```

```
print("=" * 60)
```

```
print(f"Shape: {df.shape}")
```

```
=====
DATASET LOADED SUCCESSFULLY
=====
```

```
Shape: (1460, 81)
```

```
# Cell 4: Dataset information
```

```
print("DATASET INFORMATION")
```

```
df.info()
```

DATASET INFORMATION

<class 'pandas.DataFrame'>

RangeIndex: 1460 entries, 0 to 1459

Data columns (total 81 columns):

#	Column	Non-Null Count	Dtype
0	Id	1460 non-null	int64
1	MSSubClass	1460 non-null	int64
2	MSZoning	1460 non-null	str
3	LotFrontage	1201 non-null	float64
4	LotArea	1460 non-null	int64
5	Street	1460 non-null	str
6	Alley	91 non-null	str
7	LotShape	1460 non-null	str
8	LandContour	1460 non-null	str
9	Utilities	1460 non-null	str
10	LotConfig	1460 non-null	str
11	LandSlope	1460 non-null	str
12	Neighborhood	1460 non-null	str
13	Condition1	1460 non-null	str
14	Condition2	1460 non-null	str
15	BldgType	1460 non-null	str
16	HouseStyle	1460 non-null	str
17	OverallQual	1460 non-null	int64
18	OverallCond	1460 non-null	int64
19	YearBuilt	1460 non-null	int64
20	YearRemodAdd	1460 non-null	int64
21	RoofStyle	1460 non-null	str
22	RoofMatl	1460 non-null	str
23	Exterior1st	1460 non-null	str
24	Exterior2nd	1460 non-null	str
25	MasVnrType	588 non-null	str
26	MasVnrArea	1452 non-null	float64
27	ExterQual	1460 non-null	str
28	ExterCond	1460 non-null	str
29	Foundation	1460 non-null	str
30	BsmtQual	1423 non-null	str
31	BsmtCond	1423 non-null	str
32	BsmtExposure	1422 non-null	str
33	BsmtFinType1	1423 non-null	str
34	BsmtFinSF1	1460 non-null	int64
35	BsmtFinType2	1422 non-null	str
36	BsmtFinSF2	1460 non-null	int64
37	BsmtUnfSF	1460 non-null	int64
38	TotalBsmtSF	1460 non-null	int64
39	Heating	1460 non-null	str
40	HeatingQC	1460 non-null	str
41	CentralAir	1460 non-null	str
42	Electrical	1459 non-null	str
43	1stFlrSF	1460 non-null	int64
44	2ndFlrSF	1460 non-null	int64
45	LowQualFinSF	1460 non-null	int64
46	GrLivArea	1460 non-null	int64
47	BsmtFullBath	1460 non-null	int64
48	BsmtHalfBath	1460 non-null	int64
49	FullBath	1460 non-null	int64

50	HalfBath	1460	non-null	int64
51	BedroomAbvGr	1460	non-null	int64
52	KitchenAbvGr	1460	non-null	int64
53	KitchenQual	1460	non-null	str
54	TotRmsAbvGrd	1460	non-null	int64
55	Functional	1460	non-null	str
56	Fireplaces	1460	non-null	int64
57	FireplaceQu	770	non-null	str
58	GarageType	1379	non-null	str
59	GarageYrBltd	1379	non-null	float64
60	GarageFinish	1379	non-null	str
61	GarageCars	1460	non-null	int64
62	GarageArea	1460	non-null	int64
63	GarageQual	1379	non-null	str
64	GarageCond	1379	non-null	str
65	PavedDrive	1460	non-null	str
66	WoodDeckSF	1460	non-null	int64
67	OpenPorchSF	1460	non-null	int64
68	EnclosedPorch	1460	non-null	int64
69	3SsnPorch	1460	non-null	int64
70	ScreenPorch	1460	non-null	int64
71	PoolArea	1460	non-null	int64
72	PoolQC	7	non-null	str
73	Fence	281	non-null	str
74	MiscFeature	54	non-null	str
75	MiscVal	1460	non-null	int64
76	MoSold	1460	non-null	int64
77	YrSold	1460	non-null	int64
78	SaleType	1460	non-null	str
79	SaleCondition	1460	non-null	str
80	SalePrice	1460	non-null	int64

dtypes: float64(3), int64(35), str(43)
memory usage: 924.0 KB

```
missing = df.isnull().sum()
missing = missing[missing > 0].sort_values(ascending=False)

missing_df = pd.DataFrame({
    "MissingCount": missing,
    "MissingPercent": (missing / len(df)) * 100
})

missing_df
```

	MissingCount	MissingPercent
PoolQC	1453	99.520548
MiscFeature	1406	96.301370
Alley	1369	93.767123
Fence	1179	80.753425
MasVnrType	872	59.726027
FireplaceQu	690	47.260274
LotFrontage	259	17.739726
GarageType	81	5.547945
GarageYrBlt	81	5.547945
GarageFinish	81	5.547945
GarageQual	81	5.547945
GarageCond	81	5.547945
BsmtExposure	38	2.602740
BsmtFinType2	38	2.602740
BsmtQual	37	2.534247
BsmtCond	37	2.534247
BsmtFinType1	37	2.534247
MasVnrArea	8	0.547945
Electrical	1	0.068493

```
df['HasPool'] = df['PoolQC'].notnull().astype(int)
```

```
cols_to_drop = ['PoolQC', 'MiscFeature', 'Alley', 'Fence']
df = df.drop(columns=cols_to_drop)
```

```
num_cols = df.select_dtypes(include=['int64', 'float64']).columns
cat_cols = df.select_dtypes(include=['object']).columns
print("=" * 60)
for x in num_cols:
    print(x)
print("=" * 60)
for x in cat_cols:
    print(x)
```

=====

Id
MSSubClass
LotFrontage
LotArea
OverallQual
OverallCond
YearBuilt
YearRemodAdd
MasVnrArea
BsmtFinSF1
BsmtFinSF2
BsmtUnfSF
TotalBsmtSF
1stFlrSF
2ndFlrSF
LowQualFinSF
GrLivArea
BsmtFullBath
BsmtHalfBath
FullBath
HalfBath
BedroomAbvGr
KitchenAbvGr
TotRmsAbvGrd
Fireplaces
GarageYrBlt
GarageCars
GarageArea
WoodDeckSF
OpenPorchSF
EnclosedPorch
3SsnPorch
ScreenPorch
PoolArea
MiscVal
MoSold
YrSold
SalePrice
HasPool

=====

MSZoning
Street
LotShape
LandContour
Utilities
LotConfig
LandSlope
Neighborhood
Condition1
Condition2
BldgType
HouseStyle
RoofStyle
RoofMatl
Exterior1st

Exterior2nd
MasVnrType
ExterQual
ExterCond
Foundation
BsmtQual
BsmtCond
BsmtExposure
BsmtFinType1
BsmtFinType2
Heating
HeatingQC
CentralAir
Electrical
KitchenQual
Functional
FireplaceQu
GarageType
GarageFinish
GarageQual
GarageCond
PavedDrive
SaleType
SaleCondition

```
/tmp/ipykernel_8655/860766834.py:2: Pandas4Warning: For backward compatibility, 'str'
dtypes are included by select_dtypes when 'object' dtype is specified. This behavior
is deprecated and will be removed in a future version. Explicitly pass 'str' to `incl
ude` to select them, or to `exclude` to remove them and silence this warning.
See https://pandas.pydata.org/docs/user_guide/migration-3-strings.html#string-migrati
on-select-dtypes for details on how to write code that works with pandas 2 and 3.
cat_cols = df.select_dtypes(include=['object']).columns
```

```
garage_cols = ['GarageType', 'GarageFinish', 'GarageQual', 'GarageCond']
df[garage_cols] = df[garage_cols].fillna('None')
```

```
# Sanity check: inspect rows with no garage
df[df['GarageType'] == 'None'][['GarageYrBlt', 'GarageArea', 'GarageCars']].head()


# Replace GarageYrBlt with 0 where there is no garage
df.loc[df['GarageType'] == 'None', 'GarageYrBlt'] = 0

# Optional verification
print("Remaining missing GarageYrBlt:", df['GarageYrBlt'].isnull().sum())
```

Remaining missing GarageYrBlt: 0

```
sns.heatmap(df.isnull(), cbar=False)
```

<Axes: >



```
print(df.shape)
```

(1460, 78)

```
missing_count = df.isnull().sum()
missing_percent = (missing_count / len(df)) * 100
missing_percent = missing_percent[missing_percent > 0].sort_values(ascending=False)
print(missing_percent)
```

```
MasVnrType      59.726027
FireplaceQu     47.260274
LotFrontage     17.739726
BsmtExposure    2.602740
BsmtFinType2    2.602740
BsmtQual        2.534247
BsmtFinType1    2.534247
BsmtCond        2.534247
MasVnrArea      0.547945
Electrical      0.068493
dtype: float64
```

```
df[['MasVnrType', 'MasVnrArea']].isnull().sum()
```

```
df[df['MasVnrType'].isnull()][['MasVnrType', 'MasVnrArea']].head()
```

```
df[df['MasVnrArea'].isnull()][['MasVnrType', 'MasVnrArea']].head()
```

```
df[df['MasVnrArea'] == 0]['MasVnrType'].value_counts(dropna=False)
```

```
MasVnrType
NaN      859
BrkFace    1
Stone      1
Name: count, dtype: int64
```

```
df['MasVnrType'] = df['MasVnrType'].fillna('None')
df['MasVnrArea'] = df['MasVnrArea'].fillna(0)
```

```
df.to_csv("housing_clean_step1.csv", index=False)
```

```
site_cols = [col for col in df.columns if 'Bsmt' in col]
print(site_cols)
```

```
['BsmtQual', 'BsmtCond', 'BsmtExposure', 'BsmtFinType1', 'BsmtFinSF1', 'BsmtFinType2', 'BsmtFinSF2', 'BsmtUnfSF', 'TotalBsmtSF', 'BsmtFullBath', 'BsmtHalfBath']
```

```
df[df['BsmtQual'].isnull()][
    ['BsmtFullBath', 'BsmtHalfBath']]
].describe()
```

	BsmtFullBath	BsmtHalfBath
count	37.0	37.0
mean	0.0	0.0
std	0.0	0.0
min	0.0	0.0
25%	0.0	0.0
50%	0.0	0.0
75%	0.0	0.0
max	0.0	0.0

```
bsmt_cat_cols = [
    'BsmtQual',
    'BsmtCond',
    'BsmtExposure',
    'BsmtFinType1',
    'BsmtFinType2'
]

df[bsmt_cat_cols] = df[bsmt_cat_cols].fillna('None')
```

```
df.isnull().sum().sort_values(ascending=False)
```

```

FireplaceQu      690
LotFrontage      259
Electrical        1
MSZoning         0
MSSubClass       0
...
YrSold           0
SaleType         0
SaleCondition    0
SalePrice        0
HasPool          0
Length: 78, dtype: int64

```

```
df[df['FireplaceQu'].isnull()]['Fireplaces'].describe()
```

```

count      690.0
mean        0.0
std         0.0
min         0.0
25%         0.0
50%         0.0
75%         0.0
max         0.0
Name: Fireplaces, dtype: float64

```

```
df['FireplaceQu'] = df['FireplaceQu'].fillna('None')
```

```
print(df.columns.tolist())
```

```

['Id', 'MSSubClass', 'MSZoning', 'LotFrontage', 'LotArea', 'Street', 'LotShape', 'LandContour', 'Utilities', 'LotConfig', 'LandSlope', 'Neighborhood', 'Condition1', 'Condition2', 'BldgType', 'HouseStyle', 'OverallQual', 'OverallCond', 'YearBuilt', 'YearRemodAdd', 'RoofStyle', 'RoofMatl', 'Exterior1st', 'Exterior2nd', 'MasVnrType', 'MasVnrArea', 'ExterQual', 'ExterCond', 'Foundation', 'BsmtQual', 'BsmtCond', 'BsmtExposure', 'BsmtFinType1', 'BsmtFinSF1', 'BsmtFinType2', 'BsmtFinSF2', 'BsmtUnfSF', 'TotalBsmtSF', 'Heating', 'HeatingQC', 'CentralAir', 'Electrical', '1stFlrSF', '2ndFlrSF', 'LowQualFinSF', 'GrLivArea', 'BsmtFullBath', 'BsmtHalfBath', 'FullBath', 'HalfBath', 'BedroomAbvGr', 'KitchenAbvGr', 'KitchenQual', 'TotRmsAbvGrd', 'Functional', 'Fireplaces', 'FireplaceQu', 'GarageType', 'GarageYrBlt', 'GarageFinish', 'GarageCars', 'GarageArea', 'GarageQual', 'GarageCond', 'PavedDrive', 'WoodDeckSF', 'OpenPorchSF', 'EnclosedPorch', '3SsnPorch', 'ScreenPorch', 'PoolArea', 'MiscVal', 'MoSold', 'YrSold', 'SaleType', 'SaleCondition', 'SalePrice', 'HasPool']

```

```
# Fill missing LotFrontage using median per Neighborhood
```

```

df['LotFrontage'] = (
    df.groupby('Neighborhood')['LotFrontage']
        .transform(lambda x: x.fillna(x.median()))
)

```

```
# Fallback in case an entire neighborhood had missing values
```

```
df['LotFrontage'] = df['LotFrontage'].fillna(df['LotFrontage'].median())
```

```
df['Electrical'] = df['Electrical'].fillna(df['Electrical'].mode()[0])
```

```
df.isnull().sum().sort_values(ascending=False)
```

```
Id                0
MSSubClass        0
MSZoning          0
LotFrontage      0
LotArea          0
..
YrSold            0
SaleType          0
SaleCondition     0
SalePrice         0
HasPool           0
Length: 78, dtype: int64
```

```
df.to_csv("final.csv", index=False)
```