

# WitsLab Company Documents Summary

---

## 1. IT Infrastructure Overview

**Purpose:** Provide an overview of WitsLab's technology landscape, architecture, and security controls.

### 1.1 Scope & Audience

- IT leadership, architects, security engineers, and operations staff.

### 1.2 Architecture Overview

- **Azure Cloud** – Core workloads run in Azure West Europe with multiple subscriptions (Production, Staging, Test).
- **Network** – Hub-and-spoke VNet design, perimeter firewall, WAF, VPN/ExpressRoute connectivity.
- **Identity** – Azure Active Directory (AAD) with Single Sign-On (SSO) and Multi-Factor Authentication (MFA).
- **Endpoints** – Managed Windows 10/11 and macOS devices via Microsoft Endpoint Manager (Intune).
- **Security Controls** – Conditional Access, device compliance policies, Azure Security Center, Sentinel SIEM.
- **Monitoring & Logging** – Azure Monitor, Log Analytics workspaces, automated alerts.

### 1.3 Key Controls

- MFA for all privileged accounts.
  - Role-Based Access Control (RBAC) with least-privilege.
  - Encryption at rest (Azure Storage Service Encryption) and in transit (TLS 1.2+).
  - Regular vulnerability scans (Qualys) and patch management via Intune.
- 

## 2. IT Operations Runbook

**Purpose:** Define day-to-day operational procedures for the IT Service Desk and support teams.

### 2.1 Service-Desk Workflow

1. **Ticket Intake** – Email, Teams, or portal.
2. **Classification** – Incident vs. Service Request.
3. **Prioritisation** – Based on impact & urgency (P1-P4).
4. **Assignment** – Tier-1 first-line, escalation to Tier-2/3 as needed.

5. **Resolution** – Follow SOPs, document steps, close ticket.

## 2.2 Incident Management

- Detect → Log → Escalate → Resolve → Review.
- Major incidents trigger the **Incident Commander** and a war-room conference bridge.

## 2.3 Change Management

- RFC creation, CAB approval, scheduled implementation, post-implementation validation.

## 2.4 SOPs Highlight

| SOP                    | Owner          | Frequency |
|------------------------|----------------|-----------|
| Backup verification    | Operations     | Daily     |
| Patch compliance audit | Security       | Weekly    |
| AD health check        | Infrastructure | Monthly   |

## 2.5 On-Call Rotation

- 24/7 coverage via a rotating roster; alerts delivered through PagerDuty.
- 

# 3. Information Security Policies

**Purpose:** Establish baseline security requirements for people, processes, and technology.

## 3.1 Acceptable Use

- Only authorized software; no personal cloud storage for corporate data.

## 3.2 BYOD (Bring Your Own Device)

- Devices must enroll in **Intune Mobile Application Management**.
- Enforced PIN/biometric lock on managed apps.
- Encrypted corporate data container; remote corporate-data wipe only.

## 3.3 Authentication & Access

- MFA required for all privileged accounts.
- Password policy: min 12 characters, complexity, 90-day rotation.
- Role-Based Access Control (RBAC) with least-privilege.

## 3.4 Data Classification & Handling

| Classification | Protection |
|----------------|------------|
|----------------|------------|

|              |                                                |
|--------------|------------------------------------------------|
| Public       | No restrictions                                |
| Internal     | Encryption in transit, access limited to staff |
| Confidential | Encryption at rest, strict IAM, NDA required   |

### 3.5 Incident Response

1. Detect & contain.
2. Escalate to **Security Incident Response Team**.
3. Preserve evidence, forensic analysis.
4. Eradication, recovery, post-mortem.

### 3.6 Vulnerability Management

- Quarterly Qualys scans, remediation within 30 days for critical findings.

---

## 4. Disaster Recovery & Business Continuity Plan

**Purpose:** Ensure continuity of critical services after a disruption.

### 4.1 Disaster Declaration

- Triggered by senior management; **CMT (Crisis Management Team)** convened.

### 4.2 Recovery Objectives

- **RTO:** 4 hours for core services (Azure-hosted web apps, database).
- **RPO:** 15 minutes for transactional data.

### 4.3 Azure West Europe DR Site

- Replicated VMs, databases, and storage accounts.
- Geo-redundant backups stored in Azure Backup vaults.

### 4.4 Technical Recovery Steps (High-Level)

1. Validate DR environment health.
2. Initiate **Azure Site Recovery** fail-over.
3. DNS fail-over using Azure Traffic Manager.
4. Verify application functionality.
5. Switch back to production after root-cause resolution.

### 4.5 Business Continuity Actions

- Alternate work-from-home arrangements.
- Manual processing for critical order fulfilment.

#### **4.6 Communication Plan**

- Pre-approved templates for staff, customers, regulators.
- Updates via Teams channel **#BCP-Updates**.

#### **4.7 Testing & Review**

- **Bi-annual DR Test** – full fail-over simulation.
- **Annual BCP tabletop exercise** with all department heads.

---

*Document generated on 2026-07-03 by the WitsLab IT Documentation Assistant.*