TELOMY

UI Design System & Interface Guide

Version 1.0 · 29 September 2026 · For designers & engineers building the mobile app and telomy.com

---

The design system that lives across surfaces

This is the single source of truth for how Telomy looks and behaves — in the mobile app, on telomy.com, in Telomy Care (the clinician web dashboard), on product surfaces (Halo touchscreen, Band, Patch, Ring), and in every marketing artefact. It supersedes the earlier LongySinc UI prototype and complements the Brand Identity Brief and Website Development Guide.

Companion documents

- Brand Architecture v1.0 — the product family and naming rules
- Brand Identity Brief v1.0 — the visual identity brief for the logo designer
- Website Development Guide v1.0 — the telomy.com specification
- Engineering Guide v3.0 — the technical build guide

Contents

#	Section	Page
1	Design principles — what makes a Telomy interface	3
2	Design tokens (canonical)	5
3	Typography system	7
4	Iconography	8
5	Motion & animation	9
6	Component library — buttons, forms, cards, chips, badges	10
7	Data visualisation components	13
8	Navigation patterns	14
9	Overlays — modals, sheets, toasts, tooltips	15
10	Screen archetypes — mobile app	16
11	Screen archetypes — Telomy Care (clinician web)	20
12	Web archetypes — telomy.com	22
13	Patterns — empty, loading, error, success, consent	23
14	Voice & tone in UI copy	25
15	Accessibility standards	26
16	Cross-surface consistency rules	27
17	Handoff to designer & developer	28

1. Design principles — what makes a Telomy interface

Every design decision — pixel, word, delay — should be traceable to one of these five principles. If a design choice cannot be justified by one of them, remove it.

1.1 The five principles

Principle	What it means in a screen
1. Restraint	Do less. Show the one thing that matters. Everything else recedes. If you have to add a badge, ask what to remove.
2. Rigour	Every number carries its unit, its window, and its confidence. Every claim carries its source. No unsourced badges. No fake precision.
3. Warmth	Second-person, present tense. Names, not roles. Handwriting where a caption would do. The reader is a person, not a persona.
4. Deference	Sinc drafts. The clinician signs. The user decides. UI never speaks over the clinician on medical matters, never speaks over the user on personal ones.
5. Authored, not generated	One thing on every screen looks like a human made a decision a template would not have made — an unusual layout, a specific number, an asymmetric detail.

1.2 The hostile-audit test

Before shipping any screen, run it past three hostile audiences in your head:

- **A regulator (CDSCO/FDA reviewer):** does anything on this screen imply a diagnosis, cure, or medical-device claim we haven't cleared?
- **A hostile journalist (privacy or wellness beat):** would any element of this screen make a defensible headline about dark patterns, over-claiming, or consent violations?
- **A tired user at 11 pm:** is anything on this screen going to confuse, alarm, or annoy someone who is exhausted and only wanted to log a poor night's sleep?

If any of the three would raise an objection, revise before ship.

1.3 What Telomy interfaces are not

- Not a game — no XP, no streaks, no badges that reward login-frequency over understanding.
- Not a spa — no gradient backgrounds, no ambient lifestyle photography of hands holding phones on marble.
- Not a medical device — no red alarms unless something is genuinely dangerous, no vitals-monitor grids, no fake ECG lines.
- Not a corporate SaaS — no dense feature dashboards trying to justify a subscription.

2. Design tokens (canonical)

Every token below is expressed as a CSS custom property for web (with a semantic name) and as a Figma variable for design. Never hard-code these values in components. All theming — light/dark, clinician mode, Halo touchscreen — flips these tokens at the root.

2.1 Colour tokens

Token	Light theme	Dark theme	Use
--color-bg	#F8F8F5 Cloud Dancer	#0A0A0A Ink Black	Page & app background
--color-surface	#FFFFFF Pure white	#141618 Panel	Cards, sheets, modals
--color-surface-alt	#F0EDE6 Warm sand	#1A1D1F Graphite	Alternating rows, secondary surfaces
--color-text	#0A0A0A Ink	#F8F8F5 Cloud Dancer	Primary body text
--color-text-muted	#6B7280 Graphite grey	#9CA3AF	Captions, metadata, disabled
--color-text-inverse	#F8F8F5	#0A0A0A	Text on high-contrast backgrounds
--color-accent-scientific	#1F5C4E Teal	#2D8471 Bright teal	Charts, scientific overlays, the mark stroke, links
--color-accent-human	#B8946A Copper	#C9A87F Warm copper	Primary CTAs, human highlights, annotations, signature marks
--color-signal-safety	#9B2C2C Signal red	#DC2626	Regulatory alerts, errors, safety flags — sparingly
--color-signal-success	#166534 Confirmation green	#22C55E	Save confirmed, sync complete — sparingly
--color-border	#E8E5DE	#2A2E31	Card borders, dividers
--color-border-strong	#D1CFC5	#3D4247	Section separators, top-bar underline
--color-overlay	rgba(10,10,10,0.55)	rgba(0,0,0,0.75)	Modal backdrop

2.2 Spacing tokens (8pt system)

Token	Value	Use
--space-0	0px	Zero
--space-1	4px	Micro — badge padding, icon-to-text gap
--space-2	8px	Base unit — tight component internals
--space-3	12px	Compact — button internal padding
--space-4	16px	Default — card padding, list-item gap
--space-5	24px	Relaxed — inter-card spacing

--space-6	32px	Section internal padding
--space-7	48px	Section-to-section on mobile
--space-8	64px	Section-to-section on desktop
--space-9	96px	Hero padding, editorial breathing room
--space-10	128px	Full hero verticals, homepage sections

2.3 Radius, elevation, opacity

Token	Value	Use
--radius-none	0px	Editorial panels, technical diagrams — deliberate hard-edges
--radius-sm	4px	Chips, badges, tag pills
--radius-md	8px	Buttons, inputs, small cards
--radius-lg	12px	Cards, sheets
--radius-xl	20px	Modals, bottom sheets
--radius-round	9999px	Avatars, pills, chat bubbles
--elevation-0	none	Flat surface — default
--elevation-1	0 1px 2px rgba(10,10,10,0.04)	Subtle lift — cards on scroll
--elevation-2	0 4px 12px rgba(10,10,10,0.06)	Hover state on interactive cards
--elevation-3	0 12px 28px rgba(10,10,10,0.10)	Sheets, modals, popovers
--opacity-disabled	0.4	Disabled state on any interactive
--opacity-subtle	0.6	Secondary iconography, decorative marks

2.4 Breakpoints

Name	Min width	Where
--bp-xs	0px	Small phones — iPhone SE, older Androids
--bp-sm	375px	Standard phones — design baseline
--bp-md	768px	Tablets — iPad portrait
--bp-lg	1024px	Small laptops — clinician dashboard baseline
--bp-xl	1280px	Standard desktop — telomy.com editorial layout
--bp-2xl	1536px	Large desktop — max-width caps here

3. Typography system

3.1 Font families (canonical)

Family	Use	Fallback stack
Telomy Display (custom)	Wordmark, hero H1, page titles, product names in headers	'Cambria', Georgia, serif
Source Serif 4 (Google)	Editorial body — journal, manifesto, founder pages, long-form	'Cambria', Georgia, serif
Inter (Google)	UI everywhere — buttons, inputs, cards, dashboards, in-app copy	-apple-system, 'Segoe UI', Roboto, sans-serif
JetBrains Mono (Google)	Timestamps, code, technical data, changelog entries	'Consolas', ui-monospace, monospace
Anshuman Hand (custom)	Annotations on charts, signatures, marginal notes — sparingly	'Kalam', cursive

3.2 Type scale — mobile app

Token	Size / line	Weight	Family	Use
--font-display-xl	36px / 40px	500	Display	Longevity age dial, big-number displays
--font-display-lg	28px / 32px	500	Display	Screen titles, hero copy
--font-display-md	22px / 28px	500	Display	Section headers on Home
--font-heading-lg	20px / 26px	600	Inter	Card titles, prominent labels
--font-heading-md	17px / 22px	600	Inter	List-item titles, section labels
--font-body-lg	17px / 24px	400	Inter	Default body — chat, cards, forms
--font-body	15px / 22px	400	Inter	Default reading text in app
--font-body-sm	13px / 18px	400	Inter	Captions, hints, metadata
--font-mono-sm	12px / 16px	400	Mono	Timestamps, unit labels, technical readouts
--font-label	11px / 14px	600	Inter	Uppercase eyebrows — SIGNAL, VAULT, RECOVERY, letter-spacing 6

3.3 Type scale — web (telomy.com)

Token	Size / line (desktop)	Weight	Family	Use
--web-hero	72–96px / 1.0	400	Display	Homepage H1
--web-h1	48–56px / 1.1	400	Display	Interior page titles
--web-h2	32px / 1.2	500	Display	Section headers
--web-h3	22px / 1.3	600	Inter	Sub-section headers
--web-editorial	19px / 1.7	400	Source Serif 4	Journal body, manifesto, long-form
--web-body	16px / 1.5	400	Inter	UI body copy

--web-caption	13px / 1.4	400	Inter	Captions, metadata
--web-mono	14px / 1.5	400	Mono	Timestamps, code, changelog
--web-label	11px / 1.2	600	Inter	Eyebrows, letter-spacing 6, uppercase

3.4 Type-setting rules

- Editorial body always in a real reading measure — max 68 characters per line. If content stretches to the viewport it is not for reading; it is for scanning.
- Line height inverse to font size — display 1.0–1.1, body 1.5–1.7. Never uniform.
- Do not centre body copy longer than three lines. Ever.
- Use en-dashes for number ranges (5–10), em-dashes for parentheticals — like this — never spaced hyphens.
- Use real curly quotes (“curly”) not straight ("straight"). Set typography plugin at build time.
- Numeric characters use tabular-nums in tables and dashboards so digits align vertically.

4. Iconography

4.1 Rules

- Custom Telomy icon set drawn by the designer. Do not use Heroicons, Lucide, Phosphor, or Material Icons as-is — they are AI-signal givens.
- Grid: 24×24 base. Stroke weight 1.5px at 24, scales proportionally.
- Style: outline only, no fills except for status glyphs (record, live). Rounded terminals. Slightly organic, not geometric-clinical.
- Colour: --color-text at default, --color-accent-scientific on links, --color-accent-human on primary CTAs, --color-text-muted at 60% opacity for decorative use.
- Never use icons as decoration alone on marketing pages. In-app icons must serve a function.

4.2 Core icon set (launch — 24 icons)

Icon	Use
home	App root, tab bar
vault	The Vault — a stacked-timeline glyph, not a padlock
sinc	Sinc chat — a small conversation glyph with the pulse detail
chart-line	Trends, biomarker histories
event	Log an event
ring	Ring device
band	Band / wristband device
patch	Patch device
chamber	Halo chamber session
labs	Lab reports
imaging	Imaging / DICOM
medication	Medications and supplements
clinician	Clinician sign-off, clinician mode
consent	Consent granted, DPDP
voice	Voice input, on-device STT
search	Global search
settings	Preferences, account
profile	User account, avatar fallback
mic-off	Voice muted
mic-on	Voice listening (with animated dot on active state)
record	Recording session
signal-good	High-quality signal

signal-weak	Signal alert
download	Export / download

4.3 Product-family glyphs (bespoke)

Each product line has its own bespoke glyph designed alongside the wordmark — richer than a UI icon, used in product-family lockups on the web and in-app onboarding. The infinity-DNA mark is Telomy's master glyph. Each product gets a subtle variant: the Vault glyph is the mark with a horizontal timeline threaded through; Sinc is the mark with a small conversation echo; Halo is the mark inside a chamber outline; Care is the mark with a stethoscope silhouette; Formulas is the mark inside a capsule.

5. Motion & animation

5.1 Motion tokens

Token	Value	Use
--motion-duration-instant	80ms	Ripple, tap feedback
--motion-duration-fast	160ms	Toggle switches, button hover
--motion-duration-default	200ms	Page-in fade, modal open
--motion-duration-slow	400ms	Section reveal, list expansion
--motion-duration-ambient	8000ms	The mark's slow trace loop
--motion-easing-standard	cubic-bezier(0.4, 0, 0.2, 1)	Default for most transitions
--motion-easing-decelerate	cubic-bezier(0, 0, 0.2, 1)	Elements entering the viewport
--motion-easing-accelerate	cubic-bezier(0.4, 0, 1, 1)	Elements leaving the viewport
--motion-easing-organic	cubic-bezier(0.34, 1.56, 0.64, 1)	Sinc's typing indicator, breath-like pulses

5.2 Rules

- Respect prefers-reduced-motion — hold the mark static, replace fades with instant swaps, disable the pulse.
- No parallax scrolling anywhere. No cursor-follow effects. No looping animated gradients as backgrounds.
- The mark's ambient animation is the single always-on motion element in the entire product. Everything else is triggered by user action.
- Sinc's typing indicator uses --motion-easing-organic to feel breath-like, not machine-like.
- Longevity-age dial fills over 1.2s on first render only, then locks.
- Chart draw-in animations only on first render per session, never on re-render.
- Every transition is reversible — nothing that moves in cannot move back out at the same speed.

6. Component library — buttons, forms, cards, chips, badges

6.1 Buttons

Four variants. Never more. If a screen has more than one primary button, the design is wrong.

Variant	Background	Text	Border	Use
Primary	--color-accent-human (copper)	--color-text-inverse (light on light theme, dark on dark)	None	The single most important action on a screen
Secondary	transparent	--color-text	1px --color-border-strong	Secondary actions — cancel, dismiss
Tertiary / Ghost	transparent	--color-accent-scientific (teal)	None	Inline text actions — links styled as buttons
Destructive	transparent	--color-signal-safety (red)	1px --color-signal-safety	Delete, revoke consent, cancel session — always requires confirm

6.2 Button sizing

Size	Height	Padding (h × v)	Font	Use
Large	56px	24px × 16px	--font-body-lg 600	Primary CTA on a landing screen
Medium (default)	44px	20px × 12px	--font-body 600	Standard app + web buttons
Small	36px	16px × 8px	--font-body-sm 600	Table row actions, chip-adjacent buttons
Icon-only	44×44 (tap target)	12px	n/a	Header actions, top-bar controls

6.3 Inputs & forms

- Height 48px (mobile) / 44px (web). Always tall enough for a comfortable tap target.
- Label above input, always. Placeholder is hint text, never label — accessibility hard rule.
- Focus: 2px --color-accent-human ring, outside the input, respecting border-radius.
- Error state: 1px --color-signal-safety border, error message below in --font-body-sm red.
- Helper text below input in --color-text-muted --font-body-sm.
- Required fields marked with a single small dot after the label, in --color-accent-human — never with a red asterisk.

6.4 Cards

Card type	Structure	Use
Data card	Big number top, unit + delta middle, context line bottom	Home screen widgets — HRV today, sleep score, longevity age
Action card	Icon + title + one-line description + tap-to-open	Marketplace items, protocol prompts, N-of-1 study invites
Article card	Cover image + eyebrow + title + byline + read time	Journal on web, in-app articles
Session card	Session type + timestamp + key metric + link to detail	Halo sessions, therapy sessions, clinic visits
Insight card (Sinc)	Sinc glyph + insight text + confidence dot + "See evidence" link	Home screen insights from Sinc
Consent card	Purpose + granular controls + last-updated + revoke button	Consent settings, DPDP flows

6.5 Chips, badges, pills

- Event-tag chips — used everywhere the user logs events. Height 28px, padding 8px×4px, radius --radius-round. Copper background at 12% opacity, copper text at full.
- Status badges — solid pill. Success (green), Alert (red), Info (teal), Neutral (grey). --font-label sizing, uppercase.
- Phase badges (Web) — P0/P1/P2/P3 for product family. Solid teal (P0-P1), copper (P2), graphite (P3).
- Confidence pill for Sinc insights — three levels: "Emerging (3 events)", "Building (6 events)", "Strong (12+ events)". Never a single number without the sample size.

6.6 Avatars

- Circular, --radius-round. Sizes: 24, 32, 40, 56, 96px.
- Fallback: two-letter monogram on --color-accent-scientific (teal). Never on grey.
- Clinician avatars have a small copper dot in the bottom-right corner to distinguish from user avatars.
- Sinc has a designed glyph avatar, never a photograph, never initials.

7. Data visualisation components

Data-viz is where Telomy's rigour shows or falls apart. Every chart on every surface follows the same design language, has confidence intervals when applicable, and is drawn from real data — never decorative.

7.1 Chart type mapping

Chart type	When to use	When NOT to use
Sparkline	Card-sized trend inside a data card (HRV last 7 days on home)	Anything that needs axis labels
Line chart with band	Longitudinal biomarker with confidence interval (CRP over 6 months)	Discrete events or categorical data
Stacked bar	Sleep stage composition (deep/REM/light/wake per night)	Anything where the total doesn't have meaning
Event timeline	The Vault master surface — events tagged along horizontal time	Anything smaller than the full-screen
Dial / ring gauge	Longevity age vs chronological age, single-value "score" visualisations	Any comparison across time — use line instead
Heatmap	Weekly / monthly patterns — sleep quality by day-of-week	Anything requiring precise value reads
Small-multiples grid	Comparing 4-9 metrics across the same time axis (N-of-1 readouts)	Fewer than 4 series — use overlaid line

7.2 Chart styling rules

- 1px stroke weight for lines. Never thicker.
- Grid lines in --color-border at 40% opacity. Never dominant.
- Axis labels in --font-mono-sm, --color-text-muted. Tabular numerals.
- Primary series in --color-accent-scientific. Secondary in --color-text-muted. Never rainbow palettes.
- Confidence bands in --color-accent-scientific at 15% opacity fill.
- Zero baseline visible only when the zero is meaningful (deltas, biomarker deviations from personal baseline). Never for absolute biomarker values where the meaningful range starts elsewhere.
- Every chart has a caption below: "n = 42 nights · updated 2h ago" — the sample size and freshness, always.

7.3 The signature move — handwritten annotations

Where a chart has an insight worth pointing at, add a small annotation in Anshuman-Hand font with a thin copper leader line pointing at the data point. This is the single strongest human-authorship signal in the entire product. Use sparingly — the effect wears off if it appears on every chart.

7.4 The longevity age dial (unique component)

- A ring gauge with the chronological age as a tick at the top of the ring.
- The dial fills to the current biological-age estimate (Levine PhenoAge default).
- Copper fill when the biological age is lower than chronological (good). Graphite when higher.
- The centre displays the biological-age number in --font-display-xl, with the delta below in --font-body-sm ("3.2 years younger than chronological · confidence 68%").

- Tap opens the breakdown: which biomarkers most contributed, which population reference was used, what changed since last month.

8. Navigation patterns

8.1 Mobile app — bottom tab bar (5 tabs)

Tab	Icon	Use
Home	home	Today's insights, quick log, upcoming actions
Vault	vault	Longitudinal timeline, biomarkers, reports
Sinc	sinc	Chat with Sinc, session history
Sessions	chamber	Halo sessions, therapy log, protocols
Profile	profile	Account, consent, settings, connected devices

8.2 Mobile app — top bar

- Height 56px. Background --color-bg. Bottom border 1px --color-border on scroll only.
- Left: back button OR screen title (never both). Right: 1–2 context actions maximum.
- Never carry a logo in the app top-bar — the bottom tab bar is where Telomy identity lives.

8.3 Telomy Care web — left rail navigation

Item	Use
Patients	The patient queue, active + pending review
Sinc insights	The AI-drafted insight queue awaiting clinician sign-off
Protocols	Protocol templates + patient-specific active protocols
Studies	N-of-1 studies in flight across the panel
Formulas	Recommend + track supplements per patient
Reports	Aggregate practice reports
Settings	Practice, panel, billing

8.4 Web — top bar (see Website Guide §8 for full spec)

Thin, quiet, does not pin on scroll until past the hero. Left: TELOMY wordmark. Centre: Vault · Halo · Science · Journal. Right: For Clinicians (subtle link) + Join waitlist (copper button). Full spec in Website Development Guide v1.0.

8.5 Cross-surface navigation logic

A user who signs in on the mobile app and then visits telomy.com in a browser sees a subtle personalised state in the top bar (their avatar, a link to "Open in app"). A clinician who authenticates on Telomy Care web can open a patient's mobile app view in a preview panel. The three surfaces share auth (single sign-on via the same identity-service in the backend) and share consent state (opt-outs on one apply everywhere).

9. Overlays — modals, sheets, toasts, tooltips

9.1 Bottom sheet (mobile app default overlay)

- Radius top-left/top-right --radius-xl, bottom flat. Padding --space-6 all sides.
- Drag handle at top (32×4 pill, --color-border-strong). Drag-to-dismiss. Tap outside to dismiss unless the sheet has an unsaved form.
- Content spec: header (title + close X), body, sticky footer with primary/secondary buttons.
- Maximum height 80vh. If content exceeds, it scrolls within the sheet.

9.2 Modal (web default)

- Centered, max-width 480px, --radius-xl, --elevation-3, --color-overlay backdrop.
- Same structure as bottom sheet: header, body, sticky footer.
- Escape key closes. Focus is trapped inside. Return focus to trigger on close.

9.3 Toast

- Bottom-centre (mobile) or bottom-right (web). Width 360px. --radius-md. --elevation-2.
- Auto-dismiss after 4s. Never longer. If action required, use a modal instead.
- Types: neutral (--color-surface + text), success (--color-signal-success left border), alert (--color-signal-safety left border).
- Never show more than one toast at a time. Queue if multiple.

9.4 Tooltip

- Text-only. --color-text on --color-surface-alt. --radius-sm. --elevation-1.
- Delay: 500ms on hover (web only). Never on mobile — mobile uses inline hint text below the element.
- Maximum 8 words. For anything longer, use inline hint or a modal.

10. Screen archetypes — mobile app

Every screen in the app derives from one of these seven archetypes. Locking to archetypes prevents design entropy as the app scales.

10.1 Home

- Top: greeting with user's first name + today's date.
- Longevity age dial — the single hero element.
- 2-column data-card grid: HRV today, sleep score, key biomarker with trend, next action prompt.
- Sinc's insight of the day — insight card with confidence, one-tap to chat.
- Quick actions row: log event, start Halo session, ask Sinc, log meal.
- Below-fold: what happened in the last 7 days, weekly summary card.

10.2 Voice log / event capture

- Full-screen minimal UI. Mic button centred, breathing pulse when listening.
- Live transcript below the mic. Adaptive scroll-menu predictions in copper as you speak.
- Tap-to-confirm each predicted tag. Skip anything not relevant.
- Below transcript: contextual biomarker snapshot at the time of the event (HRV, sleep quality of last night, active protocols).
- Save action commits the event with all tags + timestamp. Toast: "Event saved — Sinc will look at it tonight."

10.3 Sinc chat

- Standard chat pattern — messages bottom-anchored, input pinned to keyboard.
- Sinc's messages left-aligned with the Sinc glyph avatar. User's right-aligned in copper bubbles.
- Sinc's insights always cite the evidence — small "See evidence" chip that expands to show the underlying data points.
- Voice input as first-class alternate to typing — mic button prominent in input bar.
- If Sinc's response touches medical-adjacent recommendation: a small "Awaiting clinician review" chip on the message, and the clinician gets a queue item.

10.4 Vault timeline

- Horizontal scrollable timeline. Days as major ticks, weeks as sections.
- Events as chips on the timeline colour-coded by type (food, therapy, biomarker, life event, medication).
- Pinch to zoom the time scale from 24h view to 6-month view.
- Tap any event → detail sheet with data + Sinc's read + related events.
- Above the timeline: date-range selector, event-type filter.

10.5 Biomarker detail

- Header: biomarker name, current value with unit, delta since last measurement, source (lab / wearable / imaging).
- Line chart with band, 90-day default, toggleable to 30d / 1y / all-time.
- Personal baseline highlighted; population reference shown as a subtle secondary series.

- Related events overlaid on the chart — supplements started, therapy sessions, life events.
- Below: Sinc's interpretation of the current value in plain language, with confidence.
- Below: "What could change this?" — a list of protocols and interventions with evidence links.

10.6 Halo session (in-chamber UI)

- Ambient dark mode — --color-bg forced dark regardless of user preference — for the chamber environment.
- Large-type readouts — no tiny fonts. Every element visible with eyes closed for 1 second and reopened.
- Session progress ring in copper. Time remaining in --font-display-lg.
- Live HRV + breath rate sparkline at bottom. Zone A/B/C intensity dots.
- Emergency exit button always visible top-right, --color-signal-safety.

10.7 Onboarding (first-run, one screen per step)

- Step 1: name + phone (OTP). No password. No email until later.
- Step 2: connect a wearable (Apple Health / Google Health Connect / Terra). Skippable.
- Step 3: consent per purpose — clear granular toggles, each with a one-line explanation of what enabling it does.
- Step 4: choose a starter goal (Sleep better / Recover from training / Track biomarker X / Prepare for a specific lab).
- Step 5: meet Sinc — a short conversational exchange where Sinc introduces itself and asks two questions.
- Total onboarding: under 3 minutes. Anything longer, users drop.

11. Screen archetypes — Telomy Care (clinician web)

11.1 Patient queue (default landing)

- Left rail navigation (per §8.3). Main pane is a table + filters.
- Columns: patient name, last activity, Sinc insight priority, awaiting-review flag, quick-open.
- Sorted by insight priority by default — the patients Sinc has flagged for clinician attention rise to the top.
- Quick filters: my patients, awaiting my review, high-priority insights, overdue check-ins.

11.2 Patient detail

- Header: patient name + age + sex + primary condition tags + last visit.
- Tabs: Vault, Sinc insights, Protocols, Studies, Formulas, Notes.
- Default tab: Sinc insights — the drafted interpretation queue awaiting clinician sign-off.
- Every Sinc insight has: what Sinc noticed, the underlying evidence (data points, dates), the drafted recommendation, and three actions — Sign off, Modify, Reject with note.
- Sign-off is a single click. Modification opens the recommendation for edit. Rejection requires a one-line note (used for Sinc training feedback).

11.3 Protocol authoring

- Template picker + custom builder. Templates cover common protocols (sleep hygiene, HRV recovery, inflammation reduction).
- Each protocol has: intervention (supplement / behaviour / device session), duration, biomarker targets, review cadence.
- On save, the patient's app receives the protocol as a new item with the clinician's name attached.

11.4 N-of-1 study setup

- Wizard: hypothesis → intervention → primary outcome → duration → arms (ABA / ABAB / blinded) → sample-size check.
- Sample-size check uses the patient's historical variability to project detectability with confidence.
- On approval, patient's app schedules the on/off periods automatically. Reminders handled by the study service.
- Readout at end presented as three verdicts: Helped, No reliable signal, Possible negative — with the data.

12. Web archetypes — telomy.com

The Website Development Guide v1.0 carries the full page-by-page brief. This section defines the four archetype layouts that every telomy.com page derives from — enforcing consistency across the 19 routes.

12.1 Marketing hero

- 100vh, dark background (--color-bg dark). One H1 (--web-hero), one subhead (--web-body). Mark bottom-right.
- Never more than one CTA. Never carousel. Never video-loop background.
- Homepage, Vault, Sinc, Halo, Care, Formulas all use this archetype.

12.2 Editorial long-form

- Single column, max-width 720px, centred. Cloud Dancer background.
- Source Serif 4 body, generous line-height, marginalia at wide viewports.
- Byline, read time, last-edited timestamp.
- Manifesto, founder story, journal essays use this archetype.

12.3 Product-family bento

- Bento-style panel grid, golden-ratio proportions, some panels 2× wider than others.
- Each panel: real product photograph, product name, one-sentence positioning line, phase badge.
- Homepage product-family section, /vault product-line view, /halo product-line view use this.

12.4 Structured reference

- Two-column layout: left nav (sticky), right content.
- Long-form technical content with anchor links, code blocks, tables, diagrams.
- Science page, Trust page, Careers detail views use this.

13. Patterns — empty, loading, error, success, consent

13.1 Empty states — the honesty rule

- Never show a fake loading state or a fake data-populated screen.
- Empty states must be honest: what is missing, why it is missing, and how to fill it.
- **Example — empty Vault:** "Your Vault is empty. Connect a wearable, upload your first lab report, or log an event to start filling it." Three action buttons for the three paths.

13.2 Loading states

- Never a spinner alone. Always paired with what is loading and (if slow) an estimate.
- Skeleton screens for known layouts (Vault timeline, chat history).
- For long operations (parsing a lab PDF, generating a Sinc summary): a text status line updated in real time ("Reading page 2 of 4… identifying biomarkers…").

13.3 Error states

- Never show a technical error code alone. Always: what happened, what the user can do, and how to reach us if it persists.
- Errors that are Telomy's fault get a copper apology, not a red alert.
- Errors that require action (bad password, network down) get clear next-step instruction.
- Errors involving the user's health data (a failed sync, an incomplete lab parse) get a link to a clinician-support option.

13.4 Success confirmations

- Toast for routine actions (event saved, session logged, message sent).
- Full-screen confirmation only for milestone actions (first Halo session complete, consent to a new study granted, subscription confirmed).
- Never gamify. No confetti. No badges. The confirmation is the reward.

13.5 Consent — the DPDP-native pattern

- Every data-collection action asks for its own consent, in plain language, before collecting.
- Consent is presented as a card with: what data, what purpose, who sees it, how long we keep it, and a granular toggle.
- Consent can be revoked from the same card, one tap, with immediate effect (background job deletes within 24h).
- The default state of every consent is off. Nothing is opt-out.
- Consent history is visible in the profile screen — every past grant and revocation timestamped.

13.6 Sinc's honesty patterns

- Sinc never says "you have X" or "you should Y" without confidence + evidence.
- Sinc's responses cite specific data points from the user's Vault, always linkable.
- If Sinc doesn't have enough data: "I don't have enough signal to say yet. If X keeps happening for the next N days, I'll be able to tell."

- For medical-adjacent questions, Sinc's response is always followed by: "Want me to draft this for your clinician to review?"

14. Voice & tone in UI copy

14.1 The rules

- Second person, present tense. "Your HRV dropped 6ms overnight." Not "The user's HRV has dropped."
- Names, not roles. "Dr. Priya Iyer signed off on this." Not "A clinician approved this."
- Numbers with their windows. "9 events in the last 30 days." Not "Frequent events."
- Confidence, not certainty. "Emerging pattern" / "Strong correlation" — never "proven."
- Plain English before technical language. If we must use LOINC / ICD codes, in a footnote, not the headline.
- Zero exclamation marks in UI. Zero emoji. The tone is quiet.

14.2 Microcopy — before/after examples

Instead of...	Write...
"Great job!" (after logging)	"Saved." — or a soft one-line insight if Sinc noticed something
"Something went wrong"	"We couldn't reach the server. Retrying in 5 seconds."
"Are you sure you want to delete?"	"Delete this event? This is permanent. Undo will not bring it back."
"Insufficient data to display"	"You've logged 3 events. Patterns appear after around 8."
"Please log in"	"Sign in to see your Vault."
"Session complete" (after Halo)	"Session done. HRV rose 4ms. Sinc will have more by morning."
"Would you like to enable notifications?"	"Should Sinc send you a note when it spots something? You can turn it off any time in Profile."
"Your subscription has been activated"	"You're in. Welcome. Anshuman will email you in the morning."

14.3 Sinc's voice

- Warm, precise, deferential.
- Names Sinc always uses in first person: "I noticed...", "I would want your clinician's read before..."
- Never sycophantic. Never enthusiastic. Never uses "amazing", "great", "awesome."
- Admits limitations often. "I don't have data on that yet." "I could be wrong about this — the sample is small."
- For high-stakes: "This is worth talking to your clinician about. I've drafted a note — want me to send it to them?"

15. Accessibility standards

15.1 Baseline

- WCAG 2.2 AA across every surface. AAA where feasible on editorial content.
- Contrast ratios: 4.5:1 for body, 7:1 for CTAs. Test both themes on every screen.
- Tap targets 44×44 minimum (mobile), 32×32 minimum (web).
- Every image has meaningful alt text. Every icon has a label.
- Semantic HTML everywhere on web. React Native equivalents on mobile.

15.2 Beyond baseline — the standards Telomy chooses

- prefers-reduced-motion respected on every animation, including Sinc's typing indicator.
- prefers-contrast: more supported — a high-contrast theme derived from tokens.
- Dynamic type — the app respects OS text-size settings up to 200%.
- Voice-over / TalkBack tested on every screen before release.
- Keyboard navigation on web — every interactive is tabbable, focus rings visible, no keyboard traps.
- Colour is never the only way to convey information — status is also carried by icon and text.

15.3 The medical-context accessibility rules

- Numeric data is always readable at 200% zoom without horizontal scroll.
- Charts are supplemented with a data-table alternative accessible via a "View as table" link.
- Critical alerts (Halo emergency exit, safety flags) meet both visual and haptic accessibility on mobile.
- Consent flows are fully keyboard + screen-reader compliant — DPDP requires it.

16. Cross-surface consistency rules

Telomy lives across five surfaces: the mobile app (iOS + Android), the marketing website (telomy.com), Telomy Care (clinician web dashboard), the Halo touchscreen (embedded), and future product surfaces (Band, Patch, Ring). Consistency across them is a trust feature.

16.1 The must-be-identical layer

- The TELOMY wordmark — one file, used everywhere.
- The infinity-DNA mark — one SVG, used everywhere.
- Colour tokens — same names, same values, different themes per surface.
- The Sinc name and glyph — Sinc always looks like Sinc.
- Product-family names — Vault, Care, Formulas, Halo, Band, Patch, Ring, Labs. Never abbreviated. Never renamed per surface.
- The positioning line — "Where human biology becomes intelligent." Verbatim, everywhere.

16.2 The should-feel-consistent layer

- Typography hierarchy — the same relative weight and family choices, adjusted for surface conventions (larger scale on web).
- Motion character — every surface uses the same easings and durations.
- Iconography — the same custom icon set across mobile and Telomy Care web.
- Chart style — the 1px stroke, thin grid, tabular numerals, always.

16.3 The must-be-different layer

- Density — web dashboards carry more information per screen than mobile.
- Interaction — mobile favours bottom sheets and swipe. Web favours modals, hover, keyboard shortcuts.
- Navigation — bottom tabs on mobile, left rail on Telomy Care web, top bar on telomy.com.
- Content strategy — telomy.com is marketing-first (public, discoverable, launch-critical). The app is product-first (authenticated, personal, retention-critical). Do not conflate them.

17. Handoff to designer & developer

17.1 What the designer receives from this document

- The design principles (§1) — the taste criteria to design against.
- The full token set (§2, §3, §5) — to build the Figma variable system.
- The component library (§6, §7, §9) — the components to build first.
- The screen archetypes (§10, §11, §12) — the templates that anchor screen design.
- Voice & tone (§14) — the copy rules that shape every string in the app.

17.2 What the developer receives

- The token system as a JSON / CSS custom-property spec (design provides post-Figma).
- Component behaviour specs (this document + Figma prototypes).
- Accessibility standards (§15) — the WCAG 2.2 AA requirements as non-negotiable.
- Cross-surface rules (§16) — the shared-code opportunities across React Native + Next.js.

17.3 Recommended build order

Week	Milestone
1	Design tokens locked in Figma variables + code (Tailwind config + React Native theme)
2	Typography + iconography set finalised + published to team
3	Core components built: buttons, inputs, cards, chips, badges, avatars
4	Data-viz components: line-with-band, sparkline, dial, timeline
5	Overlays + patterns: bottom sheet, modal, toast, empty/loading/error
6	First screen archetypes end-to-end: Home, Sinc chat, Vault timeline
7	Onboarding flow + consent flow (DPDP-critical)
8	Remaining app screens + Telomy Care shell

17.4 The living-system rule

This document is version 1.0. It will change as the app and website are built. Every change to this document is a change to the design system, and every change to the design system is versioned in git alongside the code. The single source of truth is the design system repository — this DOCX exports from it, not the other way around.

Where human biology becomes intelligent.

— End of UI Design System v1.0 —

Telomy · Confidential · For the design and engineering team