

Sample Diagnostics (fictitious test laboratory)

TEST DATA — NOT A REAL MEDICAL REPORT. FOR SOFTWARE TESTING ONLY.

Heavy Metals — Provoked Urine (6 h, DMSA)

Patient	Test User (SAMPLE)	Age / Sex	34 Y / Male
Patient ID	TST-000123	Referred by	Self
Collected	14-Aug-2026	Reported	14-Aug-2026
Method	ICP-MS	Sample	See test

Test	Result	Unit	Reference range	Flag
Lead (Pb)	3.8	µg/g creat	< 2.0	H
Mercury (Hg)	6.4	µg/g creat	< 3.0	H
Arsenic (As, total)	42	µg/g creat	< 50	
Cadmium (Cd)	0.9	µg/g creat	< 1.0	
Aluminium (Al)	21	µg/g creat	< 35	
Thallium (Tl)	0.3	µg/g creat	< 0.5	
Nickel (Ni)	5.1	µg/g creat	< 8	
Creatinine	1.1	g/L	0.3 – 3.0	

Interpretation / notes

Mercury above reference — common with frequent large-predatory-fish intake.
Lead mildly elevated. Provoked testing interpretation requires clinician review.

Electronically generated sample report. Fictitious laboratory and patient.