TELOMY

Diagnostic Test & Biomarker Menu

The complete set of tests and biomarkers Telomy is building into its platform — routine and advanced blood chemistry, hormones, immunity, the full infectious-disease panel (viral, bacterial, parasitic, fungal, STI), toxins, genetics, biological-age and imaging diagnostics — for lab-partner onboarding.

377+	21	81+	Serology · PCR · Culture
biomarkers in catalog	diagnostic panels	infectious-disease tests	method coverage

Prepared for lab-partner review · 29 Oct 2026 · Reference ranges are indicative (the performing lab's validated ranges apply). Infectious-disease menu is the planned offering.

Infectious disease — viral, bacterial, parasitic, fungal & STI · 81

Planned infectious-disease menu for the platform — standard India-relevant serology, antigen, molecular (PCR) and culture testing.

VIRAL — HEPATITIS · 9

- Hepatitis A — IgM, IgG
- Hepatitis B surface antigen (HBsAg)
- Anti-HBs (surface antibody)
- HBeAg / Anti-HBe
- Anti-HBc (total & IgM)
- Hepatitis B viral load (HBV DNA, PCR quantitative)
- Anti-HCV (Hepatitis C antibody)
- Hepatitis C viral load (HCV RNA, PCR) + genotype
- Hepatitis E — IgM

VIRAL — SYSTEMIC & RESPIRATORY · 17

- HIV 1 & 2 (4th-gen Ag/Ab combo)
- HIV viral load (RNA PCR) + CD4 count
- Dengue NS1 antigen
- Dengue IgM / IgG
- Chikungunya IgM / IgG / RT-PCR
- Zika virus RT-PCR
- SARS-CoV-2 RT-PCR
- SARS-CoV-2 rapid antigen
- SARS-CoV-2 IgG / IgM (serology)
- Influenza A & B (antigen / RT-PCR)
- Respiratory viral panel (multiplex PCR)
- CMV IgM / IgG + CMV DNA PCR
- Epstein–Barr virus (VCA IgM/IgG, EBNA)
- Herpes simplex HSV-1 & HSV-2 (IgM/IgG, PCR)
- Varicella-zoster (VZV) IgM/IgG
- Measles / Mumps / Rubella IgM & IgG
- Rotavirus & Norovirus antigen (stool)

BACTERIAL · 18

- Typhoid — Widal
- Typhoid — Typhidot (IgM/IgG)
- Salmonella blood culture
- Tuberculosis — Mantoux / tuberculin skin test
- TB — IGRA (QuantiFERON-TB Gold)
- TB — AFB smear (Ziehl-Neelsen)
- TB — GeneXpert MTB/RIF (PCR + rifampicin resistance)
- TB — MGIT liquid culture & drug susceptibility
- Helicobacter pylori — stool antigen
- H. pylori — urea breath test
- H. pylori — serology (IgG)
- ASO (anti-streptolysin O)
- Leptospira IgM
- Brucella (agglutination)
- Mycoplasma pneumoniae IgM/IgG
- Chlamydia pneumoniae
- Legionella urinary antigen
- Vibrio cholerae (stool culture)

PARASITIC & PROTOZOAL · 10

- Malaria — peripheral smear
- Malaria — rapid antigen (Pf/Pv)
- Malaria — PCR
- Filaria — antigen / night smear
- Leishmania (Kala-azar) — rK39 / serology
- Entamoeba histolytica (stool antigen / serology)
- Giardia lamblia (stool antigen)
- Cryptosporidium (stool)
- Toxoplasma gondii IgM / IgG
- Stool — ova & parasite (O&P) microscopy

FUNGAL · 5

- Candida (culture / antigen)
- Aspergillus galactomannan
- Cryptococcal antigen (CrAg)
- Fungal culture & sensitivity
- KOH mount (skin/nail/hair)

SEXUALLY TRANSMITTED INFECTIONS (STI PANEL) · 8

- VDRL / RPR (syphilis screen)
- TPHA / FTA-ABS (syphilis confirmatory)
- HPV DNA — high-risk genotyping (16/18 + others)
- Chlamydia trachomatis (NAAT/PCR)
- Neisseria gonorrhoeae (NAAT/PCR)
- Trichomonas vaginalis
- HSV-2 PCR
- Comprehensive STI panel (HIV + Hep B/C + syphilis + HSV + CT/NG + HPV)

CULTURES & SENSITIVITY (WITH ANTIBIOTIC SUSCEPTIBILITY) · 8

- Blood culture & sensitivity (aerobic/anaerobic)
- Urine culture & sensitivity
- Stool culture & sensitivity
- Sputum culture & sensitivity
- Throat / nasal swab culture
- Wound / pus culture
- CSF culture & analysis
- High vaginal / urethral swab culture

MOLECULAR / MULTIPLEX PCR & SEPSIS MARKERS · 6

- Gastrointestinal pathogen panel (multiplex PCR)
- Meningitis / encephalitis panel (PCR)
- Sepsis / bloodstream pathogen PCR
- Procalcitonin (bacterial sepsis)
- C-reactive protein (CRP) & hs-CRP
- ESR (erythrocyte sedimentation rate)

Blood chemistry & metabolic

STANDARD BLOOD PANEL · 67

TEST / BIOMARKER	UNIT	REFERENCE
ALT (SGPT)	U/L	10–25
AST (SGOT)	U/L	10–25
AST/ALT ratio		0.7–1.4
Absolute basophil count	/mm³	0–100
Absolute eosinophil count	/mm³	20–500
Absolute lymphocyte count	/mm³	1000–3000
Absolute monocyte count	/mm³	200–1000
Absolute neutrophil count	/mm³	2000–7000
Albumin	g/dL	4.3–5.0
Albumin/globulin ratio		1.1–2.0
Alkaline phosphatase	U/L	40–90
Apolipoprotein B	mg/dL	40–80
BUN/creatinine ratio		10–20
Basophils	%	0–2
Bilirubin, direct	mg/dL	0.0–0.3
Bilirubin, indirect	mg/dL	0.1–1.0
Bilirubin, total	mg/dL	0.2–1.2
Blood urea nitrogen	mg/dL	7–20
Chloride	mmol/L	98–107
Cortisol (AM)	µg/dL	10–18
Creatinine	mg/dL	0.7–1.1
Eosinophils	%	1–6
Fasting glucose	mg/dL	72–90
Fasting insulin	µIU/mL	2–6
Ferritin	ng/mL	50–150
Free T3	pg/mL	3.0–4.0
GGT	U/L	10–25
Globulin	g/dL	2.3–3.5
Glucose, random	mg/dL	70–140
HDL cholesterol	mg/dL	50–90
HOMA-IR		0.5–1.5
Haematocrit (PCV)	%	40–50
Haemoglobin	g/dL	13.5–16.5
HbA1c	%	4.6–5.3
Homocysteine	µmol/L	5–9
LDL cholesterol	mg/dL	50–100
Lipoprotein(a)	mg/dL	0–30
Lymphocytes	%	25–40
MCH	pg	27–32
MCHC	g/dL	31.5–34.5
MCV	fL	82–92
Mean platelet volume	fL	7–13
Mentzer index		13–99
Monocytes	%	2–10
Neutrophil-lymphocyte ratio		1–3
Neutrophils	%	45–65
Non-HDL cholesterol	mg/dL	0–130

TEST / BIOMARKER	UNIT	REFERENCE
Phosphorus	mg/dL	2.5–4.5
Platelet count	10^3/µL	175–300
Plateletcrit	%	0.2–0.5
RDW	%	11.5–13.0
Red blood cells	mill/mm^3	4.5–5.5
Sehgal index		972–9999
TSH	µIU/mL	0.5–2.5
Testosterone, total	ng/dL	500–900
Total cholesterol	mg/dL	150–200
Total protein	g/dL	6.4–8.3
Triglycerides	mg/dL	40–100
Urea	mg/dL	17–43
Uric acid	mg/dL	3.5–5.5
VLDL cholesterol	mg/dL	2–30
Vitamin B12	pg/mL	500–900
Vitamin D (25-OH)	ng/mL	40–60
WBC	10^3/µL	4.0–6.5
White blood cells	cells/mm^3	4000–10000
eGFR	mL/min/1.73m^2	90–130
hs-CRP	mg/L	0–1.0

ADVANCED BLOOD (HEART, KIDNEY, BRAIN, HORMONES) · 26

TEST / BIOMARKER	UNIT	REFERENCE
ADMA	µmol/L	0.4–0.75
Adiponectin	µg/mL	5–30
Amyloid-β 40 (plasma)	pg/mL	
Amyloid-β 42 (plasma)	pg/mL	
Amyloid-β 42/40 ratio (plasma)	ratio	0.08–1.0
Apolipoprotein A1	mg/dL	140–200
C-peptide (fasting)	ng/mL	0.5–2.0
Cystatin C	mg/L	0.5–0.9
DHEA-S	µg/dL	200–450
Free testosterone	pg/mL	90–200
Fructosamine	µmol/L	200–250
GlycA	µmol/L	0–400
IGF-1	ng/mL	100–200
Interleukin-6	pg/mL	0–2.0
LDL particle number	nmol/L	0–1000
Leptin	ng/mL	1–12
Methylmalonic acid	nmol/L	0–260
NT-proBNP	pg/mL	0–125
Neurofilament light (NfL)	pg/mL	0–10
Omega-3 index	%	8–12
Oxidized LDL	U/L	0–50
SDMA	µmol/L	0.3–0.6
SHBG	nmol/L	20–50
Urine albumin/creatinine ratio	mg/g	0–10
hs-Troponin T	ng/L	0–10
p-tau217	pg/mL	0–0.4

Hormones, thyroid & micronutrients

THYROID & HORMONES · 19

TEST / BIOMARKER	UNIT	REFERENCE
% Free PSA	%	25–100
17-Hydroxyprogesterone	ng/dL	0–220
Anti-Müllerian hormone (AMH)	ng/mL	1.0–4.0
Anti-TPO antibodies	IU/mL	0–34
Anti-thyroglobulin antibodies	IU/mL	0–115
Dihydrotestosterone (DHT)	ng/dL	30–85
Estradiol	pg/mL	20–40
FSH	mIU/mL	1.5–12.4
Free PSA	ng/mL	
Free T4	ng/dL	1.0–1.6
Free thyroxine index		1.2–4.9
LH	mIU/mL	1.7–8.6
PSA (total)	ng/mL	0–1.5
Progesterone	ng/mL	0.2–1.4
Prolactin	ng/mL	4–15
Reverse T3	ng/dL	10–24
T3 uptake	%	24–39
T3, total	ng/mL	0.97–1.69
T4, total	µg/dL	5.53–11.0

IRON, VITAMINS & MINERALS · 15

TEST / BIOMARKER	UNIT	REFERENCE
Calcium (total)	mg/dL	8.8–10.2
Copper	µg/dL	70–140
Folate (serum)	ng/mL	10–25
Potassium	mmol/L	3.8–5.0
RBC folate	ng/mL	280–900
RBC magnesium	mg/dL	5.0–6.5
Selenium	µg/L	110–150
Serum iron	µg/dL	60–170
Sodium	mmol/L	136–144
Total iron-binding capacity	µg/dL	250–400
Transferrin saturation	%	25–45
Vitamin B6 (PLP)	µg/L	5–50
Vitamin C (ascorbic acid)	mg/dL	0.4–2.0
Vitamin K1 (phylloquinone)	ng/mL	0.1–2.2
Zinc	µg/dL	80–120

Immunity, autoimmunity & allergy

IMMUNITY, AUTOIMMUNITY & ALLERGY · 35

TEST / BIOMARKER	UNIT	REFERENCE
Anti-CCP antibody	U/mL	0–20
Anti-RNP		
Anti-SS-A (Ro)		
Anti-SS-B (La)		
Anti-Smith (Sm)		
Anti-dsDNA antibody	IU/mL	0–30
Antinuclear antibodies (ANA, IFA)		
ESR	mm/h	0–15
G6PD activity	U/g Hb	7.0–20.5
Immunoglobulin A (serum)	mg/dL	70–400
Rheumatoid factor	IU/mL	0–14
Specific IgE: Alternaria alternata	kUA/L	0–0.35
Specific IgE: Ash tree	kUA/L	0–0.35
Specific IgE: Aspergillus fumigatus	kUA/L	0–0.35
Specific IgE: Bermuda grass	kUA/L	0–0.35
Specific IgE: Birch	kUA/L	0–0.35
Specific IgE: Cat dander	kUA/L	0–0.35
Specific IgE: Cockroach	kUA/L	0–0.35
Specific IgE: D. farinae (house dust mite)	kUA/L	0–0.35
Specific IgE: D. pteronyssinus (house dust mite)	kUA/L	0–0.35
Specific IgE: Dog dander	kUA/L	0–0.35
Specific IgE: Elm tree	kUA/L	0–0.35
Specific IgE: Mountain cedar	kUA/L	0–0.35
Specific IgE: Mugwort	kUA/L	0–0.35
Specific IgE: Mulberry	kUA/L	0–0.35
Specific IgE: Oak tree	kUA/L	0–0.35
Specific IgE: Penicillium notatum	kUA/L	0–0.35
Specific IgE: Pigweed	kUA/L	0–0.35
Specific IgE: Ragweed	kUA/L	0–0.35
Specific IgE: Sycamore	kUA/L	0–0.35
Specific IgE: Timothy grass	kUA/L	0–0.35
Specific IgE: grass pollen	kUA/L	0–0.35
Specific IgE: house dust mite	kUA/L	0–0.35
Total IgE	IU/mL	0–100
tTG-IgA (coeliac screen)	U/mL	0–4

Gut, urine & functional medicine

GUT MICROBIOME · 17

TEST / BIOMARKER	UNIT	REFERENCE
Actinobacteria	%	2–10
Akkermansia muciniphila	%	1–5
Bacteroidetes	%	30–60
Bifidobacterium spp.	%	1–6
Blastocystis hominis		
Butyrate producers	%	15–30
Calprotectin	µg/g	0–50
Candida spp.		
Faecalibacterium prausnitzii	%	5–15
Firmicutes	%	30–50
Firmicutes/Bacteroidetes ratio		0.5–1.2
H. pylori antigen		
Lactobacillus spp.	%	0.1–2
Proteobacteria	%	0–6
Secretory IgA	µg/mL	510–2010
Shannon diversity		3.5–5.0
Zonulin (stool)	ng/mL	0–107

URINE ROUTINE · 16

TEST / BIOMARKER	UNIT	REFERENCE
Urine RBCs	/hpf	0–2
Urine bacteria		
Urine bilirubin		
Urine blood		
Urine casts		
Urine crystals		
Urine epithelial cells	/hpf	0–5
Urine glucose		
Urine ketones		
Urine leukocyte esterase		
Urine nitrite		
Urine pH		5.0–7.0
Urine protein		
Urine pus cells	/hpf	0–5
Urine specific gravity		1.005–1.025
Urobilinogen	mg/dL	0–1.0

FUNCTIONAL MEDICINE (CORTISOL RHYTHM, ORGANIC ACIDS) · 31

TEST / BIOMARKER	UNIT	REFERENCE
3-Hydroxy-3-methylglutaric acid (HMG) (OAT, krebs)	mmol/mol creat	
4-Cresol (OAT, microbial)	mmol/mol creat	
5-HIAA (serotonin metabolite)	mmol/mol creat	3.8–12
8-OHdG (oxidative DNA damage)	ng/mg creat	0–4.5
Adipic acid (OAT, fatty-acid oxidation)	mmol/mol creat	
Arabinose (yeast marker) (OAT, microbial)	mmol/mol creat	
Citric acid (OAT, krebs)	mmol/mol creat	
Cortisol awakening response	%	38–75
DHPPA (Clostridia marker) (OAT, microbial)	mmol/mol creat	

TEST / BIOMARKER	UNIT	REFERENCE
DOPAC (OAT, neurotransmitter)	mmol/mol creat	
Ethylmalonic acid (OAT, fatty-acid oxidation)	mmol/mol creat	
Fumaric acid (OAT, krebs)	mmol/mol creat	
Glutaric acid (B2) (OAT, b-vitamin)	mmol/mol creat	
HPHPA (Clostridia marker) (OAT, microbial)	mmol/mol creat	
Hippuric acid (OAT, microbial)	mmol/mol creat	
Homovanillic acid (HVA) (OAT, neurotransmitter)	mmol/mol creat	
Isocitric acid (OAT, krebs)	mmol/mol creat	
Kynurenic acid	mmol/mol creat	0–6
Late-night salivary cortisol	nmol/L	0–4
Malic acid (OAT, krebs)	mmol/mol creat	
Pantothenic acid (B5) (OAT, b-vitamin)	mmol/mol creat	
Pyridoxic acid (B6) (OAT, b-vitamin)	mmol/mol creat	
Pyroglutamic acid (glutathione status)	mmol/mol creat	0–40
Quinolinic acid (OAT, neurotransmitter)	mmol/mol creat	
Sebacic acid (OAT, fatty-acid oxidation)	mmol/mol creat	
Suberic acid (OAT, fatty-acid oxidation)	mmol/mol creat	
Succinic acid (OAT, krebs)	mmol/mol creat	
Tartaric acid (yeast marker) (OAT, microbial)	mmol/mol creat	
Vanillylmandelic acid (VMA) (OAT, neurotransmitter)	mmol/mol creat	
cis-Aconitic acid (OAT, krebs)	mmol/mol creat	
α-Ketoglutaric acid (OAT, krebs)	mmol/mol creat	

Toxins & heavy metals

HEAVY METALS · 23

TEST / BIOMARKER	UNIT	REFERENCE
Aluminium (Al)	µg/g creat	0–35
Antimony (Sb)	µg/g creat	0–0.1
Arsenic (total)	µg/g creat	0–50
Barium (Ba)	µg/g creat	0–3.0
Beryllium (Be)	µg/g creat	0–0.1
Bismuth (Bi)	µg/g creat	0–0.1
Cadmium (Cd)	µg/g creat	0–1.0
Cesium (Cs)	µg/g creat	0–8.0
Cobalt (Co)	µg/g creat	0–1.0
Gadolinium (Gd)	µg/g creat	0–0.4
Lead (Pb)	µg/g creat	0–2.0
Mercury (Hg)	µg/g creat	0–3.0
Mercury, blood (Hg)	µg/L	0–5.0
Nickel (Ni)	µg/g creat	0–8
Palladium (Pd)	µg/g creat	0–0.5
Platinum (Pt)	µg/g creat	0–0.1
Tellurium (Te)	µg/g creat	0–0.5
Thallium (Tl)	µg/g creat	0–0.5
Thorium (Th)	µg/g creat	0–0.1
Tin (Sn)	µg/g creat	0–3.0
Tungsten (W)	µg/g creat	0–0.5
Uranium (U)	µg/g creat	0–0.05
Urine creatinine	g/L	0.3–3.0

ENVIRONMENTAL TOXINS · 34

TEST / BIOMARKER	UNIT	REFERENCE
2,4-D herbicide	µg/g creat	0–0.9
3-Phenoxybenzoic acid (pyrethroid, 3-PBA)	µg/g creat	0–1.0
Aflatoxin M1	ng/g creat	0–0.5
Atrazine mercapturate	µg/g creat	0–0.1
Benzene metabolite (PGO)	µg/g creat	0–400
Bisphenol A (BPA)	µg/g creat	0–2.1
Bisphenol S (BPS)	µg/g creat	0–1.0
Butylparaben	µg/g creat	0–1.0
Chaetoglobosin A	ng/g creat	0–0.5
Citrinin	ng/g creat	0–0.5
Diphenyl phosphate (flame retardant)	µg/g creat	0–2.0
Enniatin B	ng/g creat	0–0.5
Ethylparaben	µg/g creat	0–10
Gliotoxin	ng/g creat	0–0.5
Glyphosate	µg/g creat	0–1.0
HEMA (2-hydroxyethyl methacrylate)	µg/g creat	0–1.0
MEHP (phthalate)	µg/g creat	0–7.5
MEOHP (phthalate)	µg/g creat	0–5.0
Methylhippuric acid (xylene)	µg/g creat	0–100
Methylparaben	µg/g creat	0–100
Mono-ethyl phthalate	µg/g creat	0–85

TEST / BIOMARKER	UNIT	REFERENCE
Mono-isobutyl phthalate (MiBP)	µg/g creat	0–10
Mono-n-butyl phthalate (MBP)	µg/g creat	0–20
Mycophenolic acid	ng/g creat	0–0.5
Ochratoxin A	ng/g creat	0–7.5
Organophosphate (DMP)	µg/g creat	0–12
Oxybenzone (benzophenone-3)	µg/g creat	0–30
Perchlorate	µg/g creat	0–8.2
Phenylglyoxylic acid (styrene)	µg/g creat	0–100
Propylparaben	µg/g creat	0–30
Roridin E	ng/g creat	0–0.5
Sterigmatocystin	ng/g creat	0–0.5
Verrucarin A	ng/g creat	0–0.5
Zearalenone	ng/g creat	0–0.5

Genetics, biological age & proteomics

GENETIC & METHYLATION · 14

TEST / BIOMARKER	UNIT	REFERENCE
9p21 CAD locus	genotype	
ACTN3 R577X	genotype	
APOE	genotype	
COMT V158M	genotype	
CYP1A2	genotype	
FTO rs9939609	genotype	
FUT2	genotype	
MTHFR A1298C	genotype	
MTHFR C677T	genotype	
Polygenic risk — CAD	percentile	0–50
Polygenic risk — Type 2 diabetes	percentile	0–50
SOD2	genotype	
TCF7L2 rs7903146	genotype	
VDR Taq1	genotype	

BIOLOGICAL AGE · 8

TEST / BIOMARKER	UNIT	REFERENCE
Chronological age	years	
DunedinPACE	years/year	0.6–1.0
GrimAge v2	years	
Horvath clock	years	
Immune age (IEAA)	years	-5–0
Inflammation clock	SD	-2–0
PhenoAge (lab)	years	
Telomere length (T/S)	T/S	0.95–1.4

PROTEOMIC ORGAN AGE · 8

TEST / BIOMARKER	UNIT	REFERENCE
Artery age gap (proteomic)	years	-5–0
Brain age gap (proteomic)	years	-5–0
Global proteomic age gap	years	-5–0
Heart age gap (proteomic)	years	-5–0
Immune age gap (proteomic)	years	-5–0
Kidney age gap (proteomic)	years	-5–0
Liver age gap (proteomic)	years	-5–0
Muscle age gap (proteomic)	years	-5–0

Imaging, cardiac & functional diagnostics

BODY COMPOSITION (DEXA / BCA) · 12

TEST / BIOMARKER	UNIT	REFERENCE
Appendicular lean mass index	kg/m²	8.5–11
BMD T-score (lumbar spine)	SD	-1.0–3.0
BMD T-score (total hip)	SD	-1.0–3.0
Basal metabolic rate (BCA)	kcal	
Body fat (BCA)	%	10–20
Body fat (DEXA)	%	10–20
ECW/TBW ratio (BCA)		0.36–0.39
Fat mass index	kg/m²	3–6
Phase angle (BCA)	°	6.0–9.0
Skeletal muscle mass (BCA)	kg	30–45
Visceral fat area (DEXA)	cm²	0–100
Visceral fat level (BCA)	level	1–9

HEART & VASCULAR FUNCTION (ECG, ECHO, ABI, PWV, ABPM) · 11

TEST / BIOMARKER	UNIT	REFERENCE
Ankle-brachial index	ratio	1.0–1.3
Atrial fibrillation burden (Holter)	%	0–0
Daytime ambulatory DBP (ABPM)	mmHg	0–80
Daytime ambulatory SBP (ABPM)	mmHg	0–130
E/e′ ratio (echo)		0–8
Left atrial volume index (echo)	mL/m²	16–34
Nocturnal BP dip (ABPM)	%	10–20
PVC burden (Holter)	%	0–1
Pulse wave velocity (carotid-femoral)	m/s	0–8
QTc (ECG)	ms	350–440
Resting heart rate (ECG)	bpm	50–70

CARDIAC CT (CAC, CCTA) · 6

TEST / BIOMARKER	UNIT	REFERENCE
CAC percentile (MESA)	percentile	0–50
CAD-RADS (CCTA)	grade	0–0
Coronary artery calcium (Agatston)	AU	0–0
Epicardial fat volume	cm³	0–100
Liver attenuation (CT)	HU	50–75
Total plaque volume (CCTA)	mm³	0–20

MRI (BRAIN, LIVER, WHOLE-BODY) · 6

TEST / BIOMARKER	UNIT	REFERENCE
Brain-age gap (MRI)	years	-5–0
Hippocampal volume percentile	percentile	25–100
LV ejection fraction (cardiac MRI)	%	55–70
Liver fat (MRI-PDFF)	%	0–5
White-matter hyperintensities (Fazekas)	grade	0–0
Whole-body MRI incidental findings	count	0–0

CONTINUOUS GLUCOSE MONITORING (CGM) · 6

TEST / BIOMARKER	UNIT	REFERENCE
Glucose management indicator (GMI)	%	0–5.6
Glucose variability CV (CGM)	%	0–20

TEST / BIOMARKER	UNIT	REFERENCE
Mean glucose (CGM)	mg/dL	80–105
Mean post-meal peak (CGM)	mg/dL	0–140
Time below 70 (CGM)	%	0–1
Time in tight range 70–140 (CGM)	%	85–100

LUNG FUNCTION (SPIROMETRY) · 4

TEST / BIOMARKER	UNIT	REFERENCE
FEV1 (% predicted)	%	80–130
FEV1/FVC ratio	ratio	0.75–0.95
FVC (% predicted)	%	80–130
FeNO (exhaled nitric oxide)	ppb	0–25

VO2 MAX & FUNCTIONAL FITNESS · 10

TEST / BIOMARKER	UNIT	REFERENCE
30-s sit-to-stand	reps	17–40
Gait speed	m/s	1.2–2.0
Grip strength (best hand)	kg	40–70
Heart-rate recovery (1 min)	bpm	18–60
Peak RER		1.1–1.3
Peak heart rate	bpm	
Single-leg stance (eyes closed)	s	10–60
VO2 max (CPET)	mL/kg/min	45–65
VT1 heart rate (Zone 2 top)	bpm	
VT2 heart rate	bpm	

SCREENING (SLEEP STUDY, CANCER, ULTRASOUND) · 9

TEST / BIOMARKER	UNIT	REFERENCE
Apnoea-hypopnoea index (home sleep test)	events/h	0–5
Carotid IMT (mean)	mm	0.4–0.7
Carotid plaque		
Controlled attenuation parameter (FibroScan)	dB/m	0–248
Faecal immunochemical test (FIT)		
Liver stiffness (FibroScan)	kPa	2–7
Lowest SpO2 (sleep)	%	90–100
Multi-cancer early detection (MCED)		
Oxygen desaturation index	events/h	0–5

© 2026 Telomy. Internal / partner-confidential. Reference intervals indicative; the performing laboratory's validated ranges and methods apply. This menu reflects planned platform coverage for partnership scoping.