

# Product Requirements & Replication Blueprint

Frontend Engineering Assessment • Signup Wizard Replication • Source-grounded implementation plan

## 1. What the assignment actually requires

Build a frontend-only responsive web application that reproduces the reference mobile application's onboarding experience: the landing-page mechanism, a similar Terms & Conditions page, and the same four-step signup flow. The assessment prioritizes high visual fidelity, functional behavior, validation, loading/error/success states, backward navigation, and UX improvements that remain consistent with the reference app.

- Progressive disclosure: later profile questions appear only after initial email verification/login.
- Four-step signup wizard with robust state management.
- Profile examples explicitly mentioned by the brief include Name, Age and Pronouns.
- Real-time/on-blur validation, contextual field errors, global failure feedback, input constraints and duplicate-submit prevention.
- Cross-field dependencies such as state → city/college filtering must behave smoothly if those fields appear in the reference flow.
- Responsive behavior must work on mobile, tablet and desktop.
- Completion must end in a clear success state or redirect.
- Frontend only: simulate network/OTP/submission behavior; do not build a real backend unless the company later requests it.

## 2. Non-negotiable replication rule

*Do not 'improve' the app into a different product. First reproduce its hierarchy, wording, spacing, typography, controls, step order and behavior. Improve only usability gaps or edge cases, and keep those improvements visually consistent.*

### Reference capture checklist before coding

1. Install/open the provided Extroverts reference app and record the complete path from landing screen to successful signup.
2. Capture every state: untouched, focused, filled, invalid, loading, error, OTP entry, back navigation and success.
3. Write down exact labels, placeholders, button copy, progress indicators, colors, corner radii, shadows, image crops and transitions.
4. Measure approximate spacing using screenshots rather than guessing.
5. Identify the exact four signup steps. The PDF gives examples but does not fully enumerate every field, so the app itself is the source of truth.
6. Record Terms & Conditions structure and the action that returns/continues to signup.

## 3. Screen inventory

| Screen / state | Must contain                                                                                  | Implementation note                                                 |
|----------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| Landing        | Reference-like hero/background, logo/brand treatment, primary CTA, secondary/legal affordance | Keep first paint fast; preload only the hero asset actually needed. |

|                    |                                                                |                                                                    |
|--------------------|----------------------------------------------------------------|--------------------------------------------------------------------|
| Terms & Conditions | Scrollable legal-style content, clear navigation back/continue | Use semantic headings and readable line length.                    |
| Signup Step 1      | Initial identity/login or email verification stage             | Validate email before simulated request; prevent duplicate clicks. |
| Signup Steps 2–4   | Exact reference profile fields                                 | Use shared wizard state so Back never destroys valid input.        |
| OTP / verification | Reference behavior plus clearer focus/error/resend UX          | Use segmented accessible inputs only if reference uses OTP.        |
| Error states       | Inline + global feedback                                       | Errors should say what happened and how to fix it.                 |
| Success            | Completion confirmation or redirect                            | No dead-end screen; provide deterministic completion.              |

## 4. Suggested delivery architecture

Use React + TypeScript + Vite for a lightweight frontend assessment. Tailwind CSS is suitable for precise responsive styling, while React Hook Form + Zod provides predictable validation. Keep wizard state in a small typed context/reducer or Zustand store; avoid Redux unless the reference complexity genuinely needs it.

| Layer               | Responsibility                                                   |
|---------------------|------------------------------------------------------------------|
| routes              | Landing, terms, signup, success routes                           |
| features/onboarding | Wizard shell, steps, validation schemas, mock service            |
| components/ui       | Button, Input, Select, OTP, Toast, Modal, Progress               |
| store               | Current step + normalized draft values + verification status     |
| lib                 | Validation helpers, mock API, constants, accessibility utilities |
| assets              | Optimized local images/icons required for parity                 |

## 5. Definition of done

- Every reference screen and meaningful state is represented.
- Refreshing or going Back does not produce broken state; decide intentionally whether draft data persists in sessionStorage.
- Keyboard-only completion is possible.
- Under-18 handling is explicit if age is collected; the brief specifically calls out the missing age prompt as an improvement opportunity.
- No console errors, layout shift, horizontal overflow or duplicate submissions.
- All four steps are demonstrated in the ≤5 minute recording, including invalid input, loading, backward navigation, one simulated failure and successful completion.