PROJECT DHURANDHAR • FOUNDER JOURNEY • PUBLIC ACCOUNTABILITY

PROJECT DHURANDHAR ROAD TO 30CR REVENUE

Custom Web Application — Developer Specification

A custom-built, public-facing web application for daily Instagram vlogs, AI-assisted summaries, signed-in community comments and a transparent owner-managed revenue dashboard.

DOCUMENT CONTROL	DETAIL
Project	Project Dhurandhar — Road to 30CR Revenue
Owner / brand	Dr. Ajay Kumar and AI Automation Labs LLP
Primary content source	Instagram posts / Reels entered manually by an administrator
Implementation	Fully custom-built application; WordPress and other off-the-shelf CMS platforms are expressly out of scope
Target outcome	Publish daily episodes, generate editable AI summaries, support signed-in comments and show an admin-managed revenue dashboard
Production URL	https://projectdhurandhar.automationlabs.online
Version	2.0 — Custom-built implementation; 10 October 2026

This document is intended to be actionable without further discovery. Any owner-specific values not yet supplied are configurable fields, not hard-coded assumptions.

Contents and implementation overview

Section	What the developer must deliver
1. Product brief	Goal, users, principles and scope
2. Information architecture	Pages, navigation and URL patterns
3. Homepage design	Sections, sample copy and responsive behaviour
4. Episodes	Daily episode data model, archive, detail page and ordering
5. Instagram embedding	URL input, embed handling, fallbacks and platform constraints
6. AI summaries	Inputs, workflow, editing, failure modes and cost controls
7. Search and discovery	Search, filters, tags, internal linking and SEO
8. Comments and accounts	Registration, sign-in, moderation and abuse prevention
9. Revenue dashboard	Public metrics, calculation definitions and admin controls
10. People and companies	Optional profiles for recurring people, partners or team members
11. Admin panel	Daily publishing process and role permissions
12. Recommended custom-built technology	Application stack, database schema, hosting and integrations
13. Security, privacy and compliance	Access control, data retention, backups and notices
14. Analytics and SEO	Measurement, metadata and social sharing
15. Deployment plan	Staging, production, DNS and recovery
16. Acceptance criteria	Testable requirements for sign-off
17. Handover checklist	Documentation, credentials and launch checks

1. Product brief

1.1 Product vision

Build a modern, mobile-first website titled “Road to 30CR Revenue” that documents the journey of Dr. Ajay Kumar and AI Automation Labs towards a ₹30 crore revenue goal. The site is a chronological public journal: every day can have a numbered episode, a title, an embedded Instagram post, a readable AI-generated summary, and a discussion area for signed-in visitors.

1.2 Primary goals

- Make it easy for visitors to start with the latest vlog and navigate back through earlier days.
- Make each daily episode a permanent, shareable page with its own URL and search-engine metadata.
- Let an authorised admin add an Instagram URL and generate an editable summary without touching code.
- Offer a detailed, transparent revenue-progress dashboard whose figures are controlled by the owner.
- Encourage a useful community with user accounts, comments and moderation.
- Keep the experience reliable, secure, affordable to maintain and manageable by a non-developer.

1.3 Intended audiences

Audience	What they need
Followers and supporters	Watch vlogs, understand what happened that day, follow progress and comment.
Potential customers and partners	Understand the founder's operating philosophy, company progress and lessons from execution.
Entrepreneurs and operators	Search past episodes for sales, hiring, product, automation, leadership and revenue lessons.
Owner / admin / editor	Publish episodes quickly, review AI summaries, manage comments and update metrics.

1.4 Product principles

- Content-first: the episode and its summary matter more than elaborate animation.
- Latest-first: the newest published day appears at the top of every episode listing by default.
- Human-approved AI: AI suggestions are editable and never silently overwrite approved copy.
- No fake automation: Instagram URL entry alone may not expose a complete video transcript; the workflow must ask for suitable summary input.
- Revenue clarity: show the definition, period and last-updated timestamp for financial figures.
- Portable ownership: the owner controls the domain/DNS, source-code repository, hosting, database, AI keys and analytics accounts.

MVP scope boundary

The MVP uses manual Instagram URL entry. It does not scrape Instagram, auto-publish to Instagram, or assume it can download/transcribe every Reel from its URL. Optional transcription can be added using an admin-uploaded source video or transcript.

2. Information architecture and URLs

2.1 Sitemap

Page	Suggested URL pattern	Purpose
Homepage	/	Brand introduction, latest vlog, progress snapshot and episode feed.
Episodes archive	/episodes/	Searchable, paginated day-by-day archive; newest first.
Episode detail	/day-001-getting-started/	Instagram embed, full summary, key takeaways, discussion and sharing.
Revenue dashboard	/revenue/	Public goal, current progress, monthly actual vs target and milestone history.
People directory (optional)	/people/	People referenced in episodes or company journey.
Person profile (optional)	/people/person-slug/	Biography, role/company, related episodes and approved external links.
About the journey	/about/	Why the goal exists, what the series covers and how progress is measured.
Community rules	/community-guidelines/	Comment expectations and moderation approach.
Privacy policy	/privacy/	Account, comment, analytics and AI-processing disclosures.
Terms / disclaimer	/terms/	Site terms and revenue-content disclaimer.
Sign in / register	/sign-in/ and /register/	Create account, verify email, sign in/out, password reset and profile controls.

2.2 Domain integration

The approved production URL is https://projectdhurandhar.automationlabs.online. The parent domain automationlabs.online already hosts the company website. Deploy this application to the specified subdomain only; do not alter the parent domain, www hostname, email DNS records, or existing applications. The developer must audit DNS ownership and current records before making changes.

- Production canonical hostname: projectdhurandhar.automationlabs.online; canonical scheme: HTTPS.
- Use a dedicated subdomain deployment. Do not install the new application at the root of automationlabs.online and do not replace the company site.
- Create a separate staging deployment and URL, restrict access, and block indexing with authentication plus noindex directives.
- DNS changes must be limited to the projectdhurandhar host record and any provider-required verification record. Preserve existing root, www, MX, SPF, DKIM, DMARC and unrelated TXT records.
- Set a single canonical hostname and redirect HTTP to HTTPS. Confirm certificate issuance before go-live.

2.3 Navigation

Desktop primary navigation: Home | Episodes | Revenue Progress | About the Journey | Sign In / Account. Show “Latest Day” as a clear call-to-action. On mobile, use a compact menu while keeping “Watch Latest” visible. Footer: About, Episodes, Revenue Dashboard, Community Guidelines, Privacy, Terms, Instagram and AI Automation Labs links.

3. Visual direction and homepage specification

3.1 Brand and design direction

Element	Recommendation
Personality	Candid, ambitious, transparent, founder-led and credible; not a generic corporate brochure.
Palette	Deep navy / charcoal base, warm white content areas, teal or electric blue action colour, restrained gold accent.
Typography	Highly legible sans-serif; bold display heading, comfortably readable body type. Keep body text 16px+ on mobile.
Imagery	Real owner/team photos and actual Instagram content. Avoid fake stock “founder” imagery in production.
Motion	Small transitions only; respect reduced-motion settings and optimise performance.
Layout	Mobile-first; one main content column for episodes with a secondary progress panel on desktop.
Accessibility	Keyboard navigable; visible focus; semantic headings; form labels; text contrast and alt text.

3.2 Homepage sections, in order

Order / section	Content and behaviour
1. Header	Logo/wordmark “Road to 30CR Revenue”; nav links; account button; sticky only if it does not consume excessive mobile space.
2. Hero	Headline: “Building towards ₹30 crore. One day at a time.” Supporting copy that explains the public founder-and-company journey. Buttons: “Watch the Latest Day” and “Track the Journey”.
3. Progress snapshot	Goal value, current reported progress, percentage of goal, remaining amount and last-updated date. Values come from admin-controlled dashboard settings.
4. Latest vlog feature	Most recently published episode, Day number and title, Instagram embed or poster/link fallback, short summary, published date and “Read episode” action.
5. Daily episode feed	Cards in descending published/day order; title format “Day N: [Title]”; thumbnail if available, summary excerpt, date, tags and comments count.
6. Milestones	A curated set of completed/next milestones with dates and short context. Admin controls whether a milestone is shown.
7. What this journey covers	Sales, delivery, team, operations, AI/automation, setbacks, lessons and customer impact; editable in the custom admin console.
8. Community CTA	Invite visitors to sign in, comment respectfully and follow the Instagram account.
9. Footer	Links, social profiles, contact, privacy/terms, copyright and a financial-content disclaimer.

3.3 Homepage sample copy

Hero title
Building towards ₹30 crore. One day at a time.

Follow Dr. Ajay Kumar and the AI Automation Labs team as we build, learn, solve problems and grow. Daily vlogs document the decisions, wins, setbacks and lessons behind the journey.

Buttons: “Watch the Latest Day” (primary) | “Explore Revenue Progress” (secondary).

3.4 Episode card requirements

- Display Day number prominently and title exactly as entered by the admin.
- Show summary excerpt of 2–4 short lines, with a “Read summary” / “View episode” link.
- Display date/time in the configured site timezone, default Asia/Kolkata.
- If the Instagram embed is slow, do not load every embedded video on the full homepage; use a poster or lightweight preview for archive cards and load full embed on the detail page or on click.
- Show a comment count only if it is accurate and does not expose private or pending comments.

4. Episode archive and episode detail pages

4.1 Day numbering and title format

Title format: “Day 1: Getting Started”, “Day 2: The Vision”, and so on. The Day Number is a required integer field. The display title may be generated from Day Number + a Title field, or stored in separate fields and composed automatically. Do not derive the day number from the database record ID.

- Allow a day to be drafted without publishing it; gaps in day numbers are allowed and should not break the site.
- Prevent accidental duplicate Day Numbers for published entries. If a duplicate is necessary, require an explicit override or amendment note.
- Order the public archive first by published date/time descending; use Day Number descending as a tie-breaker. Provide optional sort by Day Number.
- Support backdated publishing and correcting a title without changing the permanent slug unless the admin intentionally edits it.
- Never show drafts, pending posts or scheduled posts publicly before their publish time.

4.2 Episode data fields

Field	Type / rule	Required?
Day Number	Integer, e.g. 1, 2, 3	Yes
Episode Title	Short text, e.g. Getting Started	Yes
Slug	Generated from day + title; editable with redirect if changed	Yes
Publish date/time	Date/time; Asia/Kolkata display	Yes when publishing
Instagram URL	Public Instagram post/Reel URL; validate allowed domain	Yes for a normal episode
Instagram caption / context	Optional source caption and admin notes	Recommended
Transcript / spoken text	Text pasted by admin or generated from an uploaded video via optional transcription	Needed for robust AI summary
AI Summary	Editable rich text/plain text, AI-generated status recorded	Yes before publish by default
Key takeaways	Optional 3–7 bullet points generated by AI and edited by admin	Recommended
Tags / topics	Multi-select; e.g. sales, hiring, product, operations	Recommended
Featured image / poster	Optional still image with alt text and rights confirmation	Optional
People / companies	Relationship to existing person/company records	Optional
SEO title and description	Can use defaults, editable per episode	Defaults required
Visibility	Draft, Pending Review, Scheduled, Published, Archived	Yes
Comments enabled	Boolean, default enabled for published episodes	Yes
Summary status	Not generated, Processing, Generated, Failed, Manually approved	System

Field	Type / rule	Required?
Transcript/source consent	Admin confirms they have rights to use uploaded media/transcript for processing	Required when uploading/transcribing

4.3 Episode detail page layout

1. Breadcrumb: Home > Episodes > Day N.
2. Title, Day number, date, topic tags and optional short opening statement.
3. Instagram embed area and “Open on Instagram” fallback link.
4. AI-generated summary, with a small label such as “Episode summary” rather than making unsupported claims about what AI observed.
5. Key takeaways / decisions / next steps, when present.
6. Optional chapters or transcript section, collapsed by default if long.
7. People and company references, linking to profile pages when configured.
8. Previous episode / next episode navigation based on public sequence.
9. Share links; comment count and sign-in-required comments section.
10. Related episodes based on shared tags or people; do not display an empty module.

4.4 Archive behaviour

- Default sort: latest published first. “Latest” must be based on published timestamp, not modified timestamp.
- Paginate at 10–12 episodes per page or use a “Load more” control that remains crawlable and keyboard accessible.
- Search by day number, title, summary content, transcript if indexed, tags, and optional people/company names.
- Filter by topic tag and optional date range. Provide a “Clear filters” action.
- Archive search must have a useful no-results state and keep the search query in the URL when feasible.
- Add an RSS feed or an equivalent simple feed if low effort within the custom application.

5. Instagram URL entry and embedding

5.1 Core behaviour

An administrator pastes the URL of a public Instagram Reel or post into the episode editor. The public episode page renders the official Instagram embed, where supported, and provides an external “Watch on Instagram” link as a fallback. Do not download, re-host, scrape or alter Instagram media without an explicit rights and platform-compliance review.

5.2 URL validation and embed rules

- Accept only HTTPS URLs from instagram.com (including supported /p/, /reel/ and other currently supported public permalink formats). Reject lookalike domains and javascript/data URLs.
- Normalise trailing slashes and remove tracking parameters where safe, but retain a valid canonical post URL.
- Render using Instagram’s supported embed approach or a maintained, reputable embed implementation compatible with the custom application. Do not use a brittle unofficial scraping service.
- Test public posts from the owner’s account and one external public account. Handle Instagram changes gracefully.
- Private, removed, age-restricted, region-restricted or otherwise unavailable posts may not render. Display fallback link and a neutral message rather than a broken blank box.
- Lazy-load / defer embeds below the fold. Do not inject the Instagram embed script multiple times on the same page.
- Embeds may load third-party resources and may set/read cookies or process visitor data; document this in the privacy/cookie notice as appropriate.
- Instagram display must not be described as fully under website control; the media and player UI are controlled by Instagram.

5.3 Manual publishing sequence

1. Open Admin > Episodes > Add New.
2. Enter Day Number and Episode Title; default title preview is “Day N: [Title]”.
3. Paste and validate the Instagram URL. Show an admin-only preview or a “test embed” action.
4. Enter the Instagram caption, context notes and transcript/spoken text; alternatively upload an authorised source video if transcription is enabled.
5. Click “Generate AI Summary”. The system returns editable summary text and suggested key takeaways.
6. Review, edit and approve the generated text. Add tags and optionally associate people/companies.
7. Preview desktop and mobile. Choose Draft, Schedule or Publish.
8. After publishing, verify the public embed, summary, canonical URL, search indexing metadata and comment sign-in flow.

Important integration constraint

A pasted Instagram URL is not a dependable transcript source. The system must not claim it can automatically understand the full spoken video from the URL alone. Use the transcript/caption/notes provided by the admin, or an optional approved source-video upload and speech-to-text service. If source text is missing, generate only a clearly marked draft from available caption/notes or ask the admin to supply it.

6. AI-generated summary workflow

6.1 Required AI behaviour

AI should save the owner time by turning the supplied episode transcript/caption/context into a clear summary and takeaways. The output must be editable, regenerate-able and marked as AI-assisted until reviewed. Do not fabricate metrics, names, decisions, promises or financial figures not found in the provided source material.

6.2 Inputs and outputs

Input	Purpose
Day number and episode title	Context and output heading.
Transcript or spoken text	Preferred source for what was actually said.
Instagram caption	Secondary context; may omit substantial spoken content.
Admin notes / context	Disambiguation, business terminology and background.
Optional tags	Help the model focus the output.

Output	Acceptance expectation
Short summary	Approximately 80–150 words by default; editable; factual and neutral.
Key takeaways	3–7 bullets when source material supports them.
Suggested tags	Up to 5 suggestions selected from existing tags where possible.
SEO meta description	A natural 140–160 character suggestion; admin can edit.
Transcript/source note	Record which inputs were used: transcript, caption, notes or transcription output.

6.3 Prompt / quality rules

- Summarise only the source text supplied; distinguish stated facts from interpretations.
- Preserve all financial values and dates exactly; do not infer confidential values or fill missing numbers.
- If the source is too short, vague or absent, say that there is insufficient source material and request a transcript or notes.
- Use first-person founder voice only when explicitly requested; default to third-person neutral editorial summary.
- Never publish AI output directly without approval in the default workflow.
- Avoid excessive hype, false certainty, investment promises and unsupported revenue claims.
- The admin can edit the summary and takeaways, regenerate them, or discard them. Regeneration must not erase existing copy without confirmation.

6.4 AI integration / operations

- Use a server-side API integration to the provider selected by the owner/developer. Do not expose API keys in browser JavaScript or page source.
- Store provider/model configuration and secret keys in environment variables or protected configuration, not in a public custom field.
- Show processing status, clear errors, retry action and safe timeout handling. Avoid duplicate billable requests from repeated clicks.
- Log request timestamp, model, input source type, status and approximate token/cost metadata if provider supports it; do not log unnecessary personal or transcript data.
- Set a sensible per-summary length/token limit and a usage alert/budget cap if supported.
- Do not send account passwords, comments, email lists or unrelated revenue records to the AI provider.
- If speech-to-text is implemented, disclose the upload/processing flow, secure file access and define deletion/retention policy for source media.

6.5 Suggested user interface

Control	Function
Generate summary	Starts AI job from the currently selected input sources.
Regenerate	Produces a new suggestion; confirmation required if edited copy exists.
Use this draft	Copies selected AI output into editable summary fields.
Approve summary	Records editor approval and changes status to approved.
AI status label	Shows not generated / processing / generated / failed / approved.
Source input checklist	Shows whether transcript, caption, notes or uploaded-video transcript was used.

7. Search, discovery and content taxonomy

7.1 Search requirements

- Provide site-wide search focused on episode content. Search title, summary, tags and transcript where enabled; do not expose drafts or private posts.
- Search by “Day 17”, “hiring”, “sales”, “automation”, “fundraising” etc. should return relevant published episodes.
- Support partial matching and ignore case. Reasonable typo tolerance is a plus but not required for MVP.
- Provide fast results with episode title, Day number, published date, summary excerpt and permalink.
- Offer basic topic filters; use a controlled tag list to avoid near-duplicate tags.
- Implement indexed PostgreSQL search across published episode titles, summaries, tags and approved transcripts. Start with PostgreSQL full-text search and trigram/ILIKE matching where appropriate; avoid a separate search service unless real usage justifies it.

7.2 Suggested starting taxonomy

Start with a manageable tag list; admin may add tags over time: Vision & Strategy; Sales & Marketing; Product & Technology; AI & Automation; Operations & Delivery; Hiring & Team; Finance & Revenue; Customers; Partnerships; Setbacks & Lessons; Milestones; Founder Reflections.

7.3 Search engine indexability

- Each published episode has one stable, descriptive URL, self-referencing canonical URL, SEO title and meta description.
- Archive pagination must be accessible to search engines; do not rely on client-side-only content fetching.

- Generate XML sitemap entries for episodes, revenue page, about page and public person profiles.
- Do not index search result URLs, login/register pages, admin pages, staging pages or filtered duplicate archives where they create thin duplicates.
- Use structured data appropriate to the content, such as Article/BlogPosting for episode text. Do not claim the website hosts the video if it only embeds an Instagram Reel.
- Open Graph / social sharing image and title should be configurable and default to the show branding.

8. User accounts and comments

8.1 Account requirements

- Visitors must sign in to post comments. Anonymous comments are disabled.
- Provide a clear registration route, sign-in, sign-out, password reset and account email update workflow.
- Require email verification before a new account can post. If the selected application module does not provide reliable verification, add a maintained verification solution.
- Use a transactional email provider for verification and password reset. Configure required sender-domain DNS records only after reviewing existing records; preserve existing company email settings.
- Usernames/display names must not expose private account data; use a public display name.
- Offer a “delete account / request data deletion” path and state what happens to published comments under the privacy policy.

8.2 Comments behaviour

Feature	Required behaviour
Posting	Signed-in and email-verified users can submit comments on published episodes.
Moderation	Default: first comment from a new user requires approval; suspicious or flagged comments go to queue. Admin can approve, edit, hide, mark spam or delete.
Threading	Support one reply level or a modest threaded view; avoid deep nesting on mobile.
Edit/delete	Author may edit briefly (configurable, e.g. 10 minutes) or request removal. Admin can always moderate.
Notifications	Optional email notification to user when their comment is approved or receives a reply; must be opt-in or controlled in settings.
Spam/rate limits	Anti-spam challenge or honeypot, rate limits, repeated-link detection and abuse throttling.
Reporting	Provide a “Report comment” link for abuse or personal-data exposure.
Empty state	Invite visitors to sign in and be constructive. Do not show fake sample comments in production.
Privacy	Display name publicly; email remains private and is never included in page source or public API responses.

8.3 Roles and permissions

Role	Permissions
Administrator / Owner	Full access to content, users, settings, revenue figures, AI setup, comment moderation and exports.

Role	Permissions
Editor	Create/edit/publish episodes, edit summaries, manage tags and moderate comments if explicitly granted. No secret keys or user-role management.
Moderator	Approve/hide/delete/report comments; no revenue edits, AI-provider secrets or site configuration.
Registered Member	Manage own profile and post comments; cannot edit other users' comments or access admin content.
Visitor	Read public pages, search and view public embeds; must sign in to comment.

9. Detailed revenue dashboard

9.1 Purpose and default visibility

Build an owner-managed dashboard that makes the ₹30 crore target understandable and trackable. The user explicitly selected a detailed revenue dashboard. Default assumption: the public website shows the dashboard and the owner manually maintains the figures. Admin must be able to switch the detailed view to private or show only selected public metrics if business needs change.

Revenue transparency and trust

The dashboard must identify itself as owner-reported and show a "Last updated" date. It must not imply an audited figure. Never connect to accounting, banking, CRM or payment systems without separate written approval and security review.

9.2 Configuration fields

Setting	Description
Goal label	Default: "Road to ₹30 crore revenue". Editable.
Target value	Default: ₹300,000,000 INR; editable.
Target basis	Configurable: cumulative since journey start OR revenue within a defined financial year / target period.
Start/end dates	Set the date window for progress calculations; show if configured.
Revenue definition	Choose and display: recognised revenue, invoiced revenue or cash collected. Never combine these silently.
GST treatment	State whether entered values include or exclude GST; consistent definition across all months.
Current-period actual	Monthly actual value manually entered by owner/admin.
Target per month	Monthly target value or optional plan distribution; may vary month by month.
Prior-period actuals	Historical monthly actual values.
Visibility	Public dashboard, public summary only, or private/admin-only.
Rounding / display	Display INR in Indian numbering format (e.g. ₹1.25 Cr); retain precise numeric values for calculations.
Last updated	Automatically updated whenever revenue data is saved.

Setting	Description
Notes / adjustment	Optional short note for restatements/corrections; change audit trail maintained.

9.3 Public dashboard widgets

Widget	Calculation / presentation
Target progress	Current cumulative progress ÷ target × 100; clamp or clearly display values above 100%. State revenue basis and time period.
Revenue so far	Sum of included revenue entries within the configured target period, with a “self-reported” note.
Remaining to goal	Target minus eligible actual. If actual exceeds target, display “Target exceeded” rather than a negative remaining amount.
Monthly revenue trend	Line or column chart showing actual by month.
Target vs actual	Monthly comparison chart and table; show variance in INR and percentage.
Milestones	Owner-authored events such as first ₹1 Cr, a new customer segment or a major operational milestone. Each item has a date and visibility setting.
Current focus	Optional text block describing the current priority. Editable by owner.
Definition / update note	Explain which revenue measure is being shown, whether GST is included, which period is covered and when it was last updated.

9.4 Revenue data model and validation

- Store one monthly record per month for actual revenue, monthly target, optional note and visibility flag. Prevent duplicate month records; editing an existing month updates that record.
- Use decimal-safe numeric storage; do not store currency as formatted text. Currency display is formatted only in the presentation layer.
- Reject negative actuals by default; if a credit note/restatement must be reflected, let the admin enter an adjustment with an explanatory note and audit entry.
- Ensure missing months are displayed as “Not entered” or zero only according to a clear admin-configured rule; never silently treat missing data as verified zero revenue.
- Calculations must be tested at 0, target threshold, above target, missing months and edited historical records.
- Do not surface monthly revenue figures through public APIs or page source if dashboard visibility is switched to private.

9.5 Admin dashboard controls

- Add/edit month, target, actual, definition, notes and visibility.
- View a preview of the public dashboard before publishing changes.
- Record an audit trail (who changed what, when, previous value and new value) accessible to the owner only.
- Export revenue rows to CSV for the owner. Never include passwords, API keys, auth tokens or comment email addresses in exports.
- Optional future phase: connect to a finance/CRM source. Not included in MVP.

10. People and company profiles (optional but future-ready)

Although the site is primarily about the founder-and-company journey, episodes may mention employees, partners, customers or other business leaders. Support lightweight “People” and “Companies” records so references can be linked consistently when useful; do not require a profile for every person mentioned.

Profile field	Details
Display name / organisation	Required name and URL slug.
Role and company	Current or episode-relevant role; allow historical role text where needed.
Biography / description	Admin-authored approved text; avoid AI-invented biographical facts.
Portrait / logo	Optional image, alt text and rights/permission confirmation.
External links	Official website and public social profile URLs; validate URLs.
Related episodes	Automatically show published episodes linked to this person/company.
Visibility	Draft or public. Unpublished profile data must not leak into search or APIs.

11. Admin panel and daily operations

11.1 Admin home

Build a custom, authenticated admin console at /admin with shortcuts to Add Episode, Episodes, AI Summary Status, Comments Queue, Revenue Dashboard, Milestones, People/Companies, Settings and Reports. Enforce permissions server-side and in database policies; hiding UI controls is not an access-control strategy.

11.2 Daily publishing form

1. Enter Day Number and short Episode Title.
2. Paste Instagram post/Reel URL and validate it.
3. Paste transcript/spoken text and optional caption/context, or upload an authorised source video if transcription is configured.
4. Generate summary and takeaways, then review and edit.
5. Choose relevant tags; associate people/company profiles when useful.
6. Preview desktop and mobile layouts.
7. Publish now, schedule, or save draft.
8. Optionally update the revenue dashboard/milestones when there is a meaningful milestone.
9. Check comment moderation queue periodically.

11.3 Admin quality-of-life requirements

- Autosave drafts and warn before navigating away from unsaved changes.
- Show the final public permalink on a published episode with a one-click copy control.
- Offer “Duplicate as draft” for episodes with similar layout but clear/reset Day Number, title, URL, generated summary and publish status.
- Batch actions: draft/unpublish, edit tags and archive where safe. Do not support destructive bulk delete without confirmation.

- Maintain revisions/version history for episode summary, revenue data and key settings where practical.
- Provide user-facing validation errors next to the field that needs attention; avoid generic “Something went wrong” messages.

11.4 Status and workflow

Status	Meaning
Draft	Not public; admin can continue editing.
Pending Review	Ready for a reviewer/owner to approve.
Scheduled	Will publish at a selected date/time; should remain hidden until then.
Published	Public, searchable and included in latest-first feeds.
Archived	Removed from primary feed but preserved by policy; choose redirect/noindex behaviour intentionally.
AI Failed	Summary task failed; post remains draft until a human enters or approves summary.

12. Recommended custom-built technology and architecture

12.1 Recommended stack

Recommended implementation
Next.js (TypeScript, App Router) deployed on Vercel; Supabase managed PostgreSQL for the application database and authentication; Supabase Row Level Security (RLS) for data protection; a server-side AI integration for summaries; and a small, custom admin interface built into the application. This is a custom-coded product and does not use WordPress or another general-purpose CMS.

This stack minimises server administration while retaining code ownership and application flexibility. Next.js supports server-rendered pages for SEO. Vercel provides Git-based deployments and custom-domain support. Supabase provides managed PostgreSQL and authentication. The developer must verify current plan limits, pricing, data-region options and service terms before selecting paid plans. Official technical references: Next.js deployment https://nextjs.org/docs/app/getting-started/deploying ; Supabase Next.js Auth https://supabase.com/docs/guides/auth/quickstarts/nextjs ; Supabase Row Level Security https://supabase.com/docs/guides/database/postgres/row-level-security ; Vercel custom domains https://vercel.com/docs/domains/set-up-custom-domain .

12.2 Architecture components

Layer	Recommended implementation	Notes
Frontend / server rendering	Next.js App Router + TypeScript	Server-render public episode and summary content; responsive components; avoid client-only page rendering for core SEO content.
UI styling	Tailwind CSS or a small documented design system	Accessible reusable components; avoid heavy UI dependencies.
Database	Supabase managed PostgreSQL	Relational schema, migrations in Git, indexes, constraints, backup/restore procedures.

Layer	Recommended implementation	Notes
Authentication	Supabase Auth with verified email	Member registration, login, reset, sessions and admin/editor/moderator roles stored/validated securely.
Authorisation	Server-side checks + PostgreSQL Row Level Security	Public users can read only public published data; member can manage own profile/comments; private dashboard and all admin mutations must be restricted.
Admin console	Custom /admin area in the same Next.js app	Episode editor, AI summary review, comments moderation, revenue records, people/company records and site settings.
AI summaries	Server-only API route or server action calling owner-approved LLM	API keys stored in secret environment variables; AI output saved as draft; never auto-publish.
Optional transcription	Speech-to-text provider plus private temporary object storage	Off for MVP unless separately approved. Secure upload, size/type limits, deletion policy and explicit source-rights confirmation.
Hosting / deployments	Vercel project connected to owner-controlled GitHub repository	Preview deployments for pull requests; production deployments from protected main branch; build checks required.
Email delivery	Transactional email service for verification and password reset	Configure provider-specific DNS records carefully without disturbing existing domain mail.
Analytics	Owner-controlled Google Search Console plus analytics selected by owner	Configure consent and privacy disclosures as applicable; do not send sensitive comment/revenue values to analytics.
Monitoring	Hosting logs + error monitoring with alerting	No secrets, full transcripts, password reset tokens or private user data in error logs.

12.3 Repository and environments

- Use an owner-controlled GitHub organisation/repository. The owner must retain administrator access and own the Vercel and Supabase projects.
- Maintain separate Development, Staging/Preview and Production environments. Production data and secrets must not be copied to preview deployments.
- Commit database schema migrations, seed scripts for non-production data, setup instructions and an `.env.example` containing names only, never real secrets.
- Use pull requests, required build/lint/type-check checks and human approval before production merges.
- Pin compatible dependency versions and maintain lockfiles. Run dependency vulnerability checks before launch and periodically thereafter.
- Keep business logic independent of deployment-specific hostnames; configure public base URL with an environment variable.

12.4 Initial database model

Use PostgreSQL with UUID primary keys where appropriate, timestamptz for timestamps, numeric/decimal types for monetary values and foreign keys for related records. Provide migration files and document every field and permission. Suggested tables:

Table	Core fields / purpose
profiles	id matching auth user; display_name; avatar_url; role (member/moderator/editor/admin); email_verified_at; created_at; status. Never expose private email in public profile responses.

Table	Core fields / purpose
episodes	id; day_number unique; title; slug unique; instagram_url; caption; context_notes; transcript_text (optional); summary; takeaways JSON/text; summary_status; summary_source; published_at; status; comments_enabled; created_by; updated_at.
tags	id; label; slug; unique slug.
episode_tags	episode_id; tag_id; composite unique key.
people	id; name; slug; role; company_name or company_id; biography; portrait_url; external_links JSON; visibility; created_at.
companies	id; name; slug; description; website_url; logo_url; visibility.
episode_people	episode_id; person_id; relationship/note.
episode_companies	episode_id; company_id; relationship/note.
comments	id; episode_id; author_profile_id; parent_comment_id optional; body; status (pending/approved/rejected/spam/removed); created_at; updated_at; moderated_by; moderated_at.
revenue_settings	id/singleton; target_amount; target_start; target_end; target_basis; revenue_definition; gst_treatment; visibility; public_summary_mode; updated_by; updated_at.
revenue_months	id; month_start unique; actual_amount; target_amount; note; public_visibility; updated_by; updated_at.
revenue_milestones	id; title; description; milestone_date; visibility; sort_order.
audit_log	id; actor_id; action; entity_type; entity_id; before/after values redacted as needed; created_at; request_id. Owner/admin only.
ai_jobs	id; episode_id; model/provider; source_types; status; error_code; created_at; completed_at; cost/token metadata if available. Do not store secrets or unnecessary raw source content in logs.

12.5 Database constraints, indexes and policies

- Unique constraints: episodes.day_number and episodes.slug; tags.slug; people.slug; companies.slug; revenue_months.month_start.
- Indexes: published episode ordering (status, published_at DESC, day_number DESC); episode slug; tags; comments by episode/status/time; revenue month; relevant full-text search vectors.
- Use server-side validation and Postgres constraints for required fields, enum-like statuses, reasonable field length limits and valid monetary values.
- Enable RLS for every table reachable from client/public APIs. Create explicit allow/deny policies for anonymous, authenticated member, moderator, editor and administrator scopes. Test both positive and negative access scenarios.
- Keep Supabase service-role/privileged keys exclusively on the server. Never embed them in browser code, repository, logs or client-visible environment variables.
- Public queries must return only published episodes, approved comments and explicitly public profiles/revenue fields. Drafts, moderation queue, private monthly revenue and audit logs are admin-only.
- Revenue calculations should be computed from authoritative database numeric fields, not from client-provided totals. Audit all changes to financial values and settings.

12.6 Admin application functional areas

Admin module	Required controls
Dashboard	Latest published day; draft/scheduled count; pending comments; AI failures; last revenue update; quick links.

Admin module	Required controls
Episodes	Create/edit/preview, day-number uniqueness, publish/schedule/archive, summary approval, URL validation and tags.
AI summaries	Generate, regenerate with confirmation, display inputs/source type, approve and retry failures.
Comments	Filter by pending/approved/spam/reported; approve, hide, edit where policy permits, remove, ban/throttle abusive accounts.
Revenue	Configure target/period/definition/GST treatment/visibility; maintain monthly actual and target; add milestones; see audit trail; export CSV.
People and companies	Create or edit optional profiles, mark public/private, connect to episodes.
Members and roles	Search members, deactivate/reactivate, change roles only for authorised admins, review account deletion requests.
Settings	Site timezone (Asia/Kolkata default), website metadata, AI provider/model selection, safe usage limits and public contact links.

12.7 Application performance targets

- Render public homepage, archive, episode and summary content server-side for speed and discoverability.
- Aim for Core Web Vitals “good” ranges where external embeds and networks permit: LCP <= 2.5s, INP <= 200ms, CLS <= 0.1 at the 75th percentile once enough field data exists. These are targets, not guarantees for third-party Instagram media.
- Paginate the archive and show lightweight image/poster previews. Only load the official Instagram embed on the episode page or when the user requests it where technically practical.
- Cache public pages safely; never cache authenticated responses, drafts, moderation views or private dashboard payloads in shared public caches.
- Use responsive images, modern formats, sensible image sizes, accessible skeletons/loading states and reduced-motion support.

13. Security, privacy and data handling

13.1 Minimum security controls

☐ HTTPS with valid certificate; secure cookies and no mixed-content resources.

☐ Multi-factor authentication for administrator/owner accounts where supported.

☐ Unique administrator usernames; strong passphrases; least-privilege access for editors and moderators.

☐ Rate limiting / brute-force protection on sign-in, registration, password reset, comments and AI generation.

☐ Validate inputs server-side, use parameterised database access, encode output, validate auth/session on every protected action, and use CSRF protection for cookie-authenticated mutations where applicable.

☐ Protect AI keys and email credentials as secrets; never expose them in client-side JS, page source, git or logs.

☐ Keep dependencies patched, run dependency and secret scans, remove unused packages, and rebuild/redeploy from the version-controlled source after updates.

☐ Daily backups, offsite retention and a documented restore test.

☐ Error logs must not expose tokens, passwords, transcript contents or private email addresses to visitors.

☐ Staging site must be access-restricted and blocked from indexing; no production customer data copied to staging unless sanitised.

13.2 Privacy and consent

Create plain-language privacy notice and terms suitable for a public Indian audience, with appropriate legal review before launch. Explain the account and comment information collected, cookies/analytics, email notifications, third-party Instagram embeds, AI processing of transcripts/captions, retention, deletion/contact routes and how visitors can exercise applicable rights. Do not claim compliance solely because a policy page exists.

- Collect only the personal data needed for accounts and moderation. Email must remain private.
- Do not send comment text or account information to the AI summary provider.
- Show a short, accessible notice when source video/transcript is submitted for AI processing; admin must confirm rights/permission.
- Set retention rules for rejected comments, AI/transcription uploads, logs and inactive accounts.
- Third-party embeds may make requests to Instagram when a page loads. Consider click-to-load or consent-aware embeds if required by the site's cookie/privacy approach.
- Provide a visible contact address for privacy requests and account support; the owner must supply the address before launch.

13.3 Security incident and recovery basics

- Document how to revoke AI/email/analytics credentials and rotate owner/admin sessions and credentials.
- Define the owner's contact and the hosting/database vendor escalation path.
- Recovery drill: restore database backup to staging, verify episodes/comments/revenue entries, then document restoration steps.
- Keep a change log for dependency updates, schema migrations and production releases.

14. SEO, analytics and measurement

14.1 SEO deliverables

☐ Unique SEO title and meta description per public episode.

☐ Descriptive slugs; breadcrumbs; self-canonical URLs.

☐ XML sitemap; robots.txt review; staging noindex and production indexability check.

☐ Open Graph / social sharing metadata with a stable default branded image.

☐ Relevant structured data for textual episode content; validate it and do not mark up unsupported video-hosting claims.

☐ Image alt text for meaningful images; decorative images use empty alt text.

☐ Permanent redirects if a published URL changes; no broken internal links.

☐ Search Console ownership verification and sitemap submission.

14.2 Analytics events

Event	Suggested properties
episode_view	episode_id, day_number, slug, source page
instagram_open	episode_id, placement: embed/fallback
episode_search	query length/category, results count; avoid sending sensitive raw values if not needed
episode_filter	selected tag and results count
account_signup_start / complete	status only; do not send email/password
comment_submit	episode_id, result: pending/approved/error; never send comment text

Event	Suggested properties
revenue_dashboard_view	visibility mode and page location; do not send private values if restricted
latest_episode_cta	source section and destination episode

Set up Google Search Console and the analytics property using owner-controlled accounts. The developer should leave a short dashboard guide explaining which metrics matter (episode traffic, search queries, Instagram click-throughs, returning users and engaged reading), without collecting unnecessary personal data.

15. Deployment and release plan

15.1 Delivery phases

Phase	Tasks	Exit condition
1. Discovery & access	Verify automationlabs.online DNS and current site; create a separate Vercel app, Supabase project and owner-controlled Git repository; configure preview environment.	Approved architecture, account ownership checklist and isolated staging/preview deployment.
2. Design system & pages	Implement responsive header/footer, homepage, archive, episode detail, revenue dashboard and policy templates.	Owner signs off key desktop/mobile screens.
3. Database & admin	Create PostgreSQL schema/migrations, RLS policies, Day Number constraints, tags, people/company relations and custom /admin workflows.	Admin can create, preview and publish a sample episode; RLS tests pass.
4. Instagram & AI	Embed handling, URL validation, source text fields, AI generation, edit/approve/failure workflow.	Test public embed and one complete AI-summary flow.
5. Accounts & comments	Registration, email verification, login/reset, sign-in-only comments, moderation and anti-spam.	End-to-end test from new registration to approved comment.
6. Revenue dashboard	Settings, monthly rows, calculations, charts, audit log and visibility switch.	Calculations verified with test cases and privacy modes.
7. SEO, security, QA	Metadata, sitemap, performance, accessibility, security, backups and regression tests.	All P0 acceptance criteria pass; no critical issues.
8. Production launch	Deploy approved commit to production; add projectdhurandhar subdomain in host settings; configure only required DNS CNAME/TXT records; verify TLS, sitemap and smoke tests.	https://projectdhurandhar.automationlabs.online works over HTTPS without impacting automationlabs.online.
9. Handover	Provide credentials transfer, source repo, application module inventory, architecture notes, rollback and how-to guide.	Owner can independently publish an episode and update revenue figures.

15.2 Domain, DNS, HTTPS and hosting runbook

Production hostname: projectdhurandhar.automationlabs.online. Parent domain: automationlabs.online. Recommended deployment target: a Vercel production project for the Next.js app and a separate Supabase project for managed PostgreSQL/Auth. The developer must follow the exact values shown in the hosting provider dashboard at deployment time; do not copy a generic DNS target from this document.

Step	Implementation requirement
1. Audit	Read current DNS records for automationlabs.online and record the existing root/www web records and MX/TXT mail records. Do not change nameservers as part of this deployment unless separately approved.
2. Create app	Create the Vercel project from the owner-controlled Git repository. Set production branch, build command, framework preset and environment variables. Verify the app works on the provider preview URL first.
3. Add hostname	Add projectdhurandhar.automationlabs.online as a custom domain in the Vercel project settings and read the provider's specific required DNS target/verification record.
4. DNS record	At the DNS provider currently authoritative for automationlabs.online, add or update only the host record named projectdhurandhar, normally a CNAME to the exact target supplied by Vercel. If Vercel requires a TXT verification record, add the exact token and retain it as instructed. Do not invent the target value.
5. Preserve parent site	Do not modify the root @ record, www record, nameservers, MX records, SPF, DKIM, DMARC or unrelated DNS records. Verify automationlabs.online continues to resolve to its existing website after the subdomain change.
6. TLS / HTTPS	Wait for custom-domain verification and managed TLS certificate issuance. Confirm https://projectdhurandhar.automationlabs.online responds successfully, HTTP redirects to HTTPS, and the certificate is valid. Enable HSTS only after verifying all routes and redirect behaviour.
7. Canonical URL	Set APP_BASE_URL / NEXT_PUBLIC_SITE_URL (using the correct server/client exposure rules) to https://projectdhurandhar.automationlabs.online. Configure canonical tags, sitemap, robots.txt, email callback URLs and authentication redirect allowlists to use the production hostname.
8. Auth redirects	In Supabase Auth configuration, set the production Site URL and allowed redirect URLs for production, and separate preview/staging URLs if needed. Do not allow arbitrary wildcard redirects beyond the minimum required.
9. Database	Provision a production Supabase project, choose a region based on owner/data residency needs and current provider options, apply versioned SQL migrations, enable RLS policies, configure backup retention, and test recovery. Keep staging and production separate.
10. Smoke test	Run DNS lookup and TLS checks; test homepage, archive, sign-up, email verification, login, password reset, comments, AI summary endpoint, revenue privacy modes, sitemap and admin permissions. Record screenshots/log results.

DNS safety rule

The DNS change must be scoped to the projectdhurandhar subdomain. Never replace the parent domain's DNS zone or change nameservers as a shortcut. DNS values, TLS certificates and authentication redirect URLs must be verified in the actual provider dashboards before launch.

15.3 Pre-launch configuration from owner

☐ Access to the DNS control panel for automationlabs.online (developer should be granted only the necessary access).

☐ Instagram profile URL and 2–3 public post/Reel URLs for testing.

☐ Logo/wordmark, brand colours (if available), founder/team photos and profile copy.

- ☐ Initial Day 1 and subsequent episode title, date, Instagram URL, caption/transcript/source notes and final summary.
- ☐ Target period, revenue definition, GST treatment and first set of monthly actuals/targets.
- ☐ Owner email and privacy-contact email; preferred transactional email provider.
- ☐ AI provider and budget approval; optional transcription decision; hosting and database plan approval.
- ☐ Approval of privacy notice, terms, comment guidelines and revenue disclaimer.

15.4 Launch / rollback plan

- Back up the managed database and any private uploaded source files before production migrations or releases. The existing parent website must remain untouched.
- Deploy to staging, test, and obtain approval before production.
- Use Git-backed, versioned deployments and documented rollback. Maintain database migrations that are backward-compatible where practical; retain previous known-good deployment.
- After deploy, test HTTPS, routing, account flows, Instagram embed, AI job, comments, revenue visibility, redirects, sitemap and analytics events.
- If a critical issue occurs, roll back to the previous application deployment without deleting stored content; reverse database migrations only if safe, otherwise restore the database backup under a documented recovery plan.

16. Acceptance criteria and test cases

The developer should demonstrate these tests to the owner on the preview/staging deployment before launch. Any “Must” item failing is a blocker for production. The target production URL is https://projectdhurandhar.automationlabs.online.

ID / priority	Test	Expected result
AC-01 / Must	Create Day 1 “Getting Started” with a public Instagram URL.	Episode saves as draft, shows correct title/slug, validates URL and does not appear publicly until published.
AC-02 / Must	Publish a new Day 2 episode after Day 1.	Day 2 appears above Day 1 on homepage and archive; Day 1 remains accessible at its permanent URL.
AC-03 / Must	Open an episode with valid public Instagram URL.	Embed displays on supported browsers; fallback “Open on Instagram” link remains available.
AC-04 / Must	Use a private, removed or invalid Instagram link.	Friendly fallback state and external link if URL is valid; invalid URL rejected before publish; no broken layout.
AC-05 / Must	Generate a summary from a supplied transcript.	AI creates an editable draft and takeaways; status and source type are recorded; no auto-publish.
AC-06 / Must	Attempt summary generation with URL only and no text/video source.	UI explains insufficient source input; no invented transcript or fabricated summary is produced.
AC-07 / Must	Regenerate after editing summary.	System warns before replacing edited content and preserves the existing copy until confirmed.
AC-08 / Must	Search “Day 2”, a title phrase and a tag.	Relevant published episodes appear; drafts and private entries are not returned.
AC-09 / Must	Open comment form while signed out.	User is prompted to sign in or register; cannot submit anonymously.
AC-10 / Must	Register with new email and attempt to comment before verification.	Posting is blocked until email is verified; verification and password reset emails deliver.
AC-11 / Must	Submit first comment from verified new user.	Comment enters moderation queue per configuration and does not appear publicly until approved.
AC-12 / Must	Attempt XSS/HTML/script content in comments and title fields.	Input is sanitised/escaped; no script executes; stored content remains safe.

ID / priority	Test	Expected result
AC-13 / Must	Enter monthly revenue actual/target and save.	Correct values appear in admin and public dashboard according to visibility configuration.
AC-14 / Must	Test dashboard at 0, below target, exactly target, above target and with a missing month.	Progress/gap/charts use documented definitions; missing data is not silently misrepresented.
AC-15 / Must	Switch revenue dashboard to private.	Public page and public API no longer expose figures or private monthly rows.
AC-16 / Must	View on small mobile width and desktop.	No horizontal overflow; controls are readable/tappable; embed and charts scale to viewport.
AC-17 / Must	Inspect page source and network responses.	No API secrets, passwords, private emails, unpublished content or private revenue data are exposed.
AC-18 / Must	Open sitemap and a published episode's metadata.	Published episode is indexable, canonical is correct, title/description are present, staging is noindex.
AC-19 / Must	Run a Supabase database backup/restore test to an isolated staging project.	Episodes, account/profile records, comments and revenue data restore successfully and RLS policies remain enabled.
AC-20 / Should	Load homepage with many episodes.	Homepage uses pagination/lightweight previews; it does not load every Instagram embed at once.
AC-21 / Should	Use keyboard only.	Navigation, form controls, comments and dialogs are reachable and have visible focus.
AC-22 / Should	Edit published episode title without intending a slug change.	Title updates safely; URL remains stable unless admin chooses to change it.
AC-23 / Should	Delete or deactivate a user.	Their sign-in is disabled; retention/deletion policy is followed and public comment handling is explicit.
AC-24 / Must	Deploy production hostname and inspect DNS.	projectdhurandhar.automationlabs.online resolves to the intended app over HTTPS; the parent automationlabs.online and its email DNS records remain unchanged.
AC-25 / Must	Call public endpoints as anonymous and as a regular member.	RLS and server-side authorisation prevent access to drafts, pending comments, admin settings, audit logs, private revenue rows and privileged keys.
AC-26 / Must	Inspect repository and production client bundle.	No service-role key, database secret, AI secret, email credential or production `.env` values are present.
AC-27 / Must	Open a published episode without client-side JavaScript if possible / inspect rendered HTML.	Title, summary, canonical metadata and crawlable content are server-rendered or otherwise reliably indexable.

17. Handover deliverables and owner checklist

17.1 Developer must hand over

☐ Working custom-built production website at https://projectdhurandhar.automationlabs.online.

☐ Admin guide: add episode, paste Instagram URL, add transcript, generate/edit summary, publish/schedule, update tags and handle comments.

☐ Architecture and schema guide covering Next.js routes, Supabase tables, database migrations, RLS policies, environment variables and server-side AI endpoint.

☐ DNS and hosting runbook covering the projectdhurandhar subdomain, certificate, auth redirect allowlists, deployment promotion and rollback.

☐ Revenue dashboard guide: add month, define revenue basis, update target, change visibility and correct a historical record.

☐ Deployment guide and rollback procedure.

☐ List of all application modules/services, purpose, licensing/renewals, owner account and support links.

☐ Complete application source code stored in a repository controlled by the owner or transferred to the owner at handover.

☐ Transfer of hosting, DNS, domain, email, AI provider and analytics ownership/credentials using a secure method.

☐ Data model / custom field documentation and a note on how AI inputs/outputs are stored and deleted.

☐ Test evidence for all Must acceptance criteria, plus known limitations.

☐ Backups configured and at least one successful restore test documented.

17.2 Definition of done

Done means the owner can operate the site independently

Without editing code, the owner can create and publish a numbered daily vlog; embed its Instagram post; produce and approve an AI-assisted summary using transcript/caption/notes; see the episode appear at the top of the archive; manage sign-in comments; and update the revenue dashboard with correct calculations. The site is responsive, searchable, secure, backed up and deployed at https://projectdhurandhar.automationlabs.online without disrupting automationlabs.online.

17.3 Items intentionally configurable

Item	Initial default	Final owner input
Production URL	Confirmed project subdomain	Confirmed; exact URL specified above
Revenue period	Configurable; do not assume annual vs cumulative	Start/end date and cumulative vs financial-year target
Revenue definition	Explicitly select one before launch	Recognised, invoiced or collected; GST included/excluded
AI provider/model	Provider abstracted in configuration	Owner-approved provider and monthly budget
Video transcription	Off unless approved	Whether to accept uploads for transcription; retention period
Comment policy	Sign-in + email verification + moderation for first-time comments	Approval rules and notifications
Public revenue visibility	Detailed public dashboard, as requested	Owner can change to public summary/private
People profiles	Supported; use only when relevant	Whether to launch directory in MVP
Analytics	Owner-controlled property	Chosen platform and consent configuration

Appendix A. Technical reference documentation

Use the current official documentation for exact commands and provider-specific settings. DNS targets and authentication settings must be taken from the project dashboards at the time of deployment.

- **Next.js deployment documentation —** https://nextjs.org/docs/app/getting-started/deploying
- **Supabase Auth with Next.js —** https://supabase.com/docs/guides/auth/quickstarts/nextjs

- **Supabase PostgreSQL Row Level Security —** https://supabase.com/docs/guides/database/postgres/row-level-security
- **Vercel: set up a custom domain —** https://vercel.com/docs/domains/set-up-custom-domain
- **Meta / Instagram API and embed capabilities —** https://www.postman.com/meta/instagram/documentation/6yqw8pt/instagram-api/

For this MVP, episode URLs are entered manually and public Instagram posts are embedded using a supported method with fallback links. Do not assume that a public URL grants API access, transcript access, downloading rights, commenting API access or analytics access. Confirm current Meta platform rules before adding any automated integration.