Path

```
# config/routes.rb
get 'notes' => 'notes#index'
# app/controllers/notes_controller.rb
class NotesController < ApplicationController</pre>
   def index
     # ruby code here...
   end
end
# app/views/notes/index.html.erb
<h1>Some html here...</h1>
```

Controller Name

```
# config/routes.rb
get 'notes' => 'notes#index'
# app/controllers/notes_controller.rb
class NotesController < ApplicationController</pre>
   def index
     # ruby code here...
   end
end
# app/views/notes/index.html.erb
<h1>Some html here...</h1>
```

Action Name

```
# config/routes.rb
get 'notes' => 'notes#index'
# app/controllers/notes_controller.rb
class NotesController < ApplicationController</pre>
   def index
     # ruby code here...
   end
end
# app/views/notes/index.html.erb
<h1>Some html here...</h1>
```

Path

```
# config/routes.rb
get 'soccer-team' => 'players#list'
# app/controllers/players_controller.rb
class PlayersController < ApplicationController</pre>
   def list
     # ruby code here...
   end
end
# app/views/players/list.html.erb
<h1>Some html here...</h1>
```

Controller Name

```
# config/routes.rb
get 'soccer-team' => 'players#list'
# app/controllers/players_controller.rb
class PlayersController < ApplicationController</pre>
   def list
     # ruby code here...
   end
end
# app/views/players/list.html.erb
<h1>Some html here...</h1>
```

Action Name

```
# config/routes.rb
get 'soccer-team' => 'players#list'
# app/controllers/players_controller.rb
class PlayersController < ApplicationController</pre>
   def list
     # ruby code here...
   end
end
# app/views/players/list.html.erb
<h1>Some html here...</h1>
```