Index

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

A

a43 470
a43c 470
aaa 731
aal5-encap-type 601
accept-master 675
access 821
access-held-time 1203
accessontimeout 1216
access-oper-id 628
accessport-svc 6880
access-type 1215
acc-interval 773
ac-code-prof 1483
acc-router-inst 775
acc-server 769
acc-stats 6962
acl 1528
act-caller-id 1468
act-dnd 1468
act-estab-call 1280
action 710
action-type 1243
activate 841
activate-chpair 7239
activate-type 1312
active-groups 5901
active-heartbeat 1322
active-remote-mep 1555
actor-port-prio 1617
act-stable-call 1280
actual-ptm-init-mode 5699
address 1191
addrtype 1846
admin-domain-name 1191
admin-label 1778
admin-p2p 1627
adminstate 1634
admin-state 354
adminstatus 1900
admin-status 317
admin-up 1708
adsl2-plus 457
adsl-adsl2 452
adsl-band 463
agc-offset 1721
ageing-time 1010
aggr-dsq-profile 945
aggrqueuesconfig 903
aggr-reprt-shaper 1172
aggr-usq-profile 945
aging-time 979
ai 731
ais-sensitivity 662
ais-to-iwf 339
ais-to-liu 339
aka-secret-key 1216
alarm 166
alarm-changes 2207
alarmflag 1880
alarmid 223
alarm-profile 312
alarm-profile-name 401
alarm-table 3622
alert-tone 1406
alias 1883
alien-bkgtestinterval 7158
alien-bkgtestmode 7158
alien-mantestmode 7158
alive-timer 1172
alm-ctrl 363
altitude-error 1878
alt-pref-ch-pair 354
announce-interval 676
announce-type 1446
anonymous-block 1449
ansi 6129
answer 1289
anti-tapping 1216
aor-host-prt-prof 1475
apipe-pvc 1858
apipe-sdp 1857
appl-bitmap 1296
application 1633
applique 315
applique-profile 315
app-serv-prof 1483
app-type 1903
area-code 1346
arp-burst 920
arp-polling-inter 628
arp-polling-ip 979
arp-rate 920
arp-relay-stats 7286
arp-tca-threshold 628
artificial-noise-down 450

asam-id 1308
associate-vlan 1626
association 1545
assu-burst-size 914
assured-info-rate 914
at 379
atm 731
atm-based-dsl 655
atm-overhead-fact 856
atm-pvc 613
attend-call-trans 1468
audible1 282
audible2 282
audible3 282
audible4 282
audible5 282
authen-server 778
authentication 753
authenticator 787
auth-id 401
auth-key 7013
auth-key-status 7014
auth-method 1643
auth-mode 1814
author-server 780
authproto 1111
auth-pwd 401
auth-router-inst 775
auth-sec-prof 1384
auth-securi-prof 1386
auth-server 767
auth-stats 6959
auth-type 803
auto-adv-abili 415
auto-answer 1216
auto-backup-intvl 845
autoboot-config 6072
auto-detect 411
autofetch 841
auto-laser-shutdown 710
autoneg1000t 415
autoneg1000tfd 415
autoneg1000x 415
autoneg1000xfd 415
autoneg100t2 415
autoneg100t2fd 415
autoneg100t4 415
autoneg100tx 415
autoneg100txfd 415
autoneg10t 415
autoneg10tfd 415
auto-port-reset 524
auto-pwr-ctl 1761
auto-server-fb 1233
auto-server-fo 1233
autoshape 912
auto-sos-fb 1233
auto-sos-fo 1233
auto-srv-fo-timer 1233
auto-switch 711
auto-upload 807
auto-verify 841
aut-s-unreach-act 766
availability 6002
avail-sess 6801
awaiting-time 1203

B

b43 470
back 7345
backup 845
backupv6 845
bad-headers-down 367
band-control-dn 506
band-control-up 506
bandwidth 914
bandwidth-profile 945
bandwidth-sharing 945
base-termid 1487
battery-bkup 354
baud-rate 693
b-chan-id 6453
bc-scheduler-node 945
ber-calc-period 1652
berint 354
ber-interval 7221
ber-stats 5722
ber-test 7221
ber-testpattern 7221
bfd 3540
bg-monitor-int 1233
bg-monitor-method 1233
bgn-time 728
bgp 3440
bias-alm-high 327
bias-alm-low 327
bias-warn-high 327
bias-warn-low 327
bit-len 1924
bitrate 1538
bits 665
bits-a-bind 708
bits-b-bind 708
bits-bind 708
bkgpatternmode 7158
bkgroguetestinterval 7158
bkgstucklasermode 7158
blind-call-trans 1468
block 1289
blocking-bitmap 1285
board 518
board-40gkr4 312
boardautoreplan 349
board-id 6483
board-index 2803

board-iwf-info 6854
board-perfinfo 6421
bonding-group 2828
bonding-mode 528
bonding-rate-mode 1155
branch 1091
bras-ip-address 1172
bridge 1010
bridge-map-mode 354
bridgeport 1545
bridge-port 5595
bridge-port-fdb 5268
bridge-prof 1449
brr-pkt-loss-th 1376
bsnap-server-ip 628
bsnap-server-port 628
bsnap-state 628
bucket-up 411
buffer-occ-thresh 931
bulk-sync 3573
burst-overhead 1652
burst-size 860
busyoverwrite 1216
busy-overwrite 1600
busy-status 6830
busy-tone 1396
bw-alarm-thresh 1761
bw-disconnect 1289
bw-disconnect-ack 1289
bw-disc-reanswer 1289
bw-meter-interval 1811
bw-th-dn 1575
bw-th-up 1575

C

cable-comp 691
cable-impedance 343
cac 869
cac-mode 856
cac-profile 937
cac-type 869
cage 617
calc-mode 5562
callconf-service 1216
callerid-announce 1449
caller-id-block 1449
caller-id-name 1449
caller-id-number 1449
call-fwd-indicate 1449
call-hist 1376
call-hist-num 6499
call-hold 1449
callhold-service 1216
calling-name 1449
calling-number 1449
call-park 1449
call-process 1269
call-query 1303
call-query-result 6481
call-transfer 1449
calltras-service 1216
callwait1-tone 1398
callwait2-tone 1400
callwait3-tone 1402
callwait4-tone 1404
call-waiting 1449
callwait-service 1216
cancel-call-wait 1468
canonical-format 886
cap 1292
capab-profile 312
capacity 1077
cap-id 1294
cap-name 1285
carrier-data-mode 528
carrier-mask-down 444
carrier-mask-up 444
cas-cpn-screen 1258
cas-default-cpc 1258
cas-event 1444
cas-exch-type 1250
cas-nsm-prof 1278
cas-nsm-profile 1250
cas-r1-syntax 1195
cas-r2-channel 4053
cas-r2-syntax 1195
cas-r2-timer 1269
cas-restrict-acc 1258
cas-sig-prof 1285
cas-timer-prof 1296
cas-timer-profile 1258
ccm-admin-state 1545
cc-max-age 1096
ccm-interval 1545
ccm-priority 1549
cde-bitmap 6040
cde-bitmap-extended 6041
cdeprof 7079
cdr-config 1247
cdr-export 1062
cdr-file-aging 1062
cdr-max-delay 807
cdr-max-timeout 807
cdr-polling 1062
cdr-type 1066
cdr-validation 1062
ces-class-time 1685
cesds1-port 3053
ces-port 3153
cfg-download 2098
cfg-res-time 1077
cfm 1523
cfm-burst 920
cfm-mep-id 2600
cfm-rate 920

cf-usage 6038
channel 336
channel-group 2104
channel-pair 1642
channelset 1357
channel-speed 1778
chipsetdata-for-slot 6829
chn 1081
chpair-active-groups 6260
chpair-pmcollect 1797
chpair-role-exch 7239
churn 419
churn-keyextime 419
churn-time 419
circuit-id-dhcp 979
circuit-id-pppoe 979
cir-dw 411
cir-up 411
class 310
classac1 1822
classac2 1822
classac3 1822
classac4 1822
classfandv1 1822
classfandv2 1822
classfandv3 1822
classfandv4 1822
clear 7322
clear-alarm 7164
clear-back-ack 1296
clear-forward 1216
clear-fw-ack 1296
clear-on-demand 7103
cli 821
client-id 1113
client-index 6049
client-port 1103
client-state 1770
clip-mode 1216
cli-session 726
clock 332
clock-accuracy 678
clockclass 695
clock-class 678
clock-mgmt 6031
clocksource 332
closeportasovld 419
closest-ont 1643
cluster 1305
cnf-msg-profid 1487
codec 1353
codec1st 1454
codec2nd 1454
codec3rd 1454
codec4th 1454
codepoint 874
co-inventory 5517
color-mode 882
command 7055
committed-burst-size 882
committed-info-rate 882
comm-para 1340
community 747
community-read 409
community-write 409
compensation 676
conf-file-name 1369
config-id-sel 1623
config-mode 1770
configure 7348
configure-lock 7297
confirm-tone 1416
conf-method 1369
conf-prof 1449
congest-tone 1414
connection 1151
conn-policy 790
conn-profile 789
conn-profile-name 790
conseq-number 336
contact-person 628
context 747
controlled-port 792
cos-threshold 882
count 7212
counter 6152
counters 6892
country-code 1275
coupling-flag 882
cpe 603
cpe-inventory 5515
cpe-management 1149
cpe-tuc-inventory 5675
cpe-tur-inventory 5673
cpi 1643
cpn-screen 1250
cpu-load 381
crc 1895
critical 2429
critical-timeout 1442
crit-log-full-act 280
cross-connect 5251
cs-psd-shape-dn 477
cs-psd-shape-up 477
ctc 1155
ctrl-pkt-policer 965
cur-intvl-top-ont-rx 5758
cur-intvl-top-ont-tx 5756
curr-15min-stats 6293
curr-1day-stats 6295
curr-day-stats 6775
current-15min 2170
current-15min-stats 5297
current-1day 2174
current-day-stats 5301
current-interval 2055

custinfo 1376
cust-info 1511
custom 2837
customer-id 613
custom-ext-alarm 2675
custom-profile 282
cust-psd-pt-down 461
cust-psd-pt-up 485
cust-psd-sc-down 463
cust-psd-sc-up 477
cust-psd-ty-down 463
cust-psd-ty-up 477
cust-rx-psd-pt-up 474
cust-rx-psd-sc-up 463
cust-rx-psd-ty-up 463
cvlan 409
cvlan4095passthru 979
cvlantrans-mode 354
cwmp 6306

D

d1p 871
d1p-alignment 878
d1p-dscp 877
d1p-dscp-contract 875
database 845
data-bit 693
data-class-time 1685
data-jitter 1357
data-length 1538
data-store 2044
date 637
date-table 6097
dbacongperiodhi 1673
dbacongperiodlo 1673
dbacongperiodmd 1673
dbacongthresh 1673
dba-polling0 1814
dba-polling1 1814
dba-polling2 1814
dba-polling3 1814
dba-polling4 1814
dba-polling5 1814
dba-polling6 1814
dba-polling7 1814
dbapollinglevel 419
dbru 914
deact-caller-id 1468
deact-dnd 1468
deactivate 7080
deact-ont-tca 1679
dead-interval 767
dead-tone 1432
debug 731
debug-command 7308
debugkernel 821
debug-mirror 731
decadic-break-dur 1296
decadic-pulse-dur 1296
defaultaid 2500
default-config 7083
default-cpc 1250
default-dataset 678
default-dot1p 871
default-dscp 872
defaultgateway 1634
default-priority 1011
default-profile 738
default-ql 696
default-router 1369
default-severity 614
default-tpid 1011
definition 292
delay-act 379
delay-dial-max 1296
delay-dial-min 1296
delay-interval 676
delay-mechanism 676
delay-opt-mode-ds 1134
delay-tolerance 914
delete-file 7346
delete-version 7244
delta-log 280
del-upd-threshold 1233
desc1 354
desc2 354
description 287
description1 282
description2 282
description3 282
description4 282
description5 282
descriptor-files 6112
destination 764
dest-ip 1318
dest-mac 336
dest-mac-address 1708
dest-port 1318
dest-udp-port 1357
dhcp 731
dhcp-authent-para 1243
dhcp-burst 920
dhcp-customer-id 1210
dhcp-dscp 1742
dhcp-fqdn 1210
dhcp-l2-encaps 979
dhcp-linerate 979
dhcp-opt82-ext 979
dhcp-opt82-nni 979
dhcp-opt82-uplink 979
dhcpoption60 1306
dhcp-option82 1203
dhcp-optreq-list 1197
dhcp-rate 920
dhcpr-vlanaware 979

dhcp-server 1886
dhcpsipserver 6438
dhcpv6-burst 920
dhcpv6-itf-id 979
dhcpv6-l2-encaps 979
dhcpv6-linerate 979
dhcpv6-rate 920
dhcpv6-relay-id 979
dhcpv6-remote-id 979
dhcpv6r-vlanaware 979
dhcpv6-trst-port 979
diagnos-test 7221
diagnostest-status 6898
diagnostic 7139
diagnostics 5802
dial-long-timer 1203
dialplan 1213
dialplan-index 2738
dial-short-timer 1203
dial-start-timer 1203
dial-tone 1418
dialtone-dely-opt 1449
diff-reach 1643
digitmap 1215
digitmap1 1442
digitmap2 1442
digitmap3 1442
digitmap4 1442
digitmap-mode 1213
digit-map-prof 1335
digit-send-mode 1203
dir-conn-feature 1449
dir-conn-prof 1449
direction 320
directory-number 1216
direct-uri 1216
discard 7366
disconnect-ack 1269
dis-frame-th 933
disk-file 7074
display-name 1216
distance 343
dist-service 1854
disturber-line 5564
dldstatus 6146
dmac 1538
dmpm-intdgt-expid 1203
dn 1351
dn-buf-thresh 931
dn-ctrl-pkt 971
dn-default-tc 895
dnd-pin 1468
dn-dscptotc-prof 895
dnload-cfgfile1 354
dnload-cfgfile2 354
dn-obc-thresh 931
dn-pbittotc-prof 895
dns-addr 1742
dns-ini-retr-int 1233
dns-max-retr-nbr 1233
dnsname-type 1191
dns-purge-timer 1233
dns-redun-mode 1233
dnsserver 1241
domain 674
domain-name 789
do-not-disturb 1449
dot1p 1528
dot1-p0-color 916
dot1-p0-pol-tc 916
dot1-p0-tc 916
dot1-p1-color 916
dot1-p1-pol-tc 916
dot1-p1-tc 916
dot1-p2-color 916
dot1-p2-pol-tc 916
dot1-p2-tc 916
dot1-p3-color 916
dot1-p3-pol-tc 916
dot1-p3-tc 916
dot1-p4-color 916
dot1-p4-pol-tc 916
dot1-p4-tc 916
dot1-p5-color 916
dot1-p5-pol-tc 916
dot1-p5-tc 916
dot1-p6-color 916
dot1-p6-pol-tc 916
dot1-p6-tc 916
dot1-p7-color 916
dot1-p7-pol-tc 916
dot1-p7-tc 916
dot1p-priority 886
dot1p-remark 880
dot1p-value 863
dot3stats 6630
download 7069
download-set 841
downloadv6 7071
down-policer 895
down-policy 900
down-rtx-profile 575
downstr-bw-thresh 1796
downstream 5562
downstream-channel-id 1776
downstream-lambda 1776
dpbo-profile 495
dpcolor 858
dpinteg-threshold 1866
drly-srv-usr-side 979
dropped-frames-dn 583
dropped-frames-up 583
drouter 731
ds0-bitmap 1282
ds0-hunting-way 1258
dscp 872

dscp-contract 873
dscp-map-dot1p 863
dscp-pbit 923
dscp-pbit-prof 878
dscp-tc 925
dscp-value 874
ds-dedicated-q 1018
dsfld-shaper-prof 945
dslam-name 1172
dsl-bandwidth 5348
dsl-class-time 1685
dsl-ctrl-pkt-policer 860
dsl-line-port 3162
dsload-thresh 931
dsl-port 937
ds-num-queue 945
ds-num-rem-queue 945
ds-pbit-mode 1011
ds-rem-queue 961
ds-schedule-tag 895
dst 636
dst-ip-addr 888
dst-ipv6-addr 888
dst-mac-addr 886
dtmf-duration 1446
dtmf-event 1444
dtmf-level 1446
dtmf-sip-info 1203
dual-host-ip 312
dual-host-loc 312
dual-parenting 7225
dup-fdb-id 5278
dup-mac 5278
dup-mac-alarm 5278
duration 695
dynamic-update 670
dyn-auth-client 771
dyn-authclient-stats 6966
dyn-pt-nego-type 1203

E

e1 4057
e1-cluster-itf 1250
e1-cluster-name 1250
e1-crc4frame 1285
e1-hunting-way 1250
e1itf-bchannel-status 6453
e1-sip-termination 4047
e1t1-interface 4051
eapol-stats 6986
ebias-alm-high 327
ebias-alm-low 327
ebias-warn-high 327
ebias-warn-low 327
echo 7331
echo-cancel 1353
ecid-rx 336
ecid-tx 336
efm-based-dsl 655
efm-based-epon 655
efm-based-ngpon2 655
efm-based-pon 655
efm-hs-sele 1155
efm-oam 2608
egress-vc-label 1856
elevation 1878
ellid 3281
ellid-index 3281
emergency 1468
emergency-service 1351
emer-ser-org-hold 1449
emulation 5702
enable 1795
enable-aes 354
encap-type 1172
encoding 1703
end-ip-addr 1081
end-ipv6-addr 1085
end-time 637
engine 1098
enterprise-number 979
entry 168
envbox 347
environment 161
eo-conversion 2820
eolt-ont-tca 5076
eoltrssi 3530
eont-phyoam 5064
eont-services-lan 5070
eont-sw-dl 5082
ephe-term-max 1322
ephe-term-min 1322
ephe-term-prefix 1322
epipe 3405
epon 661
epon-id 3530
epsd-pt-down 499
eps-quenchfactor 317
eqpt-holder 2509
eqpt-holder-ext 2518
eqpt-psu 3864
eqpt-supplemental 3188
equal-fext 493
equipment 731
error 621
error-frags-up 1659
erx-alm-high 327
erx-alm-low 327
erx-warn-high 327
erx-warn-low 327
esa-mgc-service 1322
es-cable-model-a 495
es-cable-model-b 495
es-cable-model-c 495
es-day-farend 534

es-day-nearend 534
es-elect-length 495
es-farend 534
es-nearend 534
etemp-alm-high 327
etemp-alm-low 327
etemp-warn-high 327
etemp-warn-low 327
eth-cfm 3598
eth-efm-fact 856
ether-dot3lt 6190
ether-ifindex 2634
ether-ifmault 6185
ether-ifsfplt 6183
ether-itf 2634
ethernet 373
ethernet-bandwidth 5352
ethernet-ring 4378
ether-sfp 2933
etherstats 6632
ether-tca 2924
ethertype 886
eth-int 6628
eth-ring 3673
etsi 6130
etx-alm-high 327
etx-alm-low 327
etx-warn-high 327
etx-warn-low 327
event-req-id 1322
evtocd 354
exbrsize-up 411
exce-burst-size 914
except-cdr-rate 1062
excess-burst-size 882
excess-info-rate 882
excessive-info-rate 914
excess-jitter-th 1376
exec 7334
exit 7344
expected-ckt-id 1708
ext-authenticator 795
ext-bw 956
ext-cac 945
extension 1258
extensive 5246
external-device 2658
external-leds 632
external-link-assign 322
external-link-host 320
external-link-remote 1978
extline 1353
ext-redundancy-state 6425
ext-shaper 867

F

f5-loopback-ete 7029
facility 835
fail-obs-timer 1233
fail-x-type 1245
fanmode 348
fan-tray 348
far-end 550
farend-ipinfo 1708
fast-guard 1216
fastleave 401
fault 1289
fax 1340
fax-mode 1454
fcs 1504
fcs-day 1504
fcs-exceed 3889
fdb 6653
fdb-board 5264
fdbid 5319
fdb-id 5264
fdb-only-bit 7189
fdxapause 415
fdxbpause 415
fdxpause 415
fdxspause 415
feat-acccode-prof 1468
fec 401
fec-dn 1643
fec-tc-layer 371
fec-up 354
fe-err-secs 580
fe-sev-err-secs 580
fe-unavail-secs 580
fext-cancel-dn 506
fext-cancel-up 506
fg-intv-503 1233
fg-monitor-int 1233
fg-monitor-method 1233
fifteen-min 5231
file-board-type 6123
filename 7101
file-name 6123
file-prof 1396
file-status 6142
filetransfer 802
fill-policy 1701
filter 223
filterid 223
filter-type 888
fips 715
fireware-version 1835
flag 1835
flag-alarm-state 1835
flash-on-emer-cal 1449
flush-mac 354
fng-alarm-time 1549
fng-reset-time 1549
fo-hystersis 1233
force-autoswitch 7060

force-hold 1216
force-measure 1600
force-reference 701
force-rel-ack 1269
forking 1049
format 689
forward-delay 1623
forward-port 990
frame 1703
frame-mode 339
framer 339
framing-mode 1895
freq1 1389
freq2 1389
freq3 1389
freq4 1389
frequency 450
frgn-ac-volt-th 7139
frgn-dc-volt-th 7139
ftp-passwd 1369
ftp-serv-ip-addr 1369
ftp-user-name 1369
fullview-packages 1054
fw-disconnect 1289
fw-disconnect-ack 1289
fxo-ip 1353
fxo-port 1353

G

gateway 409
gateway-addr 672
gateway-ddidn 1351
gateway-dn 1351
gateway-dn-type 1351
gateway-ip 1292
gem-sharing 945
general 1074
generate-auth-key 7095
generate-key 7094
generic-pon 1866
gen-on-demand 7101
ghstone-set-pwr-ctrl 470
ghstones-pwr-mode 463
gis 393
gis-check 1878
gis-digest 1878
gis-info 1878
global 931
global-session 1096
green-action 882
group 750
group-assembly-time 1132
groupid 1018
group-info 6845
group-name 756
group-opt 1600
group-profile 1134
group-rtx-profile 1137
group-rtx-profiles 5681
group-sampling 5564
grp-assembly-time 1134
grp-index 1168
grp-ip-addr 3180
grp-membership 6264
grp-to-package 6163
gsmp-retry-time 1172
gsmp-sub-version 1172
gsmp-version 1172
gw-id 1343
gw-ip 1583
gw-ip-addr 1585

H

handshake-period 795
hazard-ac-volt-th 7139
hazard-dc-volt-th 7139
heartbeat-count 1335
heartbeat-cycle 1335
heartbeat-mode 1335
hello-time 1623
help 7340
hgu-tr069 3853
hgutr069-cust 287
high 1681
high-clr 1681
high-jbfl 1224
history 7330
hold 1468
holdover-spec 695
hook-flash-max 1446
hook-flash-min 1446
hookstate 6517
horizontal-error 1878
host-address 747
host-id 978
host-report-intv 1062
hunting-way 1250
hw-status 6836
hw-version 388

I

iacm 7077
icid 6403
icmpv6-burst 920
icmpv6-rate 920
id 628
idle 1289
idlepwrtca 1814
idlepwrthreshold 1814
idle-timeout 818
igmp 731
igmp-burst 920

igmp-mode 401
igmp-rate 920
igmp-version 1049
ihub 7075
ihub-equip 3256
ihub-general 3273
ihub-ipv6 3448
ihub-l2forward 3206
ihub-link 3247
ihub-tca 3630
ima-group 2906
ima-link 2915
impedance 1216
imp-noise-prot-dn 440
imp-noise-prot-up 440
in 7347
inactive-timer 1600
inactivity-time 1557
inc-cgpn-add-ac 1275
inc-from-clip-pri 1275
inc-from-clip-ua 1275
inc-from-noclip 1275
inc-npi-to-cpn 1275
inc-ton-to-cdpn 1275
inc-ton-to-cpn 1275
indeterminate 2209
indet-log-full-action 280
index 2110
info 7341
information 5960
ing-outer-marker 895
ingress-hw-filter 5346
ingress-profile 945
ingress-qos 916
ingress-vc-label 1856
init-data-jitter 1203
init-reg-delay 1229
in-mapped-vci 1858
in-mapped-vpi 1858
inm-cluster-cont 548
inm-eq-inp-mode 548
inm-equiv-inp-histo 5534
inm-iat-histo 5533
inm-iat-offset 548
inm-iat-step 548
inm-mode 548
inner-pbit-remark 1018
inp8-dn 440
inp8-up 440
input-profile 6547
in-qos-prof-name 979
ins-sensitivity 548
instance 1348
int-arr-time 593
int-arr-time-dn 501
int-arr-time-up 501
intercom 1468
inter-digit-peri 1296
interface 278
interface-atm-pvc 5586
interface-bandwidth 5354
interface-port 5588
interfaces 6445
interface-type 1285
internal-nw-vlan 628
international-prefix 1275
interval 1559
interval-nbr 5726
interval-no 2069
interval-num 2057
interval-number 5291
interval-type 807
int-no 6333
intrusion-tone 1430
int-traff-gen 6208
intvl-number 5235
inventory 6311
ip 409
ip_subnet 1914
ip-addr 672
ip-address 634
ipaddressandmask 1634
ipaddresstype 1634
ip-addr-policy 1197
ip-bridge-port 5620
ip-config-mode 1197
ip-cross-connect 603
iphc-allowed 354
iphc-vlan 1842
ip-mode 421
ip-net-to-media 7291
ipsec-enable 1369
ipv4 1946
ipv6 1944
ipv6-active-groups 6248
ipv6-address 635
ipv6-chn 1085
ipversion 1111
ip-version 1928
isam 346
isdn-cas-cls-puid 1271
isdn-cas-itf 6445
isdn-cas-term 1250
isdn-codec 1312
isdn-nsm-prof 1275
isdn-nsm-profile 1250
isdn-suffix1 1322
isdn-suffix2 1322
isdn-syntax 1195
isdn-term-format 1322
isis 3730
isoethernet 415
itf-hunting-way 1258
ivps-ip 1306
iwf-group-info 6856
iwf-id 6854

iwf-on-liu 339

J

jitter-buff-max 1701
jitter-buff-size 336
jitter-max 1446
jitter-target 1446

K

keep-alive-intvl 1538
key 820
key-identifier 1770
key-type 803
kill-debug 7107

L

l0-time 444
l1-trans-statistics 6476
l2 583
l2-agpow-red-tx 444
l2-agpw-to-red-tx 444
l2cp 1171
l2-encaps1 979
l2-filter 886
l2forward 2582
l2fwder-vlan 1018
l2-ptp-port 687
l2-time 444
l3-filter 888
label 1369
label-map 1848
lacp 731
lag 3265
lag-id 3265
lanx-port 1310
last-max-resp-tim 1062
last-memb-cnt 1062
latitude 1878
layer2-oam 1172
layer2-terminated 5261
lbit-recv-policy 1701
lbm-data 7182
lbm-data-len 7182
lbm-tlv-type 7182
ldp 3381
leapsecond 689
leapsecond-adjust-date 689
leapsecond-adjust-val 689
learned-unicast-mac 7266
lease-time 1886
leftr-day-farend 534
leftr-day-nearend 534
leftr-farend 534
leftr-nearend 534
leftr-thresh 593
leftr-thresh-dn 501
leftr-thresh-up 501
leg-upbo-profile 515
level 1543
li 812
li_vlan 1040
liadmin 731
license 6024
license-usage 6029
line 528
line-coding 1895
line-feed 1216
lineid 1593
line-id 1216
lineid-ext-rept 6808
lineid-syn-prof 1195
line-impedance 1895
line-length 1703
line-num 1589
linesig-remanswer 1216
line-status 1593
link 731
link-agg 3881
link-port-compensation 685
link-speed 658
link-state-trap 607
link-up-changes 5525
linkup-record 5527
liu 343
liu-on-liu 339
liuser 731
livoice 731
lktype 7132
lldpmed 731
lldp-med 1899
llid 419
llidpattern 401
lm-init 1549
lm-resp 1549
load-sharing-policy 1618
load-thresh 933
local-addr 6303
local-ip 1353
local-node 1914
local-oam-info 6199
local-port 6303
local-port-max 1444
local-port-min 1444
location 628
log 731
log-auth-id 354
log-auth-pwd 354
log-entry 6103
log-full-action 166
logical-flow-type 895
login-banner 726
login-failure 7026

login-setting 726
logout 7339
log-sev-level 166
loid 2188
loid-mapping 2188
longitude 1878
loop 391
loop-attenuation 1160
loopback 411
loop-back 7221
loopbackadmin 7252
loop-backadmin 419
loopback-info 6206
loopback-timeout 1160
loop-detect 391
loop-diagnostic 7060
loop-id-syntax 655
loop-portautoshut 391
loopportshut 411
los 1504
los-day 1504
loss-duration 1089
loss-thresh-alert 1089
lost-frags-down 367
lost-frags-up 367
low 1681
low-clr 1681
lower 5992
lower-optical-th 1719
low-jbfl 1224
low-pri-defect 1549
lpt-mode 1511
lsa-md5-password 1197
lsa-md5-realm 1197
lsa-rtp-gw-ip 1197
lsa-rtp-ip 1210
lsa-rtp-vlan-id 1197
ls-migration 6133
lsmredundancy 2565
lsp-name 1851
lt-expect 526
ltline 1593
ltm 7188
ltm-filtering 1545
lt-ont-signaling 1049
ltparm 1595
ltsession 1589
ltstrvalue1 1595

M

mac 1113
mac-addr 401
mac-address 2186
macage-time 401
mac-authenticator 7001
mac-diag 7304
mac-diagnostics 7006
mac-filter 813
mac-learn-ctrl 1018
mac-mapping 2186
mac-max 411
mac-stats 6194
maintenance-prof 1708
major 2374
major-log-full-action 280
management 409
manager 295
manipulate-rule 1267
map-user-group 756
margin-down-curr 1155
margin-down-worst 1155
margin-up-curr 1155
margin-up-worst 1155
marker 5329
mask 409
master-group 6856
master-iwf 1618
master-mode 1725
master-port 682
match 7359
mau 1506
max-active-port 1618
max-age 1623
max-agpowlev-down 452
max-agpowlev-up 452
max-band 463
max-bitrate 1074
max-bitrate-down 440
max-bitrate-up 440
max-cc 1103
max-cells 1857
max-committed-mac 1011
max-cvlan-id 1018
max-data-jitter 1203
max-delay 593
max-delay-dn 501
max-delay-down 440
max-delay-up 440
max-delay-var-dn 440
max-delay-var-up 440
max-dot1p 999
max-dst-port 888
max-exp-thrpt 593
max-exp-thrpt-dn 501
max-exp-thrpt-up 501
max-freq 463
max-frequency 495
max-hop-count 1623
max-instance-num 1623
max-ip-antispoof 1018
max-ipv6-antispf 1018
max-line-rate 1155
max-lt-link-speed 658
max-mcast-bandwidth 869
max-msg-rate 1049

max-net-rate 593
max-net-rate-dn 501
max-net-rate-up 501
max-network-delay 1322
max-noise-down 444
max-noise-up 444
max-num-group 1049
max-num-uncfg 1077
max-out-udp-size 1231
max-pad-attempts 1096
max-payload-tag 1098
max-per-window 295
max-psd-down 452
max-psd-up 452
max-queue-size 295
max-ranging-onts 1652
max-rate-link1 1155
max-rate-link2 1155
max-rate-link3 1155
max-rate-link4 1155
max-recv-power-up 452
max-reported-dist 5558
max-req 792
max-retrans 1322
max-retries 1487
max-retry-attempt 524
max-retry-time 1487
max-rsp-time 1062
max-sos-down 509
max-sos-up 509
max-src-port 888
max-steps-removed 670
max-threshold 1595
max-threshold2 1595
max-transhandling 1322
max-unicast-mac 1011
max-up-qos-policy 1018
max-waiting-delay 1322
mcast-addr 6164
mcast-channel 7035
mcast-chn 7036
mcast-encrypt 1643
mcast-grp-addr 6244
mcast-inc-shape 867
mcast-src 7034
mcast-src-addr 6244
mcast-svc-context 1049
mcast-tc-layer 369
mcastvlan 1534
mcast-vlan-id 1049
mclbm 7186
mc-pbit-value 1049
mc-pon-vlan-xlate 1069
mc-scheduler-node 945
mcsrc 3180
mc-vlan-xlate 1049
md5-password 1216
md5-realm 1216
mdu-gen 3363
mdu-ploam 3353
mdu-sup 3662
mdu-sup2 4224
mean-bit-rate 1074
measurement-intvl 1559
media-gateway 1322
media-gateway-id 1312
media-ipmode 1203
media-policy 1903
megaco 731
megaco-media-gw 2846
megaco-plug-unit 2863
megaco-sig-gw 2855
megaco-sig-lt 2880
megaco-term 2871
meg-level 1553
melt-reset 6834
melt-selftest 6832
member-port 6848
memory-down 440
memory-usage 383
mem-query-int 1062
mep 1549
meter 1289
metering-type 1312
meter-pulse-dur 1296
mgc-agent 1491
mgc-config 1487
mgc-id 1322
mgc-ip-addr 1369
mgc-pri-ip 1343
mgc-pri-port 1343
mgc-sec-ip 1343
mgc-sec-port 1343
mgc-type 1322
mgc-udp-port 1369
mg-domain-name 1322
mg-mid-type 1322
mgmt-sec-access 3522
mg-profile-name 1322
mhf-creation 1545
mhf-location 1545
micpsd-pt-down 497
min-bitrate-down 440
min-bitrate-up 440
min-cvlan-id 1018
min-data-jitter 1203
min-delay 593
min-delay-dn 501
min-delay-up 501
min-dot1p 999
min-dst-port 888
min-exp-thrpt 593
min-exp-thrpt-dn 501
min-exp-thrpt-up 501
min-frequency 495
min-inp8-rein-dn 501

min-inp8-rein-up 501
min-inp8-shine-dn 501
min-inp8-shine-up 501
min-inp-rein 593
min-inp-rein-dn 501
min-inp-rein-up 501
min-inp-roc-down 509
min-inp-roc-up 509
min-inp-shine 593
min-inp-shine-dn 501
min-inp-shine-up 501
min-interval 295
min-l2-br-down 440
min-length 800
min-line-rate 1155
min-noise-down 444
min-noise-up 444
min-num-numeric-char 800
min-num-special-char 800
minor 2319
minor-log-full-action 280
min-rate-link1 1155
min-rate-link2 1155
min-rate-link3 1155
min-rate-link4 1155
min-rx-links 1166
min-se-time 1239
min-severity 295
min-src-port 888
min-threshold 1595
min-threshold2 1595
min-tx-links 1166
min-usable-signal 495
mirror-mode 1011
mirror-vlan 891
misc 3954
miscellaneous 6155
mixed-case 800
mld-burst 920
mld-rate 920
mldv2-max-num-rec 1945
mld-version 1928
mnemonic1 282
mnemonic2 282
mnemonic3 282
mnemonic4 282
mnemonic5 282
mngtvlan 1634
mode 161
modification 444
modulation-freq 1389
modulation-power 1389
module 7038
module-mcast-channel 6166
module-mcast-src 6164
monitor 1100
monitor-interval 1679
more 7364
mpls 3389
m-psd-level-down 463
m-psd-level-up 463
mru 1111
msg-format 1487
msg-type 835
msg-wait-tone 1420
mstp 731
mstr-port-ds-prof 680
muf-control 495
multi-address 687
multicast-mac 676
multiconf 411
multi-framing 1895
multigroup-max 411
mwi-splash-ring 1449
mwi-spl-dialtone 1449
mwi-visual-indi 1449

N

name 327
nas-id 773
nas-ip-address 773
nat 1892
national-prefix 1275
nbr-msgs 7182
nbr-thrsh-503 1233
nd-burst 920
nd-rate 920
near-end 548
near-end-ima-id 1166
ne-board 1294
ne-err-secs 580
ne-file-name 1380
ne-id 1294
ne-name 1292
ne-sev-err-secs 580
net-coord 1761
netmask 1306
net-mask 1369
netw-igmp-version 1062
netw-mld-version 1939
network-addr 7291
networkcvlan 1532
network-element 1301
network-vlan 1018
ne-unavail-secs 580
new-broadcast 979
new-secure-fwd 979
next-free-index 6968
nexthop 1849
next-hop 603
nexthopaddrtype 1849
ng2-cfg-download 2103
ng2sys-id 1640
nni-ctrl-pkt-policer 862
no-break-timer 7142

node-name 1914
noise-psd-mode-dn 537
noise-psd-mode-up 537
noise-psd-pt-down 544
noise-psd-pt-up 546
no-mcast-control 385
nominal-feed-vol 1376
no-more 7365
non-itf-rep-sev-level 166
no-pull-timer 7142
notify-profile 760
notify-view 747
nt-intercon-vlan 628
ntr-ptp-vlan 628
ntr-ssmout-vlan 628
nt-sftp 716
ntwk-dp-prof 1483
numtcint 1673
numtcintdba 1673
nwdial-plan-prof 1442
nwvlan 1069

O

oam 731
oamadminstate 1634
oam-save-protected 6135
oam-stats 6204
od-pm-collect 365
offset 495
olt-chpair-tc-tca 3721
olt-chpr-util-tca 3701
oltdscppbitalign 354
olt-gen 3009
olt-location 393
olt-ont-tc-tca 3135
olt-pm-collect 365
olt-pon-tc-tca 3126
olt-pon-util-tca 3681
oltregenprofile 1018
one-day 5233
on-schedule-time 841
ont 1511
ont-active-groups 6256
ontalarm 1830
ont-ani 3082
ontbulk-pmcollect 1671
ont-card 3018
ont-ces 3053
ont-cese1 3153
ont-ces-uni 3144
ont-cfg-dld 3712
ont-cfg-mode 401
ont-enable 354
ont-gen 2990
ont-hpna 3373
ont-id 2104
ont-iphost 3500
ont-l2uni-eth-tca 3109
ont-lan 3045
ont-loopdetect 3606
ont-mgc 3491
ont-moca 3092
ont-moca-tca 3118
ont-num 5722
ont-onuidmthd 401
ont-ploam 2980
ont-pmcollect 1671
ont-pm-collect 365
ont-port 3045
ont-pots 3034
ont-pots-supplemental 3308
ont-protection 3590
ont-pwe 3144
ont-side 1920
ont-sip-agent-cfg 3464
ontsnmp 3565
ont-tca 3000
ont-tc-tca 3100
ont-trc-dbg-vlan 628
ont-type 401
ont-variant 388
ont-veip 3483
ont-video 3026
ont-video-ani 3073
ont-voip 3062
ont-voip-cfg 3473
ont-xdsl 3162
ont-xdsl-line 7064
ont-xdsl-tca 3171
onu-id 5962
onuidmthd 661
onu-prov-mode 1652
onu-tssi-detect 363
operational-data 2029
operational-mode 312
operator 728
operator-policy 766
operdata 6558
oper-data 5530
oper-mode 1770
oper-policy-prio 726
oper-rate 945
oper-weight 945
op-mode 1155
op-module-type 1814
optics 2046
optics-hist 354
optics-history 2049
optional-band 463
optional-endfreq 463
options-max-fwd 1233
optitrans-disable-time 7239
opt-startfreq 463
opt-tx-cntrl 1475
ospf 3223

oswp 841
oswp-number 6110
oswp-root-certificate 6141
oswp-status 6139
otdr 1669
outbound-ip 1335
outbound-port 1335
outervlancapture 1011
outg-cpn-length 1275
outg-from-no-cgpn 1275
outg-from-pi 1275
outg-privacy 1275
out-mapped-vci 1858
out-mapped-vpi 1858
outofband-dtmf 1454
outproxyserv-prof 1475
output-ql-thresh 662
overlap-484-act 1203
overrule-data 537
ownerid 1589

P

p2p-enable 354
package 1060
packagemember 1080
package-member 1076
package-to-src 6162
packet-length 336
pado-timeout 1096
pads-timeout 1096
pae 791
paired-port 427
param-a 476
param-b 476
parity 693
park 1468
parser-action 7205
part-buf-thresh 931
partial-timout 1442
partition 6588
partition-id 1172
partition-type 1171
passive-heartbeat 1322
password 717
password-timeout 731
path-cost 1627
path-cost-type 1623
pattern1 1462
pattern2 1462
pattern3 1462
pattern4 1462
pattern5 1462
pattern-prof1 1391
pattern-prof2 1391
pattern-prof3 1391
pattern-prof4 1391
pattern-prof5 1391
pattern-prof6 1391
pattern-prof7 1391
pattern-prof8 1391
pause 411
payload-size 1708
payload-type 1357
pb-dial-tone 6507
pbit 421
pbit0 1002
pbit1 1002
pbit2 1002
pbit3 1002
pbit4 1002
pbit5 1002
pbit6 1002
pbit7 1002
pbit-default 411
pbits 1353
p-bits 1357
pbit-scheduling 967
pbitstatistics 6723
pbo 476
pbo-mode 463
peak-bit-rate 1078
peak-burst-size 882
peak-info-rate 882
peak-utilization 7162
peer-node 1917
peer-node-name 1910
peer-oam-info 6201
perf-info 6387
performance-monitor 1734
period 1066
periph-mgnt-ctrl 628
periph-mgnt-vlan 628
perm-pkg-bitmap 1049
persist-timer 832
phase 6117
phy 580
phy-addr 7291
phy-itf-status 5974
phy-layer 377
phy-lineid 401
phys-itf 1285
piggy-back-event 1444
pim 3432
ping 1742
pir-dw 411
pkg-memb-bitmap 1074
pkg-mem-bitmap 1078
pkt-period1st 1454
pkt-period2nd 1454
pkt-period3rd 1454
pkt-period4th 1454
plan-bitrate-down 440
plan-bitrate-up 440
pland-cfgfile1 354
pland-cfgfile2 354

plan-exp-thrpt-dn 501
plan-exp-thrpt-up 501
planned-card-type 385
planned-resource 1998
planned-type 310
planned-us-rate 354
platform 1634
platform-application 6876
pl-encap-delay 1708
plnd-agc-mode 1721
plndnumdataports 385
plndnumvoiceports 385
plnd-sw-ver-conf 388
plnd-sw-version 388
plnd-var 354
plt 1889
plug-in-unit 2528
plug-in-unit-ext 2538
pm 580
pm-64bit 1754
pm-collect 395
pm-collect-64bit 1734
pm-collect-ext 1521
pme-stats 6197
pm-ext 1757
pm-to-iwf 339
pm-to-liu 339
polarity1 282
polarity2 282
polarity3 282
polarity4 282
polarity5 282
policed-size-ctrl 882
policer 882
policer-color 858
policer-per-tc 927
policer-profile 891
policer-type 882
policy 773
policy-action 891
policydown 411
policyup 411
poll 7354
poll-cnt 363
polling-period 1640
polling-rate 633
poll-interval 363
pon 1651
pon-active-groups 6252
pon-diagnostics 5746
pon-id 1652
ponid-identifier 1652
ponid-interval 1652
ponid-odn 1652
ponindex 3509
pon-index 3295
ponlos-alarm-ctrl 1880
pon-ont 659
pon-pmcollect 1671
pon-port-mode 1814
pon-speed 1652
pon-tag 1652
pon-type 5406
ponvlan 1068
port 411
port-15min-stats 5291
port-accumu-stats 5321
port-curr-15min-stats 5285
port-curr-day-stats 5288
port-details 6997
port-event 5282
port-id 6485
port-info 6839
port-instance 1629
port-mode 411
port-num-in-proto 628
port-prev-day-stats 5294
port-protection 427
port-protocol 996
port-rcv 1231
port-reprt-shaper 1172
port-state 6436
port-stats 1123
port-type 385
pots 1338
pots-call 1493
pots-dscp 1376
pots-pwr-timer 1376
pots-rtp 1473
pots-syntax 1195
power 1506
power_mgnt_mode 444
power1 1389
power2 1389
power3 1389
power4 1389
power-control 1511
power-shed-prof 1685
power-supply 2016
pppcc-engine-tca 2694
pppoe 731
pppoe-burst 920
pppoe-l2-encaps 979
pppoel2-stats 7050
pppoe-linerate 979
pppoe-mode 421
pppoe-pwd 421
pppoe-rate 920
pppoe-relay-tag 979
pppoer-vlanaware 979
pppoe-username 421
pppox-relay 5601
ppp-profile 1111
pre-activated 1213
precedence 893
pref-channel-pair 354

prefixandlength 6886
presence-fw-sig 1296
pres-fwd-sig 1269
prev-15min 5359
prev-15min-stats 6297
prev-1day 5365
prev-1day-stats 6299
prev-day-stats 6787
preview-blackout 1078
preview-duration 1078
preview-number 1078
preview-packages 1057
preview-valid 1062
previous-15min 5950
previous-15min-stats 5305
previous-1day 5486
previous-interval 2057
pri-cas-tksg-puid 1273
pri-cas-tksg-term 1258
primary-dns 787
primary-file-server-id 841
primary-nbns 787
prim-asp-ip 1333
pri-mgcuri-profid 1487
prim-mgc-ip 1322
prim-mgc-udp 1322
prim-sctp-port 1333
print 161
prio-regen-name 1011
prio-regen-next 5277
prio-regen-prof 1011
priority 292
priority1 675
priority2 675
priority-policy 977
priority-regen 1002
pri-server-addr 807
privacy 753
private-ip 1306
private-netmask 1306
private-vlan-id 1306
privilege 747
probe 1155
profile 670
profileid 1528
profile-name 1002
profile-ring 1460
profiles 1775
profiles-usage 5936
profile-type 327
prompt 161
propr-feat-value 452
prot-channel-pair 354
protection-element 318
protection-group 317
protection-group-id 1910
protocol 802
protocol-ctrl 860
protocol-filter 979
protocol-group 996
protocol-stats 6178
protocol-trace 1497
protocol-ver 1487
prot-type 1910
provider-name 1197
prov-rpl-time 1322
provversion 354
proxy-mode 1149
proxy-pri-ip 1335
proxy-pri-port 1335
proxy-sec-ip 1335
proxy-sec-port 1335
proxyserv-prof 1475
prv-intvl-top-ont-rx 5766
prv-intvl-top-ont-tx 5764
psd 450
psd-mask-up 452
psd-pbo-e-len-up 477
psd-pbo-par-a-up 463
psd-pbo-par-b-up 463
psd-shape-down 457
psd-shape-up 463
pse-class 1511
pse-pw-priority 1511
pseudo-wire 1357
pseudo-wire-src-port 6555
pstn-term-format 1322
pstn-variant 1446
ptime 1353
p-time 1357
ptm-init-mode 1132
ptp 670
ptp-domain 674
public 753
pulse-dialing 1216
push 1849
pvc 601
pvid 1011
pvid-tagging-flag 1011
pwrbrst-mode 659
pwr-override 1376
pwr-shed 2053
pwr-shed-prof-id 354
pwtdm 336

Q

q0-bandwidth-prof 903
q0-bw-sharing 903
q0-priority 903
q0-queue-prof 903
q0-shaper-prof 903
q0-weight 903
q1-bandwidth-prof 903
q1-bw-sharing 903
q1-priority 903

q1-queue-prof 903
q1-shaper-prof 903
q1-weight 903
q2-bandwidth-prof 903
q2-bw-sharing 903
q2-priority 903
q2-queue-prof 903
q2-shaper-prof 903
q2-weight 903
q3-bandwidth-prof 903
q3-bw-sharing 903
q3-priority 903
q3-queue-prof 903
q3-shaper-prof 903
q3-weight 903
q4-bandwidth-prof 903
q4-bw-sharing 903
q4-priority 903
q4-queue-prof 903
q4-shaper-prof 903
q4-weight 903
q5-bandwidth-prof 903
q5-bw-sharing 903
q5-priority 903
q5-queue-prof 903
q5-shaper-prof 903
q5-weight 903
q6-bandwidth-prof 903
q6-bw-sharing 903
q6-priority 903
q6-queue-prof 903
q6-shaper-prof 903
q6-weight 903
q7-bandwidth-prof 903
q7-bw-sharing 903
q7-priority 903
q7-queue-prof 903
q7-shaper-prof 903
q7-weight 903
qos 731
qos-cvlan-list 5260
qos-policy 787
qos-profile 1011
qos-queue 2951
qos-slot 4093
qpeak-usage-th 933
quat-asp-ip 1333
quat-mgc-ip 1322
quat-mgc-udp 1322
quat-sctp-port 1333
query-interval 1062
queue 858
queueid 1528
queue-profile 419
quiet-period 792
q-value 1250

R

rack 309
radius 766
radius-client 6969
rad-noise-down 444
rad-noise-up 444
rad-time-down 444
rad-time-up 444
rai-to-iwf 339
rai-to-liu 339
raman-reduct 1640
ra-mode-down 440
ra-mode-up 440
range-mode 1651
rank 5756
rate-limit 920
rate-limit-prof 419
ratelimit-us-arp 354
ratelimit-us-dhcp 354
rau-noise-down 444
rau-noise-up 444
rau-time-down 444
rau-time-up 444
rbit-recv-policy 1701
read-community 1842
re-adsl 455
read-view 747
realm 1258
re-answer 1269
re-auth-period 792
reboot 7233
reboot-all-ont 7166
reboot-isam 7232
receipt-fw-sig 1296
receipt-nbr-rcvd 1296
recept-fwd-sig 1269
recurring 638
recurring-table 6078
red-action 882
red-bat-delay 1322
redcy-ctrl-status 318
redundancy 1233
redundancy-cmd 1245
redundancy-state 6423
ref-order 666
reg-expire-time 1475
reg-head-start 1229
reg-intval 1335
region-name 1623
region-version 1623
regi-set 1155
register 1229
register_recall 1216
register-intv 1229
register-uri 1229
registrar-prof 1475
reg-mode 1250
reg-prev-ava-intv 1229
reg-pri-ip 1335

reg-pri-port 1335
reg-recall-max 1296
reg-recall-min 1296
reg-retry-intv 1229
reg-sec-ip 1335
reg-sec-port 1335
reg-start-min 1229
reg-sub 1203
reinit 534
reinit-day 534
rei-to-iwf 339
rei-to-liu 339
reject-call 1289
relay-id-dhcp 979
relay-id-syntax 713
release-delay 1322
release-lock-cli 7097
release-mode 1203
release-tone 1412
release-type 1322
remark-value 881
rem-down-policy 902
remfault1 415
remfault2 415
remote 322
remote-debug 7311
remote-dn 1303
remote-id-dhcp 979
remote-id-pppoe 979
remote-mep 1556
remove 7080
rem-up-policy 901
reorder-tone 1422
repeat 1396
repeaters 1155
replan 349
req-session-id 7101
re-reg-head-start 1475
res-data-bandwidth 869
reserved 1216
reset-interval 524
reset-threshold 524
resource-id 1998
response-intvl 1538
restore-time 1685
restrict-acc 1250
result-index 6481
res-voice-bandwidth 869
retrans 1322
retry-limit 767
retry-num 807
rf-band-list 444
rfc2833-pl-type 1203
rfc2833-process 1203
rf-filter 354
ringback-tone 1424
ring-duration 1460
ring-fw 1296
ring-id 3673
ringing-file-prof 1465
ringing-profile 1465
ringing-repeat 1465
ringing-seq-prof 1465
ringingset-prof 1446
ring-max-th 7139
ring-min-th 7139
ring-seg-prof 1460
ring-seq-prof 1462
rip 3231
rlstimer 1483
rms 421
robustness 1062
roc-mode-down 509
roc-mode-up 509
rogue 5962
rogueadmin 661
rohtimer 1483
roh-tone 1426
role 1301
route 835
router-id 3215
router-instance 767
router-ip 1306
rs-elect-length 495
rshow 7352
rssi 405
rssiprof 327
rssi-prof-id 324
rssi-profile 1719
rssi-state 324
rsvp 3614
rtp-clock-ref 1708
rtp-delay-thres 1316
rtp-dscp 1197
rtp-enable 1708
rtp-exp-ptyp-pay 1708
rtp-exp-ptyp-sig 1708
rtp-exp-sync-pay 1708
rtp-exp-sync-sig 1708
rtp-gateway-ip 1197
rtp-ip 1210
rtp-ipv6-address 1210
rtp-ipv6-dscp 1197
rtp-ipv6-gateway 1197
rtp-ipv6-link-mtu 1197
rtp-ipv6-pbits 1197
rtp-ipv6-vlan-id 1197
rtp-jitter-thres 1316
rtp-link-mtu 1197
rtp-pbits 1197
rtp-pktloss-thres 1316
rtp-prof 1454
rtp-profile 1444
rtp-ptyp-pay 1708
rtp-ptyp-sig 1708
rtp-sync-pay 1708

rtp-sync-sig 1708
rtp-ts-mode 1708
rtp-vlan-id 1197
rtry-after-thrsh 1233
rtx-max-delay-dn 537
rtx-max-delay-up 537
rtx-mode 593
rtx-mode-dn 501
rtx-mode-up 501
rtx-profile 501
rule 1215
rule-name 1267
rule-type 1267
rx-err 1764
rx-gain 1216
rx-octets 1504
rx-octets-day 1504
rx-psd-shape-up 463
rx-pwr-alm-high 327
rx-pwr-alm-low 327
rx-pwr-high 1814
rx-pwr-low 1814
rx-pwr-warn-high 327
rx-pwr-warn-low 327
rxtotdropfrmhi 1673
rxtotdropfrmlo 1673
rxtotdropfrmmd 1673
rxtotutilhi 1673
rxtotutillo 1673
rxtotutilmd 1673

S

sample 7353
scalingmode 628
scheduler-mode 945
scheduler-node 867
scheduler-profile 937
sc-rb-dn 967
sc-rb-us 967
screen-length 161
sc-xcon-dn 967
sc-xcon-us 967
sdp 1851
sdp-id 3397
sec-asp-ip 1333
sec-dns-addr 1742
sec-mgc-ip 1322
sec-mgc-ip-addr 1369
sec-mgc-udp 1322
sec-mgcuri-profid 1487
secondary-dns 1475
secondary-megaco-term 3873
secondary-sip-term 2774
second-dns 787
second-file-server-id 841
second-nbns 787
secret 767
secret-id 1243
secret-k 1369
sec-sctp-port 1333
securi-prof 1446
sec-uri-profile 1386
security 726
security-level 750
security-name 409
security-pae 5592
segment 1162
segment-status 6322
seize 1289
seize-ack 1289
seize-state-time 1296
seizure-ack 1269
send-count 7196
sensor-id 1996
serial-param 693
sernum 354
servaff 2500
server 803
server1-ip-addr 1770
server2-ip-addr 1770
server3-ip-addr 1770
server-host-key 818
server-id 2557
server-index 2722
server-ip 7083
serveripaddr 1862
server-ip-addr 633
server-key-status 7012
server-port 633
server-profile 818
server-retries 818
server-role 1191
servers 775
server-table 6017
server-tablev6 6020
server-timeout 792
serverudpport 1862
serverv6 805
service 731
service-id 3239
service-name 1078
service-nbr 1708
service-profile 440
service-timer 1694
service-type 1280
ses-day-farend 534
ses-day-nearend 534
ses-farend 534
ses-nearend 534
sess-ageout-15min 1101
sess-ageout-1day 1101
session 895
session-cmd 1589
session-id 1559
session-peers 6585

session-stats 6587
session-status 6583
session-timer 1239
sess-timeout 787
se-time 1239
set-log-table 6101
severity 168
severity1 282
severity2 282
severity3 282
severity4 282
severity5 282
sfp 324
sfpe1t1-clock 2703
sfpe1t1-framer 2712
sfp-inventory 5740
sfprssi 2684
sfp-threshold 1988
sftp-user 824
sfu-gen 3327
sfu-ploam 3317
sfu-sup 3640
sfu-sup2 4218
sgi-mgi 1333
sgi-user-label 1333
sg-name 1348
shaper 912
shaper-profile 867
sharedline 1226
sharedline-port-id 7134
sharedlineterm 1320
sharedlineterm-id 1320
shdsl 2888
shdsl-bandwidth 5350
shdsl-isam 2897
shdsl-port 941
shdsl-seg 7086
shelf 310
shelf-summary 1966
shine-ratio 593
shine-ratio-dn 501
shine-ratio-up 501
show 7319
side 1162
sig-degrade-th 1652
sig-dscp 1487
sig-fail-th 1652
signal-dscp 1197
signal-gateway 1333
signal-gateway-ip 1197
signaling 1708
signaling-ipmode 1203
signal-ip 1210
signalling-type 1250
signal-link-mtu 1197
signal-pbits 1197
signal-vlan-id 1197
sign-gw-ip 1348
sign-ip 1348
sign-port 1348
sign-vlan 1348
silence1st 1454
silence2nd 1454
silence3rd 1454
silence4th 1454
silence-suppr 1353
single 7217
single-ended-slm 7195
sip 731
sip-agent 1479
sip-call 1481
sip-config 1475
sip-dial-plan 2738
sip-dial-tone 6510
sip-msg-tot-th 1376
sip-phone-number 7144
sip-plugin-unit 2755
sip-rule-set 1216
sip-server 2722
sip-termination 2764
sip-useragent 1335
sip-user-agent 2746
sip-vsp 2730
site 1191
six-way-calling 1449
size 1559
slave-port-dataset 676
sleep 7336
sliding-win-stats 616
slid-mode 659
slid-visibility 354
slm 1557
slm-initiator-mac 6766
slm-initiator-mep 6766
slot 312
slot-id 1210
slot-numbering 731
slow-break-timer 7142
slow-pull-timer 7142
smac 1538
snap-shot 7021
sn-autounlock 659
sn-bundle-ctrl 354
sn-bundle-timer 659
snmp-port 409
snmpproxy-statistics 6270
snmpver 409
snmp-version 760
snoopmcastvlan 1530
snr-margin 1160
snrmoffset-roc-dn 509
snrmoffset-roc-up 509
sntp 633
soft-sw-vendor 1475
software-mngt 731
software-version 1835

soho-gen 3345
soho-ploam 3337
soho-sup 3651
soho-sup2 4221
sos-crc-down 509
sos-crc-up 509
sos-minbitrate-dn 440
sos-minbitrate-up 440
sos-ntones-down 509
sos-ntones-up 509
sos-profile 509
sos-time-down 509
sos-time-up 509
source-image 7081
source-mac 336
span 1155
span-status 6313
spatial 2970
special-dial-tone 1408
special-info-tone 1410
spectral-profile 1155
spectrum-profile 444
spg-passwd 1369
spg-prof 1369
spg-realm 1369
spg-user-name 1369
splash-file-prof 1465
splash-repeat 1465
splash-seq-prof 1465
src 1089
src-ip-addr 888
src-ip-address 1062
src-ipv6-addr 888
src-mac-addr 886
src-port 1318
ssh 7094
ssm 696
ssmout-ceiling 662
ssmout-ltport 704
ssmout-synce 702
sspprofile 1203
sst 1703
stable-obs-period 1233
stack 5992
stacked-qos-vlan 5258
stacked-vlan 5256
start 7317
start-addr 1886
start-time 637
state 1318
static-lsp 1849
static-prefix 1213
static-suffix 1213
statistics 616
stats-5min-config 1247
stats-config 1248
status 223
status-delay-time 1487
step-mode 680
stop 7318
stop-addr 1886
stop-bit 693
stpid 401
stutter-tone 1428
subchannel-group 2104
sub-head-start 1203
sub-period 1203
subslocid 354
substr-idx 1829
substring 1829
subtree 745
summary 5243
support-redun 1233
suppression 278
supp-timeout 792
sustained-rate 860
svcreason-format 1322
svlan 409
swctrl 7251
sw-ctrl 388
sw-ctrl-list 2075
sw-dnload-version 354
sw-download 2040
swdw 7251
sw-dwload-ver 388
sw-error-log 6693
switchover 7228
switch-type 1312
sw-mgmt 2548
swo-revert 1618
swo-threshold 1618
swp 6121
swp-disk-file 6123
sw-replacement-mode 840
sw-vendor 1487
sw-ver-dl 7251
sw-ver-mis-block 659
sw-ver-pland 354
sw-version 2039
sync 2591
synce 699
sync-if-timing 662
sync-if-timing-t4 6053
sync-if-timing-tod 6051
sync-interval 676
sync-ptp-client 6049
sync-ptp-currmaster 6059
sync-ptp-inmasters 6063
sync-ptp-mstrport 6045
sync-ptp-mstrprofile 6056
sync-ptp-slaveport 6057
sync-vlan 1917
syntax-pattern 1195
sysfil 7356
syslog 831
syslog-vlan 835

system 628
system-40gkr4 628
system-mac 628
system-parameters 6182
system-time 7294

T

t1-framemode 1285
t1-lbo-value 1285
t1-rx-linecode 1285
t1-tx-linecode 1285
t38-admin 1340
t38-same-udp 1203
t4-damping-factor 706
t4-jitter-bw 706
t4-mode 706
t4-out-config 706
t4-prio-ref1 706
t4-prio-ref2 706
ta4 1203
table 3908
tacacs 777
t-acm-delta 1203
tag 1018
tagged 1903
tagged-mode 421
target-dn 1303
target-mac 1559
target-ql 696
tc 858
tc0-threshold 929
tc-15min-int 5235
tc-1day-int 5237
tc1-threshold 929
tc2-threshold 929
tc3-threshold 929
tc4-threshold 929
tc5-threshold 929
tc6-threshold 929
tc7-threshold 929
tca 580
tca-enable 1316
tca-line-threshold 534
tca-thresh 1719
tc-int 5229
tc-layer 365
tc-layer-threshold 367
tc-map-dot1p 858
tconts-per-frame 1652
tc-pam-link1 1155
tc-pam-link2 1155
tc-pam-link3 1155
tc-pam-link4 1155
tc-pam-sele 1155
tcpdump 7316
tcp-idle-time 1231
tc-policer 928
tcp-port 1172
tcp-retry-time 1172
tc-step-mode 670
tc-to-qmap 5404
tc-value 891
tdmintf 334
techsupport 6068
tee 7361
tee-config 7362
telc-clip-mode 1216
telnet 7332
telnet-ai 7333
temp-alm-high 327
temp-alm-low 327
temperature 1996
template-name 354
template-version 1060
temporal 2960
temp-warn-high 327
temp-warn-low 327
term-group 6425
termid-type 1322
terminal-timeout 161
termination 1216
termination-id 1312
term-index 2764
tert-asp-ip 1333
tert-mgc-ip 1322
tert-mgc-udp 1322
tert-sctp-port 1333
test 5986
testaccessstate 1216
test-bit-pattern 7182
test-digit 7142
test-id 6766
test-mode 1589
test-name(unit) 1595
test-parm-num 1589
tftp-rollovr 802
tftp-server 7081
three-way-calling 1449
threshold 223
threshold-number 1683
threshold-percent 1681
tid-digit-begin 1343
tid-digit-len 1343
tid-mode 1343
tid-name 1338
tid-num 1343
tid-prefix 1343
time 6171
time-format 831
timeout 810
timeout-limit 767
timeout-period 1303
time-out-value 828
timer-b 1203
timer-f 1203

timer-t1 1203
timer-t2 1203
timeslot-map 1708
timestamp 1878
time-thrsh-503 1233
timezone-offset 633
timing-mode 1708
tinfo 1203
tipgnd-rnggnd-th 7139
tip-ring-th 7139
tksg 1282
tksg-id 1258
tksg-name 1282
tl1 821
tls-cafile 1191
tls-port 1191
tls-port-rcv 1231
tod 689
tod-ref-order 668
tone-event 1444
tone-event-prof 1395
tone-seg-profile 1389
tone-seq-prof 1396
tone-seq-profile 1391
toneset-prof 1446
topo-discovery 1172
total 2082
total-burst 920
total-rate 920
tpid 1006
tr069serv 3556
traceroute 1742
traffic-class 5383
traffic-overflow 2573
tran-ageout-15min 1101
tran-ageout-1day 1101
transaction 828
transceiver-inventory 2000
transfer-mode 528
trans-max-age 1096
transmit-ckt-id 1708
transmit-clk-src 1895
transmit-path 1376
transp-mode-rem 385
transport 731
transport-mode 670
transproto 1191
trap-ip 409
trap-port 409
tree 7337
trgt-noise-down 444
trgt-noise-up 444
trigger-esa-mgc 7136
trigger-reborn 7081
troubleshooting 1794
trunk-group-name 1258
ttir1 1203
ttl 7189
twenty-five-g 2149
txbcdropfrmhi 1673
txbcdropfrmlo 1673
txbcdropfrmmd 1673
tx-gain 1216
tx-hold-count 1623
txmcdropfrmhi 1673
txmcdropfrmlo 1673
txmcdropfrmmd 1673
txmcutilhi 1673
txmcutillo 1673
txmcutilmd 1673
tx-msgfasttx 1900
tx-msgtxhold 1900
tx-msgtxinterval 1900
tx-octets 1504
tx-octets-day 1504
tx-period 792
tx-protocol 672
tx-pwr 1761
tx-pwr-alm-high 327
tx-pwr-alm-low 327
tx-pwr-warn-high 327
tx-pwr-warn-low 327
tx-reinitdelay 1900
txtotutilhi 1673
txtotutillo 1673
txtotutilmd 1673
tx-txcreditmax 1900
tx-txfastinit 1900
txucdropfrmhi 1673
txucdropfrmlo 1673
txucdropfrmmd 1673
type 745
type-extend 1589
type-high 1589
type-low 1589

U

ua-ip-info 6384
uas-day-farend 534
uas-day-nearend 534
uas-farend 534
uas-nearend 534
uclbm 7182
udp-port 1292
uncfg-mcast-supp 1062
uncfg-res-time 1077
unicast-mac 990
unicast-mac-address 7266
uni-index 3092
uni-interface 6712
unit 864
unit-id 1160
unit-status 6320
unknown 1903
unprovision-onu 5748

upboaele-min-thrs 477
upbo-aele-mode 477
up-buf-thresh 931
up-ctrl-pkt 969
up-default-tc 895
up-dscptotc-prof 895
upgrade-mode 401
upgrade-plan 6117
upgrade-status 6119
uplink-ether-sfp 2942
upl-interval-num 7096
upload 807
upload-download 6125
upload-download-dir 6128
upload-download-info 6136
upload-path 807
uploadv6 7071
up-marker 895
up-obc-thresh 931
up-pbittotc-prof 895
upper-optical-th 1719
up-policer 895
up-policer-per-tc 895
up-policy 899
up-rtx-profile 575
upstr-bw-thresh 1796
upstream 5560
upstream-channel-id 1776
upstream-queue 956
upstr-prot-dsl 973
uri 1216
uri-format 1475
uri-prof 1386
uri-type 1203
url 421
usacceptframetype 1018
user 607
user-account 1338
user-agent 1197
user-agent-ap 1210
user-aor 1483
usercvlan 1532
userdef1-tone 1434
userdef2-tone 1436
userdef3-tone 1438
userdef4-tone 1440
user-igmp-version 1062
user-ip 1583
user-mld-version 1939
username 1113
user-name 717
user-port 1175
user-pwd 1338
users 6886
user-session 6949
user-to-user-prof 1280
uservlan 1534
us-num-queue 945
us-police-mode 354
us-tcpolice-mode 354
utilization 1671
uus3-t1-timer 1280
uus-profile 1258

V

v3-max-num-rec 1062
v43 470
v6extensive 6233
v6manager 300
v6-port-stats 1126
v6-src-ip-address 1939
v6summary 6230
validation-scheme 1384
val-scheme 1483
value 1006
value1 1595
value2 1595
value3 1595
value4 1595
value5 1595
vbd-g711a-pl-type 1203
vbd-g711u-pl-type 1203
vbd-mode 1203
vce-band-plan 512
vce-capacity-mode 518
vce-gain-mode 512
vce-hist-pcoder 512
vce-join-timeout 512
vce-max-vect-freq 512
vce-min-par-join 512
vce-profile 512
vdsl 463
vdsl2 477
vdsl-band-plan 463
vect-board 2803
vect-class 518
vect-disturbers 5558
vect-fallback 521
vect-feat-bitmap 506
vect-group 5573
vect-leav-thresh 506
vect-line 2811
vect-line-near-end 5473
vect-profile 506
vect-qln-mode 528
veip-ptr 1376
version 440
version-nbr 1275
vgr-link 5564
video 1694
video-class-time 1685
video-port 3026
video-stats 5871
view 745
virtualplatform 1634

visible1 282
visible2 282
visible3 282
visible4 282
visible5 282
vlan 672
vlan-day-stats 5309
vlan-drop-enable 7182
vlan-drop-pcp 7182
vlanid 336
vlan-id 682
vlanid-default 411
vlanmode 411
vlanport 3422
vlan-port 993
vlan-priority 7182
vlan-scope 1018
vlan-tpid0 1032
vlan-tpid1 1036
vmac-address-format 978
vmac-bridge-port-fdb 5313
v-noise-psd-down 477
v-noise-psd-pt-down 489
v-noise-psd-pt-up 491
v-noise-psd-up 477
v-noise-snr-down 477
v-noise-snr-up 477
voice-class-time 1685
voice-mail-prof 1483
voice-mail-to 1483
voiceoswp 628
voice-port 1380
voice-service 1312
voiceserviceprof 1454
voice-serv-prof 1446
voice-sip-port 1483
voip-allowed 354
voip-app-service 1449
voipconfig 1380
voip-config 1471
voip-dscp 1369
voip-media-prof 1380
voip-mode 1369
voip-serv 1376
voip-uni 3062
voltage-alm-high 327
voltage-alm-low 327
voltage-warn-high 327
voltage-warn-low 327
vp-board 526
vp-link 526
vpls 3239
vplt-autodiscover 518
vprn 3215
vprn-id 3540
vsp 1203
vsp-index 2730
vtfd 354

W

wait-time 662
warmline-dl-timer 1203
warmline-service 1216
warning 2264
warn-log-full-action 280
wavelength-prof 1776
weight 867
welcome-banner 726
window 223
window-length 334
window-number 334
window-size 295
wire-mode 1155
wire-pair 6322
write 7338
write-community 1842
write-view 747
wt-rls-delay 1322

X

xdsl 731
xdsl-bonding 1132
xdsl-int 5427
xdsl-line 7060
xdsl-stepup-delay 711
xdsl-tca 2793
xg-pm-collect 395
xg-tc-layer 375
xhub-port 1294
x-pon 2146
x-pon-id 1778

Y

y1731ais 1553
y1731pm 1558
yellow-action 882

Z

zero-touch-provision 712

Customer Document and Product Support

Customer Documentation

Customer Documentation Welcome Page

Technical Support

Product Support Portal

Documentation Feedback

Customer Documentation Feedback

© 2022 Nokia.
3HH-08079-FCEH-TCZZA