

GRC 360

Introduction

GRC360.ai is an integrated Governance, Risk, and Compliance (GRC) management system designed to help organizations streamline policy enforcement, monitor risk, ensure regulatory compliance, and strengthen internal controls. The system enables efficient collaboration across departments, maintaining accountability, transparency, and strategic alignment with compliance objectives.

GRC360.ai offers core modules including Policy Management, Risk Management, Compliance Monitoring and Reporting, ensuring a centralized and structured approach to enterprise governance.

Purpose of the User Manual

This user manual provides detailed, step-by-step guidance for effectively using the GRC360.ai platform. It is intended to help users understand the system's functionality, perform key tasks, and efficiently utilize available tools.

The manual serves as a reference for both new and existing users, ensuring clarity on navigating and operating various modules within the application.

Target Audience

This document is intended for:

- Compliance Officers
- Policy Managers
- Risk Analysts
- System Administrators
- All authorized users of the GRC360 system

Scope of the Document

This manual provides comprehensive guidance for all major modules and features of the GRC360.ai application, including but not limited to:

1. Enterprise Risk Management
2. Business Continuity Management
3. Regulatory Compliance
4. Incident Management
5. Policy Management
6. Corporate Governance
7. Reporting and Dashboards
8. User Management and System Configuration

It is designed to assist users at various levels in understanding system functionality, workflows, and best practices for effective usage across the organization.

Enterprise Risk Management

Enterprise Risk Management

Overview

The Enterprise Risk Management (ERM) module provides a structured approach to identifying, assessing, monitoring, and managing risks across the organization. It supports informed decision-making by ensuring that risks are evaluated, controlled, and aligned with the organization's strategic objectives.

The ERM module consists of the following three core sections:

- **Risk Appetite:** Defines the level of risk the organization is willing to accept in pursuit of its strategic objectives.
- **Enterprise Risks:** Enables identification, assessment, ownership assignment, and lifecycle tracking of organizational risks.

- **Key Risk Indicators (KRIs):** Monitors risk exposure through measurable indicators that provide early warning signals of escalating risks.

Each section defines risk boundaries, manages enterprise risks, and monitors risk exposure through measurable indicators.

Risk Appetite

The Risk Appetite section allows the organization to define acceptable levels of risk across different risk categories. It enables the configuration of appetite statements, tolerance limits, and capacity levels, and supports linking Key Risk Indicators (KRIs) for continuous monitoring.

The Risk Appetite page displays a list of all created risk appetites in a structured table with the following columns: SR, Statement, Risk Category, Level, Owner Type, Unit, Tolerance Level, Capacity Level, and Actions.

At the bottom of the Risk Appetite page, the Linked Risks section displays all risks associated with the selected appetite. Clicking the + button expands the list to show the details of the risks linked to that appetite.



The Actions column provides multiple options to manage each risk appetite.

View Appetite



The page is divided into two sections:

- **Appetite Details:** Displays the defined appetite information, shows the KRI graph with defined thresholds, and clearly indicates the configured appetite limit and tolerance limit.
- **Linked Key Risk Indicators:** Displays the list of KRIs linked to the selected appetite.

Edit

Allows modification of the existing risk appetite details.

Link KRI

Enables linking one or more KRIs to the selected risk appetite.



To link a KRI:

1. Click **Link KRI**.
2. A modal window opens.
3. Select the required KRI from the Select KRI dropdown (all created KRIs are displayed).
4. Click **Save**.

The selected KRI will be successfully linked to the risk appetite.

View Linked KRIs

Displays all KRIs associated with the selected appetite.



Under the Actions button for each linked KRI, the following options are available:

- **Edit** – Modify linked KRI details.
- **Unlink** – Remove the KRI from the selected appetite. Clicking Unlink will detach the KRI from that appetite.

Create Risk Appetite

To create a new risk appetite, click the **Create Appetite** button.



1. Click the **Create Appetite** button on the Risk Appetite page.
2. Fill in all mandatory fields in the form:
 - **Risk Appetite ID** – Autofetched
 - **Risk Category** – Select the main category of the risk.
 - **Sub-Category (Level 2)** – Select the second-level sub-category, based on the chosen risk category.
 - **Sub-Category (Level 3)** – Select the third-level sub-category, based on the Level 2 selection.
 - **Appetite Statement** – Provide a descriptive statement for the risk appetite.
 - **Statement Owner Department** – Select the department responsible for the appetite statement.
 - **Owner User** – After selecting the department, the dropdown will display all users in that department. Select the responsible owner.

- **Type** – Select the measurement type, e.g., Qualitative or Quantitative.
- **Unit** – Specify the unit of measurement for the appetite.
- **Tolerance Level** – Define the acceptable risk level for this appetite.
- **Capacity Level** – Define the capacity or threshold for risk handling.

3. After completing all mandatory fields, click **Save**.

Once saved, the risk appetite is successfully created and displayed in the Risk Appetite List. After creation, the user can link one or more Key Risk Indicators (KRIs) to the appetite.

Enterprise Risk

The Enterprise Risks section provides a centralized view of all identified risks across the organization. It allows users to filter, view, assess, evaluate, treat, and manage risks, ensuring effective tracking and accountability throughout the risk lifecycle.

At the top of the page, users can filter risks using various criteria, such as Risk Owner User, Department, Division, Risk ID, and other relevant attributes.



These filters allow quick access to specific risks for review, assessment, or management.

The Risk Register Management table displays all created risks with their respective data and attributes.



Under the Actions button, the following options are available for each risk:

- **View** – Displays complete risk details.
- **Edit Risk** – Modify risk information.
- **Assessment** – Conduct risk assessment.
- **Evaluation** – Available only after assessment is completed and displays risk evaluation details.
- **Treatment** – Available only after evaluation is completed and displays risk treatment actions.
- **Link KRI** – Link one or more Key Risk Indicators to the risk.



- **View Linked KRIs** – View KRIs already linked to the risk.

- **Link Appetite** – Link one or more Appetites to the risk.



- **View Linked Appetite** – View the Appetite already linked to the risk.
- **Print** – Download the PDF report for individual risk.
- **Archive** – Archive the risk for historical reference.

Archive

On the Risk Register Management page, click on the three dots (:) icon to access additional options. Clicking on Archive displays all archived risk records.



Archived risks are organized by category: Strategic and Financial. Clicking on the (+) icon expands the section and displays the archived risk records.

Export Excel

Clicking on **Export Excel** downloads all risk records into an Excel sheet. The exported file contains all risk data.

Close Risk Register

At the bottom of the Enterprise Risks page, the Closed Risk Register section displays all risks that have been closed. This allows users to quickly review historical risks and their details without affecting the active risk register.

Create Enterprise Risk

Permissions: Only users with the following permissions can create a new risk: GRC Champion, ERM, or Head of Risk & Compliance. For GRC Champions, permissions are defined in the System Configuration.

Click the **Create Risk** button on the Enterprise Risks page.



1. Fill in all mandatory fields:
 - **Risk ID** – Auto-generated by the system.
 - **Risk Title** – Enter a descriptive title for the risk.
 - **Risk Description** – Provide a detailed description of the risk.

- **Causes/Drivers** – Specify the factors causing or driving the risk.
- **Risk Source** – Select from available options (e.g., Internal, External).
- **Is Top Risk** – Mark the checkbox if the risk is a Top Risk; if unchecked, it will be classified as a Functional Risk.
- **Division** – Select the relevant division from the dropdown.
- **Department** – After selecting a division, choose the department options that are populated based on the selected division.
- **Risk Owner** – After selecting the department, the dropdown lists users from that selected department. Select the responsible owner.
- **Risk Category** – Select the main risk category.
- **Sub-Category (Level 2)** – Select based on the chosen risk category.
- **Sub-Category (Level 3)** – Select based on the Level 2 sub-category.

2. After clicking **Save**, the risk is created and appears in the Risk Register Management table, ready for assessment.

Risk Workflow

The enterprise risk lifecycle consists of four sequential steps: Risk Identification, Risk Assessment, Risk Evaluation, and Risk Treatment. Each step must be completed in order. Evaluation cannot be performed before assessment, and treatment cannot be performed before evaluation.

Risk Assessment

After a risk is created, the Assessment can be performed in one of two ways: click **Save & Next** while creating the risk, or use the **Assessment** option from the Actions button in the Risk Register Management table.



Steps to Perform Assessment:

1. Click **Assessment** for the selected risk.
2. Select the **Likelihood** from the predefined options.
3. Select the **Impact** from the predefined options.
4. The **Inherent Risk Level** is automatically calculated by multiplying the Likelihood and Impact values.

All values and calculation formulas for Likelihood, Impact, and Inherent Risk Level are defined in System Configuration.

Risk Evaluation

After completing the Assessment, click **Save & Next** to proceed to the Evaluation stage.



Steps to Perform Evaluation:

1. Select **Control Effectiveness** from the available options.
2. Fill in all mandatory fields.
3. To add multiple controls, click the **Add Control** button.
4. After completing the required information, click **Save & Next**.

Once saved, the evaluation is completed, and the risk becomes available for the Treatment stage.

Risk Treatment

At the Treatment stage, users can define mitigation plans to manage the identified risk.



Steps to Perform Treatment:

1. Click **Add Mitigation Plan** to add one or more mitigation actions.
2. Enter the required details in the mitigation plan fields.
3. Set the **Plan Target Date** (only current or future dates are allowed; past dates are disabled).
4. By default, the **Plan Status** is set to Open.
5. After entering all required information, click **Save Treatment**.

Once saved, the treatment stage is completed.

Import Risk Register

In the Enterprise Risks module, users can import risks in bulk using the **Import Risk Register** feature. Only roles with permission to Create Enterprise Risk are allowed to import risks.

Steps to Import Risk Register:

1. Go to the Enterprise Risks page.

2. Click on the three dots (⋮) icon.
3. Select **Import Risk Register**. The Import Risk Register modal window will open.



Import Process:

1. Click on **Download Sample File**.
2. Open the sample file and enter the risk data as instructed in the modal.
3. Ensure all mandatory fields are correctly filled as per the defined format.
4. After completing the file, upload it by clicking on **Choose File**.
5. Click on **Import Risk Register**.

Once successfully imported, the risks will be displayed in the Risk Register Management list.

Risk Workflow and Notifications

After the Treatment stage is completed, the main workflow begins. The key roles involved are ERM, Head of Risk & Compliance, and Risk Owner. Once the treatment is saved, a notification is sent to the ERM user to proceed with the workflow process.

ERM Workflow

The ERM user receives a notification.



Clicking on it navigates the user to the Risk Workflow screen, where the ERM can change the **Risk Status** from the dropdown: Reviewed, Approved, Need More Info, or Rejected.



Status Actions:

- **Reviewed:** If the status is changed to Reviewed, a notification is sent to the Head of Risk & Compliance for further review.
- **Approved:** If the status is changed to Approved, the risk is marked as approved and notifications are sent to the GRC Champion (Risk Creator), Head of Risk & Compliance, and Risk Owner.
- **Need More Info:** If status is Need More Info, a section **Areas Requiring Change** appears. The ERM must select the relevant area (Risk Identification, Assessment, Evaluation, or Treatment) and add remarks.



A notification is then sent to the Risk Creator. Clicking the notification navigates them to the Risk Workflow screen to view remarks and identify required updates.



After updating, a **Submit for Review** button appears on the Treatment screen to resubmit to ERM.

- **Rejected:** If status is Rejected, the risk is marked as such and notifications are sent to the Risk Creator, Head of Risk & Compliance, and Risk Owner.

Head of Risk & Compliance Workflow

The Head of Risk & Compliance receives a notification when the ERM marks the risk as Reviewed. Clicking it navigates to the Risk Workflow screen with status options: Reviewed, Approved, Need More Info, or Rejected.



Status Actions:

- **Reviewed:** Notification sent to Risk Owner for final review.
- **Approved:** Risk approved; notifications sent to GRC Champion, ERM, and Risk Owner.
- **Need More Info:** Areas Requiring Change section appears; Head of Risk & Compliance selects area and adds mandatory remarks. Notification sent to Risk Creator to update and resubmit.
- **Rejected:** Risk marked as rejected; notifications sent to Risk Creator, ERM Users, and Risk Owner.

Risk Owner Workflow

When the Head of Risk & Compliance marks the risk as Reviewed, a notification is sent to the Risk Owner. Clicking it navigates to the Risk Workflow screen with options: Approved, Need More Info, or Rejected.



Status Actions:

- **Approved:** Risk finalized; all process users notified.
- **Need More Info:** Areas Requiring Change section appears; Risk Owner selects area and adds mandatory remarks. Notification sent to Risk Creator to update and resubmit.
- **Rejected:** Risk rejected; notifications sent to Risk Creator, ERM Users, and Head of Risk & Compliance.

Role-Based Access and Workflow Navigation

Key roles: GRC Champion, ERM, Head of Risk & Compliance, and Risk Owner.

1. **Notification Access:** Users receive notifications for required actions. Clicking them navigates directly to the Risk Workflow screen.



2. **My Actions Dashboard:** Under the Risk Approval Actions graph, clicking **Under Review** displays pending risks. Selecting **Workflow** from the Actions button navigates to the workflow screen.



3. **Enterprise Risks Page:** Locate risk in the Risk Register Management table, click Actions, and select **Treatment** to access the Workflow screen.

Key Risk Indicators (KRI)

The KRI module organizes records into three sections:



- **Linked KRI: Risk Appetite** – KRIs linked with a Risk Appetite.
- **Linked KRIs: Risk** – KRIs linked with a Risk.
- **Unlinked KRIs** – KRIs not linked with any Risk or Risk Appetite.

Clicking the (+) icon expands the table for each section.

Create KRI



1. Click **Create KRI**.
2. Fill in all mandatory fields. Threshold values define the lines on the KRI graph.
3. Select Division and optionally Department.
4. Click **Save**.

The KRI is created under the Unlinked KRIs section.

Link KRI

Link KRIs from the Risk Appetite or Enterprise Risk index pages via the Actions menu. Once linked, they appear in their respective sections on the KRI page.

Actions Available for KRI

- **Edit:** Modify KRI details.
- **View KRI:** Displays complete details, including the graphical representation with threshold lines and value history.



- **Add KRI Value:** Opens a modal to enter a new KRI value, which updates the graph and value history.



Enterprise Risk Management

Enterprise Risk Management

Overview

The Enterprise Risk Management (ERM) module provides a structured approach to identifying, assessing, monitoring, and managing risks across the organization. It supports informed decision-making by ensuring that risks are evaluated, controlled, and aligned with the organization's strategic objectives.

The ERM module consists of the following three core sections:

- **Risk Appetite:** Defines the level of risk the organization is willing to accept in pursuit of its strategic objectives.
- **Enterprise Risks:** Enables identification, assessment, ownership assignment, and lifecycle tracking of organizational risks.
- **Key Risk Indicators (KRIs):** Monitors risk exposure through measurable indicators that provide early warning signals of escalating risks.

Each section defines risk boundaries, manages enterprise risks, and monitors risk exposure through measurable indicators.

Risk Appetite

The Risk Appetite section allows the organization to define acceptable levels of risk across different risk categories. It enables the configuration of appetite statements, tolerance limits, and capacity levels, and supports linking Key Risk Indicators (KRIs) for continuous monitoring.

The Risk Appetite page displays a list of all created risk appetites in a structured table with the following columns: SR, Statement, Risk Category, Level, Owner Type, Unit, Tolerance Level, Capacity Level, and Actions.

At the bottom of the Risk Appetite page, the Linked Risks section displays all risks associated with the selected appetite. Clicking the + button expands the list to show the details of the risks linked to that appetite.



The Actions column provides multiple options to manage each risk appetite.

View Appetite



The page is divided into two sections:

- **Appetite Details:** Displays the defined appetite information, shows the KRI graph with defined thresholds, and clearly indicates the configured appetite limit and tolerance limit.
- **Linked Key Risk Indicators:** Displays the list of KRIs linked to the selected appetite.

Edit

Allows modification of the existing risk appetite details.

Link KRI

Enables linking one or more KRIs to the selected risk appetite.



To link a KRI:

1. Click **Link KRI**.
2. A modal window opens.
3. Select the required KRI from the Select KRI dropdown (all created KRIs are displayed).
4. Click **Save**.

The selected KRI will be successfully linked to the risk appetite.

View Linked KRIs

Displays all KRIs associated with the selected appetite.



Under the Actions button for each linked KRI, the following options are available:

- **Edit** – Modify linked KRI details.
- **Unlink** – Remove the KRI from the selected appetite. Clicking Unlink will detach the KRI from that appetite.

Create Risk Appetite

To create a new risk appetite, click the **Create Appetite** button.



1. Click the **Create Appetite** button on the Risk Appetite page.
2. Fill in all mandatory fields in the form:
 - **Risk Appetite ID** – Autofetched
 - **Risk Category** – Select the main category of the risk.
 - **Sub-Category (Level 2)** – Select the second-level sub-category, based on the chosen risk category.
 - **Sub-Category (Level 3)** – Select the third-level sub-category, based on the Level 2 selection.
 - **Appetite Statement** – Provide a descriptive statement for the risk appetite.
 - **Statement Owner Department** – Select the department responsible for the appetite statement.
 - **Owner User** – After selecting the department, the dropdown will display all users in that department. Select the responsible owner.
 - **Type** – Select the measurement type, e.g., Qualitative or Quantitative.
 - **Unit** – Specify the unit of measurement for the appetite.
 - **Tolerance Level** – Define the acceptable risk level for this appetite.
 - **Capacity Level** – Define the capacity or threshold for risk handling.
3. After completing all mandatory fields, click **Save**.

Once saved, the risk appetite is successfully created and displayed in the Risk Appetite List. After creation, the user can link one or more Key Risk Indicators (KRIs) to the appetite.

Enterprise Risk

The Enterprise Risks section provides a centralized view of all identified risks across the organization. It allows users to filter, view, assess, evaluate, treat, and manage risks, ensuring effective tracking and accountability throughout the risk lifecycle.

At the top of the page, users can filter risks using various criteria, such as:

- Risk Owner User
- Department
- Division
- Risk ID
- Other relevant attributes



These filters allow quick access to specific risks for review, assessment, or management.

The Risk Register Management table displays all created risks with their respective data and attributes.



Under the Actions button, the following options are available for each risk:

- **View** – Displays complete risk details.
- **Edit Risk** – Modify risk information.
- **Assessment** – Conduct risk assessment.
- **Evaluation** – Available only after assessment is completed and displays risk evaluation details.
- **Treatment** – Available only after evaluation is completed and displays risk treatment actions.
- **Link KRI** – Link one or more Key Risk Indicators to the risk.



- **View Linked KRIs** – View KRIs already linked to the risk.
- **Link Appetite** – Link one or more Appetites to the risk.



- **View Linked Appetite** – View the Appetite already linked to the risk.
- **Print** – Download the PDF report for individual risk.
- **Archive** – Archive the risk for historical reference.

On the Risk Register Management page, click on the three dots (⋮) icon to access additional options.

Archive

Clicking on Archive displays all archived risk records.



Archived risks are organized by category: Strategic and Financial. Clicking on the (+) icon expands the section and displays the archived risk records.

Export Excel

Clicking on **Export Excel** downloads all risk records into an Excel sheet. The exported file contains all risk data.

Risk Register - Closed Treatment Plans

At the bottom of the Enterprise Risks page, the Closed Risk Register section displays all risks that have been closed. This allows users to quickly review historical risks and their details without affecting the active risk register.

Create Enterprise Risk

Permissions: Only users with the following permissions can create a new risk:

- GRC Champion
- ERM
- Head of Risk & Compliance

For GRC Champions, permissions are defined in the System Configuration.

Click the **Create Risk** button on the Enterprise Risks page.



1. Fill in all mandatory fields:

- **Risk ID** – Auto-generated by the system.
- **Risk Title** – Enter a descriptive title for the risk.
- **Risk Description** – Provide a detailed description of the risk.
- **Causes/Drivers** – Specify the factors causing or driving the risk.
- **Risk Source** – Select from available options (e.g., Internal, External).
- **Is Top Risk** – Mark the checkbox if the risk is a Top Risk; if unchecked, it will be classified as a Functional Risk.
- **Division** – Select the relevant division from the dropdown.
- **Department** – After selecting a division, choose the department options that are populated based on the selected division.
- **Risk Owner** – After selecting the department, the dropdown lists users from that selected department. Select the responsible owner.
- **Risk Category** – Select the main risk category.
- **Sub-Category (Level 2)** – Select based on the chosen risk category.
- **Sub-Category (Level 3)** – Select based on the Level 2 sub-category.

2. After clicking **Save**, the risk record is successfully created. A notification is sent to the ERM Team, and the risk appears in the Risk Register Management table. The risk is then available for the assessment process.

Risk Workflow

The enterprise risk lifecycle consists of four sequential steps: Risk Identification, Risk Assessment, Risk Evaluation, and Risk Treatment. Each step must be completed in order. Evaluation cannot be performed before assessment, and treatment cannot be performed before evaluation.

Risk Assessment

After a risk is created, the Assessment can be performed in one of two ways: click **Save & Next** while creating the risk, or use the **Assessment** option from the Actions button in the Risk Register Management table.



Steps to Perform Assessment:

1. Click **Assessment** for the selected risk.
2. Select the **Likelihood** from the predefined options.

3. Select the **Impact** from the predefined options.
4. The **Inherent Risk Level** is automatically calculated by multiplying the Likelihood and Impact values.

All values and calculation formulas for Likelihood, Impact, and Inherent Risk Level are defined in System Configuration.

Risk Evaluation

After completing the Assessment, click **Save & Next** to proceed to the Evaluation stage.



Steps to Perform Evaluation:

1. Select **Control Effectiveness** from the available options.
2. Fill in all mandatory fields.
3. To add multiple controls, click the **Add Control** button.
4. After completing the required information, click **Save & Next**.

Once saved, the evaluation is completed, and the risk becomes available for the Treatment stage.

Risk Treatment

After the Evaluation stage is completed, the system automatically determines the Risk Treatment Strategy based on the calculated Residual Risk Level.



The system assigns a default Risk Treatment Strategy based on the Residual Risk Level as follows:

Residual Risk Level	Default Treatment Strategy	Treatment Plan Required
Insignificant	Accept	No
Low	Accept	No
Medium	Accept	No
High	Mitigate	Yes — Mandatory
Critical	Mitigate	Yes — Mandatory

Treatment Strategy Behaviour

- **Accept, Avoid and Transfer:** When the Risk Treatment Strategy is set to Accept, Avoid, or Transfer, adding a Treatment Plan is not required. The user can proceed and save the treatment without filling in any plan details.
- **Mitigate:** When the Risk Treatment Strategy is set to Mitigate, adding a Treatment Plan is mandatory. The system will prevent saving the treatment until a Treatment Plan has been provided.

At the Treatment stage, users can define mitigation plans to manage the identified risk.



Steps to Perform Treatment:

1. Click **Add Mitigation Plan** to add one or more mitigation actions.
2. Enter the required details in the mitigation plan fields.
3. Set the **Plan Target Date** (only current or future dates are allowed; past dates are disabled).
4. By default, the **Plan Status** is set to Open.
5. After entering all required information, click **Save Treatment**.

Once saved, the treatment stage is completed.

Import Risk Register

In the Enterprise Risks module, users can import risks in bulk using the **Import Risk Register** feature. Only roles with permission to Create Enterprise Risk are allowed to import risks.

Steps to Import Risk Register:

1. Go to the Enterprise Risks page.
2. Click on the three dots (:) icon.
3. Select **Import Risk Register**. The Import Risk Register modal window will open.



Import Process:

1. Click on **Download Sample File**.
2. Open the sample file and enter the risk data as instructed in the modal.
3. Ensure all mandatory fields are correctly filled as per the defined format.
4. After completing the file, upload it by clicking on **Choose File**.
5. Click on **Import Risk Register**.

Once successfully imported, the risks will be displayed in the Risk Register Management list.

Risk Workflow and Notifications

After the Treatment stage is completed, the main workflow begins. The key roles involved are ERM, Head of Risk & Compliance, and Risk Owner. Once the treatment is saved, a notification is sent to the ERM user to proceed with the workflow process.

ERM Workflow

The ERM user receives a notification.



Clicking on it navigates the user to the Risk Workflow screen, where the ERM can change the **Risk Status** from the dropdown:



- Reviewed
- Approved
- Need More Info

Status Actions:

- **Reviewed:** If the ERM changes the status to Reviewed, a notification is sent to the Head of Risk & Compliance for further review.
- **Approved:** If the ERM changes the status to Approved, the risk is marked as approved and a notification is sent to the GRC Champion (Risk Creator), Head of Risk & Compliance, and Risk Owner informing them that the risk has been approved by the ERM.
- **Need More Info:** If the ERM selects Need More Info:
 - A section **Areas Requiring Change** appears.



- The ERM must select the relevant area: Risk Identification, Assessment, Evaluation, or Treatment.
- The ERM must add Remarks.
- Click on **Save Workflow**.
- A notification is then sent to the GRC Champion (Risk Creator).

- Clicking the notification navigates the Risk Creator to the Risk Workflow screen, where they can view the remarks and identify the required updates.



- If, for example, Assessment was selected, the Risk Creator must edit the Assessment. After completing the updates, a button **Submit for Review** appears on the Treatment screen. Clicking this button resubmits the risk back to the ERM for review.

Head of Risk & Compliance Workflow

The Head of Risk & Compliance receives a notification when the ERM marks the risk as Reviewed. Clicking the notification navigates the user to the Risk Workflow screen where the following status options are available:



- Reviewed
- Approved
- Need More Info

Status Actions:

- **Reviewed:** If the status is changed to Reviewed, a notification is sent to the Risk Owner for final review.
- **Approved:** If marked as Approved, the risk is approved and a notification is sent to the GRC Champion (Risk Creator), ERM, and Risk Owner.
- **Need More Info:** If Need More Info is selected:
 - The Areas Requiring Change section appears.
 - The Head of Risk & Compliance must select the relevant area (Risk, Assessment, Evaluation, or Treatment).
 - Remarks are mandatory.
 - Click on **Save Workflow**.
 - A notification is then sent to the GRC Champion (Risk Creator).
 - Clicking the notification navigates the Risk Creator to the Risk Workflow screen where they can view the remarks and identify the required updates.
 - The Risk Creator resubmits the risk for review.

Risk Owner Workflow

When the Head of Risk & Compliance changes the status to Reviewed, a notification is sent to the Risk Owner. Clicking the notification navigates the Risk Owner to the Risk Workflow screen where the following status options are available:



- Approved
- Need More Info

Status Actions:

- **Approved:** If approved, the risk is finalized and all process users (GRC Champion, ERM, Head of Risk & Compliance) are notified that the risk has been approved.
- **Need More Info:** If Need More Info is selected:
 - The Areas Requiring Change section appears.
 - The Risk Owner selects the relevant section (Risk, Assessment, Evaluation, or Treatment).
 - Remarks are mandatory.
 - Click on **Save Workflow**.
 - A notification is sent to the GRC Champion (Risk Creator).
 - The Risk Creator reviews the remarks, updates the required section, and resubmits the risk back into the workflow process.

Mitigation Closure Approval Workflow

The Mitigation Closure Approval Workflow is used to formally close a mitigation plan once all required actions have been completed.

Requesting Mitigation Plan Closure

Risk Creators and Risk Owners can request the closure of a mitigation plan.



1. Navigate to the Treatment stage of the risk.
2. Open the mitigation plan in Edit mode.
3. Change the Plan Status to **Close**.
4. A closure request modal will appear.
5. Complete the following mandatory fields:

- Evidence Attachment
- Closure Comments

6. Click **Save & Close**.

Approval Process

Once the closure request is submitted:

- A notification is sent to the ERM Team and Head of Risk & Compliance for review.
- The reviewers can select one of the following actions:



- **Approved:** The mitigation plan closure is approved. Notifications are sent to the Risk Creator and Risk Owner informing them that the mitigation plan has been successfully closed.
- **Needs More Information:** Additional information or evidence is required before closure can be approved. Notifications are sent to the Risk Creator and Risk Owner requesting further information. The mitigation plan can be updated and resubmitted for approval.

Starting the Next Risk Cycle

A new risk cycle can be initiated once the current risk has completed the required approval process.

Prerequisites

The following conditions must be met before starting the next cycle:

- The risk has been Approved.
- All mitigation plans associated with the risk have been completed and closed.

Role-Based Access and Workflow Navigation

The following roles are involved in the Risk Workflow process: GRC Champion (Risk Creator), ERM, Head of Risk & Compliance, and Risk Owner.

Each role can access and act on risks through the following methods:

1. **Notification Access:** When a workflow action is required, the respective user receives a notification.



Clicking the notification navigates the user directly to the Risk Workflow screen, where the user can review the risk details and update the status according to their role. If the status is changed to Need More Information, the risk is reassigned to the GRC Champion (Risk Creator), and a notification is sent accordingly.

2. **My Actions Dashboard:** On the My Actions Dashboard, under the Risk Approval Actions graph, clicking **Under Review** displays the list of risks pending action. From the Actions button, selecting **Workflow** navigates the user to the Risk Workflow screen.



For the GRC Champion (Risk Creator): If the risk status is changed to Need More Information, it appears under the Need More Info graph. Clicking on the Need More Info graph displays the list of risks requiring additional information. From there, selecting Workflow navigates to the Risk Workflow screen for updates.

3. **Enterprise Risks Page:** From the Enterprise Risks page, locate the required risk in the Risk Register Management table, click the Actions button, and select **Treatment** to access the Risk Workflow screen. Authorized users can review and update the risk status from this screen.

Key Risk Indicators (KRI)

The Key Risk Indicators module organizes records into three sections:



- **Linked KRI: Risk Appetite** – Displays all KRIs that are linked with a Risk Appetite.
- **Linked KRIs: Risk** – Displays all KRIs that are linked with a Risk.
- **Unlinked KRIs** – Displays all KRIs that are not linked with any Risk or Risk Appetite.

Clicking on the (+) icon in each section expands the table and displays all created KRIs along with their respective columns, data, and attributes.

Create KRI



To create a new KRI:

1. Click on the **Create KRI** button.
2. Fill in all mandatory fields:

- The Appetite Limit and Tolerance Limit values define the threshold levels, and based on these values, threshold lines are displayed on the KRI graph.
- **Division** – Select the relevant division from the dropdown.
- **Department (Optional)** – After selecting a division, the department dropdown is populated based on the selected division.

3. Click the **Save** button.

Once saved, the KRI is successfully created and displayed under the Unlinked KRIs section.

Link KRI

To link a KRI with Risk Appetite or Enterprise Risk:

1. Go to the Risk Appetite or Enterprise Risk Index Page.
2. Under the Actions button, select the relevant linking option.

Once a KRI is linked, it appears under its respective section on the Key Risk Indicators page (Linked KRI: Risk Appetite or Linked KRIs: Risk).

Actions Available for KRI

Under the Actions button on the KRI page, the following options are available:

- **Edit:** Allows the user to edit the KRI details.
- **View KRI:** Displays complete KRI details including:



- KRI information
- KRI graphical representation
- Appetite and Tolerance threshold lines on the graph
- KRI Value History at the bottom of the page (shows all values that have been added over time)

- **Add KRI Value:** Clicking on Add KRI Value opens a modal window.



In the modal, the user can view the Metric Name, enter the new KRI value, and click **Save**. Once the value is saved, it is added to the KRI Value History, and the KRI graph is automatically updated to reflect the newly entered value. If the recorded

value breaches the defined KRI threshold, a notification is automatically sent to the Designated User(s) configured in System Configuration.

Business Continuity

Business Continuity Management (BCM)

Overview

Business Continuity Management (BCM) is a structured process that enables the organization to maintain and recover critical business operations during and after unexpected disruptions.

The BCM module provides a centralized system to identify risks, assess potential impacts and define recovery actions, ensuring minimal disruption to business activities.

The purpose of the BCM module is to:

- Ensure continuity of critical business processes
- Minimize the impact of disruptions
- Enable timely recovery of operations
- Support organizational resilience and preparedness

Key Features

The BCM module includes the following core sections:

1. **Processes** — Define and manage critical business processes.
2. **Impact Analysis** — Assess the impact of disruptions on operations.
3. **Threat Risk Register** — Identify and manage risks associated with threats.
4. **Continuity Plans** — Develop and maintain business continuity plans.
5. **Exercise, Maintain & Review** — Test and update continuity plans regularly.
6. **Resource Register** — Manage resources required for recovery.

7. **Threat Research Logs** — Record and track threat-related information.

8. **Recovery Strategies** — Define strategies to restore business operations.

Detailed workflows and operational procedures for each section are explained in their respective chapters.

Processes

The Processes section enables users to create, manage, and monitor critical business processes within the BCM module. It serves as the foundation for business continuity planning by defining the processes that require protection and recovery.



The Processes page displays a list of all created records with the following details:

- ID
- Process Name
- Function
- Owner
- Division
- Department
- Critical (Yes/No)
- MTPD
- RTO
- Actions

Filters

Users can filter processes based on:

- Division
- Department
- Process Critical (Yes/No)

Actions

Each process record includes the following actions:

- **View:** Display process details

- **Edit:** Modify process information
- **Archive:** Move the process to archived records
- **Export to Excel:** Download process data in Excel format

Archived Records



- Click on **Archived Records** to view archived processes.
- Archived processes can be restored using the **Restore** option under Actions.

Create & Import Process

Users can add new processes using the following options:

- **Create:** Manually create a new process
- **Import:** Upload processes in bulk

Create Process

Steps to Create a Process

1. Navigate to the Processes page.
2. Click the **Create** button.
3. Enter the required details in the form.



Field	Description
Process Name	Name of the business process.
Owner	Person responsible for the process.
Division	Division the process belongs to.
Department	Appears automatically after selecting a Division. Options are filtered based on the selected division.
Function	Business function associated with the process.
Process Description	A brief description of the process.

Field	Description
Is this process time critical?	Select Yes or No to indicate whether the process is time-critical. If the process is marked as Yes (critical), the BIA workflow will be initiated.

If **Is this process time critical?** is set to **Yes**, the following additional fields will appear:

Field	Description
Assessment Due Date	The date by which the process assessment must be completed.
Assessment Frequency	How frequently the assessment should be conducted.
Assessment Owner	The person responsible for conducting the assessment.
Next Review Date	Automatically calculated based on the selected Assessment Due Date and Assessment Frequency.
Assessment Owner	The GRC Champion responsible for initiating and managing the BIA workflow.
Final Approver	The Head of the concerned department responsible for final approval of the assessment.

5. Click **Save** to create the process.

6. The newly created process will appear in the Processes list.

Note: Once the process is saved, the system automatically schedules notifications to the Assessment Owner based on the selected Assessment Due Date and Assessment Frequency. The Assessment Owner will receive a notification when the assessment is due, reminding them to complete the process assessment.

Note: Processes marked as time critical will be available for selection in the Impact Analysis section.

BIA Workflow

The BIA (Business Impact Analysis) workflow involves the following stakeholders:

- GRC Champion
- ERM Team
- Head of Risk & Compliance
- Head of Concerned Department

If a process is marked as **Critical**, the workflow is triggered automatically after saving the record.

Workflow Steps

1. Initial Notification

Once the process is saved in the system, the GRC Champion is notified of the assessment.

2. GRC Champion Actions

The GRC Champion completes all required tabs and clicks "Submit for Review".



Notification is then sent to the ERM Team.

3. ERM Team Review

The ERM Team reviews the submission and can take one of the following actions:



- **Submit for Review** → Status moves forward and notification is sent to the Head of Risk & Compliance.
- **Needs More Info** → Status changes to Needs More Info and notification is sent back to the GRC Champion for updates.

4. Head of Risk & Compliance Review

The Head of Risk & Compliance reviews the process and can:

- **Submit for Review** → Notification is sent to the Head of Concern Department.
- **Needs More Info** → Status changes to Needs More Info and notification is sent back to the ERM Team for updates.

5. Head of Concerned Department Approval

The Head of Concerned Department reviews the final submission and can:



- **Approve** → The process is marked as approved and all workflow participants are notified.
- **Needs More Info** → Status changes to Needs More Info and notification is sent back to the Head of Risk & Compliance for updates.

Import Processes

The Import Processes feature allows you to bulk upload processes into the system quickly and accurately.



Steps to Import Processes

1. Click the **Import** button on the Processes Page to open the import modal.
2. Click **Choose File** and select the file you want to import.

Important: The file must follow the format specified in the Instructions on modal.

3. Click the **Import Now** button to upload the file.
4. After a successful import, verify that the newly added processes appear in the Processes List on the Processes Page.

Impact Analysis

The Impact Analysis module enables users to assess the impact of disruptions on critical business processes and determine appropriate recovery timelines.



The main page displays all critical processes with the following details:

Data ID, Process Name, Function Owner, Department, Assessment Owner, Due Date, MTPD, RTO, and Actions.

To perform an assessment, click the **Manage** button under the Action column. This navigates to the Impact Assessment page.

Impact Assessment

The Impact Assessment is used to evaluate the effect of disruptions on a process across defined timeframes. It helps determine the Maximum Tolerable Period of Disruption

(MTPD) and the Recovery Time Objective (RTO).



Performing Impact Assessment

1. To perform an assessment, navigate to the Impact Analysis page and click **Manage** for the required process.
2. On the Impact Assessment tab, complete the following:
 - Select impact levels for each category across the given timeframes
 - Ensure all mandatory fields are filled
 - Add Notes where required

The assessment is based on predefined categories such as Reputational, Operational, Financial, and Legal & Compliance, evaluated over time intervals.

Impact Timeframes

Impact levels are selected across predefined timeframes to measure how disruption severity changes over time.

MTPD Calculation

The MTPD is automatically calculated based on the assessment:

- The system identifies the earliest timeframe where the impact becomes High or Significant
- This timeframe is considered the maximum tolerable disruption period
- If no such impact level is identified, the result may be Not Applicable

RTO Calculation

The RTO is derived from the calculated MTPD using predefined mapping:

MTPD	RTO
Immediately	Immediately
1 Hour	Immediately
4 Hours	1 Hour
8 Hours	4 Hours
1 Day	8 Hours

MTPD	RTO
3 Days	1 Day
1 Week	3 Days
2 Weeks	1 Week
Not Applicable	Not Applicable

Once the assessment is completed, the MTPD and RTO values are automatically calculated and displayed on the Impact Analysis page for the respective process.

Buildings

The Buildings tab allows users to add physical locations critical to business continuity, including primary and backup sites, distributed operations, and potential single points of failure (SPOF).



Accessing Buildings

Navigate to the Buildings tab. The page displays all building records with the following columns:

- Data ID
- Primary Location
- Backup Location
- Distributed Operations
- Distributed Operations Location
- Workload Transfer
- Single Point of Failure (SPOF)
- Comments
- Actions

Under Actions, the following options are available:

- **View** – View building details.
- **Edit** – Modify building information.
- **Delete** – Remove a building record.

Creating a New Building



1. Click the **Create** button on the Buildings tab.
2. Fill in all mandatory fields:
 - **Process Name** – Auto-captured from the related process.
 - **Recovery Time Objective (RTO)** – Auto-captured from the process impact assessment.
 - **Primary Location** – Select from the dropdown list, populated from the Resource Register → Buildings.
 - **Backup Location** – Auto-filled based on the selected Primary Location.
 - **Distributed Operations** – Select Yes or No. If Yes, the Distributed Operations Location field appears for input.
 - **Workload Transfer** – Describe any workload transfer arrangements.
 - **Single Point of Failure (SPOF)** – Identify if the location or setup is a SPOF.
 - **Comments** – Add any additional notes or context.
3. Click **Save Building** to add the new building.

The building record will now appear in the Buildings tab list.

Human Resources

The Human Resources tab captures critical personnel information necessary to maintain business continuity during a disruption. This includes resource levels, backup assignments, remote working arrangements, and potential single points of failure (SPOF).



Adding a Human Resource

1. Click **Add Human Resource**.
2. Fill in all mandatory fields:
 - **Process Name** – Auto-captured from the associated process.
 - **Recovery Time Objective (RTO)** – Auto-captured from the impact assessment.
 - **Current Resource Level** – Number of staff currently assigned to the process.
 - **Remote Working Arrangements** – Select Yes, No, or Not Applicable. If Yes, the Remote Access Details field appears.

- **Minimum Human Resource Levels Required to Complete the Process** – Specify the minimum number of staff needed for each timeframe: Immediately, 1 Hour, 4 Hours, 8 Hours, 1 Day, 3 Days, 1 Week, 2 Weeks.
- **Resource Level Needed at Time of Disruption** – Specify how many staff are required when disruption occurs.
- **Process Owner** – Assign the staff responsible for the process.
- **Primary Backup Name** – Assign a backup resource (cannot be the same as Process Owner).
- **Secondary Backup Name** – Assign an additional backup (cannot be the same as Process Owner or Primary Backup).
- **Single Point of Failure (SPOF)** – Identify if a critical dependency exists on a single person.
- **Cross-Trained HR Available?** – Select Yes or No. If Yes, the Cross-Training Details and Skillset / Competency fields appear.

3. Click **Save Human Resource** to create the record.

Equipment

The Equipment tab captures all critical hardware, tools, and devices necessary to maintain business continuity for a process. This includes equipment types, purpose, quantity, location, and potential single points of failure (SPOF).



Accessing Equipment

Navigate to the Equipment tab in the Impact Analysis. The tab displays all equipment records with the following columns:

- Data ID
- Process Name
- Recovery Time Objective (RTO)
- Equipment Type
- Equipment Purpose
- Equipment Location
- Timeframe Requirements
- Actions

Under Actions, the following options are available:

- **View** – View equipment details.
- **Edit** – Modify equipment information.
- **Delete** – Remove an equipment record.

Adding Equipment



1. Click the **Create** button on the Equipment tab.
2. Fill in all mandatory fields:
 - **Process Name** – Auto-captured from the associated process.
 - **Recovery Time Objective (RTO)** – Auto-captured from the impact assessment.
 - **Equipment Type** – Select from the dropdown list, populated from Resource Register → Equipment.
 - **Total Amount of Equipment** – Enter the quantity available.
 - **Equipment Purpose** – Auto-populated based on the selected Equipment Type.
 - **Requirements** – Specify the quantity or configuration required across timeframes: Immediately, 1 Hour, 4 Hours, 8 Hours, 1 Day, 3 Days, 1 Week, 2 Weeks.
 - **Single Point of Failure (SPOF)** – Identify if continuity depends on this equipment alone.
 - **Comments** – Add any additional context or notes.
3. Click **Save** to create the record.

The new equipment record will now appear on the Equipment tab list.

Technology

The Technology tab captures all IT systems, applications, and software critical to maintaining business continuity. This includes system details, Recovery Time Objective (RTO), Recovery Point Objective (RPO), single points of failure (SPOF), and available workarounds.



Navigate to the Technology tab in the Impact Analysis module. The page displays all technology records with the following columns:

- Data ID
- Process Name

- IT System
- Recovery Time Objective (RTO)
- Recovery Point Objective (RPO)
- Single Point of Failure (SPOF)
- System Users
- Workaround
- Restoration
- Actions

Under Actions, the following options are available:

- **View** – View technology details.
- **Edit** – Modify technology information.
- **Delete** – Remove a technology record.

Adding Technology



1. Click the **Create** button on the Technology tab.
2. Fill in all mandatory fields:
 - **Process Name** – Auto-captured from the associated process.
 - **IT System(s)** – Select from the dropdown list, populated from Resource Register → Technology.
 - **System Purpose** – Auto-populated based on the selected IT System.
 - **System Technical Support Specifications** – Auto-populated based on the selected IT System.
 - **IT System RTO** – Specify the recovery time objective for the system.
 - **IT System RPO** – Specify the recovery point objective for the system.
 - **Single Point of Failure (SPOF)** – Indicate if the system represents a SPOF.
 - **System Users** – List users who rely on or operate the system.
 - **Does the process/technology have a known, approved alternate workaround?** – Select Yes or No. If Yes, the Briefly Describe the Proposed Workaround field appears for input.
 - **Does the existing/proposed workaround meet the process/technology RTO?** – Select Yes or No.

- **Do the workarounds fully or partially restore the process/technology?** – Select the appropriate option.

3. Click **Save Technology** to create the record.

The new technology record will now appear on the Technology tab list.

Internal Dependencies

The Internal Dependencies tab captures critical relationships and dependencies between internal divisions, departments, or teams that are essential for maintaining business continuity.



Navigate to the Internal Dependencies tab in the Impact Analysis module. The page displays all internal dependency records with the following columns:

- Data ID
- Process Name
- Division
- Department
- Dependency Description
- Relationship Owner
- Contact Person
- Single Point of Failure (SPOF)
- Actions (View, Edit, Delete)

Adding Internal Dependencies

1. Click **Add Internal Dependency**.
2. Fill in all mandatory fields:
 - **Process Name** – Auto-captured from the associated process.
 - **Division** – Auto-captured from the process owner's division.
 - **Department** – Auto-captured from the process owner's department.
 - **Dependency Description** – Briefly describe the internal dependency.
 - **Relationship Owner** – Auto-captured from the system (typically the responsible process owner).
 - **Contact Person** – Enter the primary contact for this internal dependency.

- **Single Point of Failure (SPOF)** – Indicate if this dependency represents a single point of failure.

3. Click **Save** to create the record.

External Dependencies

The External Dependencies tab captures critical relationships with third-party vendors, service providers, or external partners that support business continuity. This includes contractual SLAs, contingencies, SPOFs, and alternative sources.



Navigate to the External Dependencies tab in the Impact Analysis module. The page displays all external dependency records with the following columns:

- Data ID
- Third Party Name
- Contractual Support (SLA)
- Contingencies
- Relationship Owner
- Single Point of Failure (SPOF)
- Potential Alternative Sources
- Business Continuity Capability (BC Capability)
- Actions (View, Edit, Delete)

Adding External Dependencies



1. Click **Create** to add a new external dependency tab in the Impact Analysis module.
2. Fill in all mandatory fields:
 - **Process Name** – Auto-captured from the associated process.
 - **Third Party Name** – Select from the dropdown list, populated from Resource Register → External Dependencies.
 - **Contractual Support (SLA)** – Auto-populated based on the selected Third Party Name.
 - **Contingencies** – Auto-populated based on the selected Third Party Name.
 - **Relationship Owner (Internal)** – Auto-populated based on the selected Third Party Name.

- **External Resource Name** – Auto-populated based on the selected Third Party Name.
- **External Resource Email** – Auto-populated based on the selected Third Party Name.
- **External Company Name** – Auto-populated based on the selected Third Party Name.
- **Single Point of Failure (SPOF)** – Indicate if this dependency represents a SPOF.
- **Potential Alternate Sources** – Auto-populated based on the selected Third Party Name.
- **Business Continuity Capability (BC Capability)** – Auto-populated based on the selected Third Party Name.

3. Click **Save** to create the record.

Vital Records

The Vital Records tab captures critical records required to support business processes during a disruption. This includes record purpose, storage locations, media type, custodians, and potential single points of failure (SPOF).



Navigate to the Vital Records tab in the Impact Analysis. The page displays all vital record entries with the following columns:

- Data ID
- Vital Record Name
- Purpose
- Single Point of Failure (SPOF)
- Media Type
- Primary Records (Storage Location)
- Secondary Records (Backup Location)
- Potential Alternative Sources
- Record Custodian
- Actions (View, Edit, Delete)

Adding Vital Records



1. Click the **Create** button on the Vital Records tab in Impact Analysis.
2. Fill in all mandatory fields:
 - **Process Name** – Auto-captured from the associated process.
 - **Vital Record Name** – Enter the name of the record.
 - **Vital Record Purpose** – Define the purpose of the record in supporting the process.
 - **Single Point of Failure (SPOF)** – Indicate if the record represents a SPOF.
 - **Media Type** – Select from the dropdown list (configured under System Configuration → Business Continuity → Media Type).
 - **Records Storage Location (Primary)** – Specify the primary storage location.
 - **Records Backup Storage Location (Secondary)** – Specify the backup storage location.
 - **Alternate Source** – Provide any alternative source for retrieving the record.
 - **Record Custodian Name** – Enter the person responsible for maintaining the record.
3. Click **Save** to create the record.

The new vital record will now appear on the Vital Records tab list.

Critical Period and Frequency

The Critical Period and Frequency form is available in the Impact Analysis section. This form is used to define the critical operational periods and their frequency for the selected process.



To add a new record, the user must complete the following mandatory fields:

Field	Description
Process Name	Auto-fetched based on the selected process.
Critical Period and Frequency	Defines the critical operational period and frequency details.
Time	Specify the required time.
Day	Select the applicable day.

Field	Description
Date	Enter the applicable date.
Month	Select the applicable month.

After entering all required information, click the **Update** button to save the record.

Contact Details

The Contact Details form is available in the Impact Analysis section and is used to maintain the contact information of key stakeholders involved in the process.



The user must complete the following fields:

Field	Description
Process Name	Auto-fetched based on the selected process.

1. Head of Department

Field	Description
Select User	Select the Head of Department. Upon selecting the user, the Job Title and Email Address are auto-fetched from the system.
Job Title	Auto-fetched based on the selected user.
Mobile Number	Enter the mobile number of the selected user.
Email Address	Auto-fetched based on the selected user.

2. GRC Champion

Field	Description
Select User	Select the GRC Champion. Upon selecting the user, the Job Title and Email Address are auto-fetched from the system.
Job Title	Auto-fetched based on the selected user.
Mobile Number	Enter the mobile number of the selected user.
Email Address	Auto-fetched based on the selected user.

3. Backup GRC Champion

Field	Description
Select User	Select the Backup GRC Champion. Upon selecting the user, the Job Title and Email Address are auto-fetched from the system.
Job Title	Auto-fetched based on the selected user.
Mobile Number	Enter the mobile number of the selected user.
Email Address	Auto-fetched based on the selected user.

After entering all required details, click the **Update** button to save the record.

Threat Risk Register

The Threat Risk Register provides a centralized view of all identified threat risks within the BCM module. It enables users to filter, view, assess, evaluate, treat, and manage risks, ensuring effective tracking and accountability throughout the risk lifecycle.

At the top of the page, users can filter risks using criteria such as Threat ID, Category, Risk Level, Threat Owner, etc.



The Threat Risk Register table displays all created risks along with their associated details and attributes.

Available Actions

Each risk record includes the following actions:

- **View** – Displays complete risk details
- **Edit Risk** – Modify risk information
- **Assessment** – Conduct risk assessment
- **Evaluation** – Available only after assessment is completed; displays evaluation details
- **Treatment** – Available only after evaluation is completed; displays treatment actions

Additional options can be accessed by clicking the three dots (⋮) menu on each record.

Archive

The Archive option displays all archived threat risks, organized by Threat Category.

Creating a Threat Risk

Users with appropriate permissions can create a new threat risk.



To create a threat risk:

1. Click the **+ Threat Risk** button on the Threat Risk Register page.
2. Enter all mandatory fields:
 - Threat ID
 - Threat Name
 - Threat Category
 - Threat Description
 - Threat Owner
 - Control Owner
3. Click **Save** to create the risk. The newly created risk will appear in the Threat Risk Register and will be available for assessment.

Threat Risk Lifecycle

The threat risk lifecycle consists of four sequential stages:

1. Identification

2. Assessment
3. Evaluation
4. Treatment

Note: Each stage must be completed in order. Evaluation cannot be performed before Assessment. Treatment cannot be performed before Evaluation.

Risk Assessment

After a threat risk is created, the Assessment can be performed in two ways:

- Click **Save & Next** during risk creation
- Select **Assessment** from the Actions menu in the Threat Risk Register



Steps to Perform Assessment

1. Open the Assessment screen for the selected risk
2. Select **Likelihood** from predefined options
3. Select **Impact** from predefined options
4. The **Inherent Risk Level** is automatically calculated based on Likelihood and Impact.

All values and calculation logic are defined in System Configuration.

Risk Evaluation

After completing the Assessment, click **Save & Next** to proceed to the Evaluation stage.



Steps to Perform Evaluation

1. Select **Control Effectiveness** from available options
2. Enter all required details
3. To add multiple controls, click **Add Control**
4. Click **Save & Next** to complete the evaluation.

Once completed, the risk becomes available for the Treatment stage.

Risk Treatment

The Treatment stage defines actions required to mitigate or manage the identified threat risk.



Steps to Perform Treatment

1. Enter all required treatment details
2. Click **Save Treatment**

Once saved, the treatment stage is completed.

Threat Risk Workflow

The Threat Risk workflow ensures proper review, validation, and approval of identified risks. The workflow includes the following users:

- GRC Champion (defined in System Configuration)
- ERM Team
- Head of Risk & Compliance
- Head of Concerned Department (Final Approver)

Workflow Process

1. Risk Creation – GRC Champion

- The GRC Champion creates the Threat Risk.
- After completing the Risk Treatment, a notification is sent to the ERM Team.
- Clicking the notification redirects the user to the Risk Treatment page.

2. ERM Team Review

The ERM Team reviews the risk and can update the status as follows:

- **Reviewed** – The risk moves forward in the workflow. Notification is sent to the Head of Risk & Compliance.
- **Needs More Info** – The risk is sent back to the GRC Champion (Risk Creator). The GRC Champion updates the risk and submits it again for review.
- **Approved** – The risk is approved. All workflow users are notified of the approval.

3. Head of Risk & Compliance Review

The Head of Risk & Compliance reviews the risk and can update the status as follows:

- **Reviewed** – The risk moves forward in the workflow. Notification is sent to the Head of Concerned Department (Final Approver).
- **Needs More Info** – The risk is sent back to the ERM Team. The ERM Team updates the risk and resubmits it for review.

- **Approved** – The risk is approved. All workflow users are notified of the approval.

4. Final Approval – Head of Concerned Department

The Head of Concerned Department performs the final review and can:

- **Needs More Info** – The risk is sent back to the Head of Risk & Compliance. Required updates are made and resubmitted for review.
- **Approved** – The risk is marked as Approved. All workflow users are notified of the final approval.

Continuity Plans

The Continuity Plans module allows users to create and manage Business Continuity Plans and Disaster Recovery Plans. It ensures structured planning for maintaining and restoring operations during disruptions.



The main page displays a list of plans with details including Data ID, Title, Division, Department, Plan Name, Created By, and Actions.

From the Actions menu, users can perform the following:

- **View** – View complete plan details
- **Edit** – Modify plan information
- **Archive** – Archive the plan

Archived plans can be accessed using the **Archived Records** button at the top of the page.

Creating a Continuity Plan



To create a new plan, click the **+ Create** button and enter the required details:

- Title
- Description
- Plan Type – (Business Continuity Plan / Disaster Recovery Plan)
- Division
- Department – Appears based on the selected division

Click **Save** to create the plan. The plan will appear in the list.

Viewing a Plan

Click **View** from the Actions menu to open the plan details page.

- **Requirements Section:**

- **Link Requirements** – Opens a modal with a list of predefined requirements. Select the required items and click Save to link them.
- **Show Requirements** – Displays all linked requirements.

- **Business Plan Details:**

- Displays complete plan information
- **Edit Plan** – Update plan details
- **Print** – Export the plan as PDF

Managing a Plan

Click **Manage** from the Actions menu to configure and update the plan.

The Manage Plan page displays input fields dynamically based on the selected Plan Type.

Plan types (Business Continuity Plan and Disaster Recovery Plan) are configured in System Configuration.

Dynamic Plan Configuration

Plan structure is defined in: **System Configuration → Business Continuity**

1. Business Continuity Plan Definition

This section controls the structure of Business Continuity Plans. It displays records with: Sr. No, Field Title, Type, Required, Status, Action.

- **Create** – Add new fields
- **Edit** – Update Title, Required flag, and Field Order
- Mapping field is predefined and cannot be changed

When creating a field, the Mapping Type defines how it appears in the plan:

- **Details** → Input field
- **Checklist Mapping** → Checklist with selectable items

Procedure Configuration (Checklist Mapping): Available for fields with Checklist Mapping. Allows adding child records (checklist items). Each record includes Field Title, Type, Required, Action. These items appear in the Manage Plan page.

2. Disaster Recovery Plan Definition

This section defines the structure of Disaster Recovery Plans. It works similarly to the Business Continuity Plan Definition and allows users to configure dynamic fields that appear in the plan.

It displays records with: Sr. No, Field Title, Type, Required, Status, Action.

- **Create** – Add new fields
- **Edit** – Update Title, Required flag, and Field Order
- Mapping field is predefined and cannot be modified

When creating a field, the Mapping Type determines how it appears in the plan:

- **Details** → Displays as an input field
- **Checklist Mapping** → Displays as a checklist with selectable items

Procedure Configuration (Checklist Mapping): For fields with Checklist Mapping, additional child items can be configured. Accessible via Procedure Configuration under the Action menu. Displays records with Sr. No, Field Title, Type, Required, Action. Users can create and edit checklist items. These items are reflected in the Manage Plan page.

All configured fields and checklist items dynamically appear in the Disaster Recovery Plan during plan management.

Exercise, Maintain & Review

The Exercise, Maintain & Review module enables users to create and manage continuity exercises to test, validate, and improve business continuity plans.



Accessing Exercise, Maintain & Review

Navigate to the Exercise, Maintain & Review page in the BCM module. The page displays all created exercises with the following details:

- Exercise Name
- Creation Date
- Actions (accessible via three dots menu → View)

Creating a New Exercise



1. Click the **Create** button on the Exercise, Maintain & Review page.
2. Fill in all mandatory fields:
 - **Title** – Enter the name of the exercise.
 - **Dynamic Fields** – All additional fields are displayed based on configuration defined under System Configuration → Exercise, Maintain & Review Plans Definition.
3. After entering all required information, click **Create**.

The new exercise record will be created and displayed on the Exercise, Maintain & Review page.

Exercise, Maintain & Review Plans Definition

This section allows administrators to configure dynamic fields that appear on the Exercise creation page.

Accessing Plans Definition

Navigate to **System Configuration** → **Exercise, Maintain & Review Plans Definition**. The page displays all configured fields with the following columns:

- SR. No
- Field Title
- Type
- Required
- Status
- Actions

Editing Existing Fields

Click **Edit** under the Action column. A modal will open where you can:

- Update the Field Title
- Mark the field as Required
- Adjust the Field Order

The Mapping Field is read-only and cannot be modified.

Adding New Fields

1. Click the **Create** button at the top of the page.

2. Fill in the required details:

- **Field Title** – Name of the field.
- **Mapping** – Select from the dropdown (predefined options).

Based on the selected mapping, the field will be rendered accordingly on the Exercise creation page. Example:

- **Details** → Input field
- **Checklist Mapping** → Checklist with selectable items

Click **Create** to add the field. The new field will appear in the list and reflect on the Exercise creation form.

Checklist Mapping Configuration

If the selected mapping type is Checklist Mapping, additional configuration is available.

Managing Checklist Items: Click **Procedure Configuration** under the Action column for the relevant record. The page displays checklist items with the following columns: SR, No, Field Title, Type, Required, Actions.

Adding Checklist Items:

1. Click the **Create** button.
2. Fill in the mandatory fields.
3. Click **Create** to save the record.

The new checklist item will appear in the list and reflect in the Exercise form.

Resource Register

The Resource Register module maintains a centralized record of all resources required for business continuity. It includes categories such as Equipment, Technology, Staff, Contact Information, External Dependencies, and Buildings.

Resources are displayed in a categorized list. Each category can be expanded to view its corresponding details and columns.



From the Actions menu, users can:

- **Edit** – Modify resource details
- **Delete** – Remove the resource

Creating a Resource



To add a new resource, click the **+ Create Resource** button.

Select the **Resource Type** (configured in System Configuration – Business Continuity Resource Type). Based on the selected type, the relevant input fields will be displayed.

Enter all mandatory fields and click **Create**. The resource will be saved and displayed in the Resource Register under the respective category.

Threat Research Logs

The Threat Research Logs module allows users to record and manage research information related to potential threats.

The page displays a list of research logs with key details, including Data ID, Threat Name, Research, Information Source, Creation Date, and Actions.



Users can perform the following actions from the Actions menu:

- **View** – View complete log details
- **Edit** – Modify existing log information
- **Archive** – Archive the selected log

Archived records can be accessed by clicking the **Archived Logs** button at the top of the page.

Creating a Research Log



To create a new research log, click the **+ Add Log** button and enter the required information:

- Threat Name
- Research
- Information Source URLs – Multiple URLs can be added using the + button (URLs must be valid)
- Comments

Fields marked with (*) are mandatory.

Click **Save** to create the research log. The newly created log will appear in the Threat Research Logs list.

Recovery Strategies

The Recovery Strategies module allows users to define and manage strategies for restoring business operations after a disruption.

The page displays a list of strategies with key details, including Strategy ID, Strategy Name, Type, Enabler Type, Implementation Status, and Actions.



Users can perform the following actions from the Actions menu:

- **View** – View complete strategy details
- **Edit** – Modify strategy information
- **Archive** – Archive the selected strategy

Archived records can be accessed by clicking the **Archived Records** button at the top of the page.

Creating a Recovery Strategy



To create a new recovery strategy, click the **+ Create Strategy** button and enter the required information:

- Strategy Name
- Strategy Type – Options are configured in System Configuration (Business Continuity Strategy Type)
- Enabler Type – Options are sourced from the Resource Register
- Implementation Status – Configured in System Configuration (Implementation Status)
- Implementation Time – Configured in System Configuration (Implementation Time)
- Cost of Implementation – Configured in System Configuration (Cost of Implementation)
- Description
- Strategy Highlights
- Strategy Cost Details
- Strategy Timeline Details

- Strategy Key Considerations
- Strategy Pros
- Strategy Cons

Fields marked with (*) are mandatory.

Click **Save** to create the strategy. The newly created strategy will appear in the Recovery Strategies list.

Regulatory Compliance

Regulatory Compliance

The Regulatory Compliance Module allows organizations to manage, monitor, and assess compliance requirements in a centralized system. It provides a structured framework to define laws, regulations, and organizational obligations, ensuring traceability, accountability, and alignment with regulatory standards.

Compliance Universe

The Requirements Catalogue is a centralized repository where users can define, organize, and manage all applicable regulatory requirements. This page has two main sections:

- **Requirements Catalogue** – Active list of available standards and Requirements.
- **Disabled Requirement Catalogue** – Requirements that are deactivated or not in use but retained for reference or audit traceability.



1. Creating a Requirement and Building a Hierarchy

To create a requirement, click on the **Create Requirement** button on the Requirement Catalogue page.



Users can structure requirements into four hierarchical levels:

1. Law / Regulation / Standard (Main Parent)
2. Catalog / Section

3. Main Requirement

4. Sub-Requirement

This hierarchy ensures proper structuring and traceability within the Compliance Universe.

1 **Create Law / Regulation / Standard (Main Parent)**

- Click on the **Create Requirement** button.
- Enter all mandatory fields.
- Click the **Save** button.



The main parent requirement will be created and displayed on the **Requirement Catalogue** page.

2 **Create Catalog / Section (Second Level)**

- Click on **Create Requirement**.
- Open the **Catalog / Section** tab.
- From the **Framework** dropdown, select the previously created Law / Regulation / Standard to establish the hierarchy.
- Complete all mandatory fields.
- Click **Save**.



The second-level requirement will now be linked under its parent.

3 **Create Main Requirement (Third Level)**

- Click on **Create Requirement**.
- Open the **Main Requirement** tab.
- Select the parent Law / Regulation / Standard from the **Framework** dropdown.
- Select the relevant Catalog / Section from the **Section** dropdown.
- Fill in all mandatory fields.
- Click **Save**.



The third-level requirement will now be linked under the selected Catalog / Section.

4 **Create Sub-Requirement (Fourth Level)**

- Click on **Create Requirement**.
- Open the **Sub-Requirement** tab.
- Select the parent Law / Regulation / Standard from the **Framework** dropdown.
- Select the relevant Catalog / Section from the **Section** dropdown.
- Select the corresponding Main Requirement from the **Requirement** dropdown.
- Complete all mandatory fields.
- Click **Save**.



The fourth-level requirement will now be properly linked within the hierarchy.

Workflow Rule: If "Is Requirement?" and "Is Applicable?" are selected as Yes, the requirement becomes eligible for assignment, and the workflow starts.

2. Importing Requirements in Requirements Catalogue

The Requirements Catalogue allows users to import Requirements using a predefined sample file.



Steps to Import Requirements:

1. Navigate to the Requirements Catalogue page.
2. Click the **Import** button.
3. Download the provided sample file.
4. Fill in all required fields in the sample file.
5. Upload the completed file to import the Requirements into the system.
6. Complete all required input fields on the Import form.
7. After completing all required fields, click the **Import** button.

Compliance Assessment

The Compliance Assessment component enables users to assign, manage, and monitor compliance requirements within the organization. It provides a structured view of obligations, their responsible users, and the associated tasks.



Key Features:

- Visibility of assigned frameworks and corresponding requirements.
- Identification of responsible users and associated departments.
- Tracking of due dates for each compliance task.
- Overview of the number of requirements assigned to each task.

The Compliance Tasks list displays all Requirements assigned to the logged-in user.

Assigning Compliance Requirement

Users can assign compliance requirements to the owner and define the assessment workflow directly from the Compliance Assessment page:

1. Click **Assign Compliance Requirement**.
2. Select the responsible user under **Responsibility of Compliance**.
3. Set the **Assessment Frequency** as required.
4. The system will notify the owner according to the set frequency.
5. In the **Link Requirements** dropdown, available requirements are displayed. (If a Requirement has 4 child levels, only the last child level is selectable).



Compliance Assessment Workflow

Once a compliance Requirement has been assigned, the workflow proceeds as follows:

- **Notification to Assigned User:** After the assignment, the responsible user receives a notification. Clicking the notification navigates the user to the Compliance Assessment Detail page.
- **Adding Evidence:** The assigned user can provide compliance evidence by filling in File Name and attaching evidence (Attach Evidence or Attach Internal Evidence - approved policies).



- **Compliance Team Updating Status:** Only Compliance team members receive notifications. They can change the status of the Requirement from the dropdown menu, notifying all team members of the update.



This workflow ensures that assigned Requirements are properly monitored, evidence is collected, and all team members remain informed about compliance status updates.

Compliance Register

The Compliance Register serves as the central repository of all compliance requirements, standards, frameworks, and technical specifications integrated into the system.



Actions Available:

- **View Details:** Opens a detailed view of the selected compliance requirement.
- **Create Compliance Schedule:** Allows scheduling assessments or tasks, assigning target dates, departments, and responsible users.
- **Export Assessments:** Exports assessment data for reports or documentation.

Compliance Schedule

Clicking on **Create Compliance Schedule** opens the compliance scheduling screen, displaying Date, Status, Main Requirements, and Total Requirements.



Clicking the **+** (**Add**) button allows selecting multiple assignees and their assessment frequencies. After saving, the workflow proceeds to the Assessment stage.

Smarts Requirements

The Smart Requirements module allows users to compare, align, and map similar requirements across different compliance frameworks.



- Click **Get Matching Requirement** to view linkable requirements.
- Select the appropriate Requirement(s) and click **Link Requirements**.
- The system displays Framework Name, Clause Hierarchy, Mark as Primary option, and Matching Level (%).

Manual Requirements

The Manual Requirements page allows users to create and manage requirements directly within the system without relying on imported frameworks or predefined catalogues.



Key Functions:

- **Create Manual Requirement:** Add a new requirement with Title and Description.
- **Search & Filter:** Quickly find requirements.
- **Status:** Toggle option to enable or disable a requirement.
- **Edit:** Modify existing requirement details.

Statement of Applicability

The Statement of Applicability (SoA) page provides an overview of Requirements and their implementation status within the organization.



It includes **Mapped Requirements** (linked through Requirement Linking) and **Unmapped Requirements** (requiring review).

Compliance Mapping

The Compliance Mapping module enables organizations to link regulatory requirements with applicable internal policies and governance documents.



Create Compliance Mapping



When creating a mapping, select the Country to fetch relevant Laws and choose General Policies from approved documents.

Archived Compliance Mappings



Archived records remain available for reference and audit purposes but are no longer active in the workflow.

Incident Management

Incident Management

Overview

The Incident Management module is designed to systematically manage organizational incidents from identification to closure. It provides a controlled process for logging, tracking, reviewing, and resolving incidents in a consistent and auditable manner.

The module ensures that every incident follows a defined workflow with clear responsibilities assigned to relevant users such as the ERM Team, Assignees, Risk & Compliance authorities, and Final Approvers (where applicable). This helps maintain accountability at each stage of the process.

The module supports end-to-end incident handling, including assignment, action management, multi-level review, and closure. It enforces standardized processes to ensure consistency, accountability, and regulatory compliance across all incident types.



The Incident Listing Page provides a centralized view of all recorded incidents. At the top of the page, users can filter incidents using multiple criteria, including Incident ID, Incident Type, Status, Date Range, Impact Severity, and Department. These filters help in quickly locating specific records and narrowing down results.

Below the filters, incidents are displayed in a tabular format with key details such as ID, Title, Reporting Date, Management Team, Department Involved, Created By, Status, Approval Status, Current Stage, and Actions. This provides a quick overview of each incident and its current progress.

Actions

Each incident record includes an Actions menu that provides the following options:



- **View** – Opens the incident view page with all the details gathered.
- **Edit** – Allows users to modify the incident creation details.
- **PDF Report** – Generates and downloads a detailed incident report in PDF format.
- **Excel Report** – Exports incident data in Excel format for analysis or record-keeping.
- **Archive** – Moves the incident to archives for record management purposes.
- **Close Incident** – Allows closure of the incident once all actions have been completed and marked as closed.

Create Incident

To create a new incident, click on the **Create** button.



Steps to Create an Incident

1. Click **Create** to open the incident creation form.
2. Fill in all mandatory fields, including:
 - Incident Title
 - Incident Description
 - Occurrence Date
 - Discovery Date
 - Departments Involved
 - Incident Management Team
 - Assignee

Note: The Assignee is responsible for managing the incident and completing the lifecycle up to the Action stage.

3. Select **Is this a BCM Incident?** (Yes/No)
 - If **Yes**, the incident follows the BCM Incident workflow.
 - If **No**, the incident is considered an Operational Incident and follows the Operational Incident workflow.
4. Select **Is this a post-fact incident?** (Yes/No)

- If **Yes**:
 - The incident does not need the typical approval process.
 - A mandatory field "**Supporting Evidence for Approval**" appears, where the user can add supporting evidence for post-fact incidents. The user must upload supporting evidence before proceeding.
- If **No**:
 - The standard incident workflow begins upon creation.

5. Click **Create** to save the incident.

The incident is successfully created and displayed on the Incident Listing Page. A notification is sent to the selected Assignee, the Incident management team, and the ERM team. The workflow is initiated based on the selected incident type (BCM or Operational) and post-fact condition.

BCM Incident Workflow

When "**Is this a BCM Incident?**" is selected as **Yes**, the incident follows the BCM Incident workflow.

Upon creation, a notification is sent to the assigned user, the Incident management team, and the ERM team. Clicking the notification navigates the user to the Incident Management screen, where the incident is processed through the following stages:



1. Incident Identification

Displays all initially entered incident details. The user reviews the information and proceeds to the next stage.

2. Classification



Fill in mandatory fields:

- Impact Classification
- Incident Type
- Disrupted Processes

Upon selecting disrupted processes, the **Breach Assessment – Disrupted Processes** field appears, allowing users to select relevant options.

Click **Save & Next** to proceed.

3. Impact Assessment



Complete the required fields:

- **Severity by Classification** – Auto-derived from the Classification stage.
- **Impact Assessment Details**
- **Financial Impact** – Additional fields appear based on selection.
- **Insurance Coverage**
 - If **Yes**, the **Estimated Coverage Value** field appears.
- **Led to Crisis?**
 - If **Yes**, upload Approval Evidence. A notification is sent to the ERM Team.
- **Requires Escalation?**
 - If **Yes**, notifications are triggered to the incident creator.
- **Actions-to-Date**

Click **Save & Next** to proceed.

4. Root Cause Analysis



Fill in mandatory fields:

- Root Cause Analysis
- Evidence Gathered
- Evidence Attachment

Click **Save & Next** to proceed.

5. Actions



Provide required details:

- Lessons Learned

Click **Save** to add the action.

Note: At least one action is required.

Click **Finish** to complete this stage.

6. Submission for Review

Click **Submit for Review**. The incident is sent to the ERM Team for review.

7. ERM Review



The ERM Team reviews the incident. They can only review the incident and forward it to the Head of Risk & Compliance.

8. Approval by Head of Risk & Compliance



The Head of Risk & Compliance can:

- **Request More Information**
 - A notification is sent to the Assignee.
 - The Assignee updates the required information.
 - The incident is resubmitted to the ERM Team for review.
 - The ERM Team reviews and forwards it again for approval.
- **Approve the Incident**
 - The incident is approved.

Operational Incident Workflow

When "**Is this a BCM Incident?**" is selected as **No**, the incident is treated as an Operational Incident and follows the Operational Incident workflow.

1. Incident Logging & Assignment

The ERM Team identifies and logs the incident. The incident is then assigned to the relevant Assignee.

2. Assignee Handling

The Assignee is responsible for managing the incident up to the Action stage and may:

- Update incident identification details, if required.
- Reassign the incident to another user (add replacement assignee).

3. Action Stage

The Assignee must add at least one action. Actions can be:

- Corrective
- Preventive

Note: Closing actions at this stage are not mandatory. Once actions are added, the incident can be submitted to the ERM Team for review.

4. ERM Review

The ERM Team reviews the incident and can review and forward the case to the Head of Risk & Compliance (HRC).

5. Head of Risk & Compliance (HRC) Review

The HRC can:

- Review the incident.
- Request additional information.

6. Need More Information Flow

If **"Need More Information"** is selected:

- A notification is sent to the Assignee.
- The Assignee updates the required information.
- The case is resubmitted to the ERM Team.
- ERM reviews and forwards it again to the HRC.

7. Final Approval Stage

After HRC review, the system sends a notification to the Final Approver (Head of Concerned Department). This approver is selected during the incident identification stage

for non-BCM incidents.



The Final Approver can:

- Approve the incident, or
- Send it back to the Assignee for additional information.

8. Closure

An incident can be closed when **all actions are closed** AND the **incident is approved**.

Archived Incidents

The Archived Incidents page displays all archived incident records in a structured tabular format for reference and record management.

The page includes key columns such as ID, Incident Title, Incident Date, Reporting Date, Management Team, and Department, along with an Actions column.



From the Actions menu, users have the option to **Unarchive** an incident, which restores it back to the active incident list for further processing or review.

Governance & Policy Management

Governance & Policy Management

Overview

The Governance & Policy Management module in GRC360.ai enables organizations to create, review, approve, and manage policies in a centralized and structured manner. It ensures policies are traceable, version-controlled, and acknowledged by the intended users. The module includes three primary sections:

1. **Policy Creation:** For creating and managing the policy lifecycle.

{{--

2. **Standards & Controls:** A centralized list of compliance controls from standards and frameworks.

--}} {{--

3. **Control Linking:** Allows users to establish relationships between requirements and existing controls.

--}}

4. **Policy Library:** For viewing and acknowledging approved policies. Here, users can view only those policies to which they have access.

5. **Archive:** For storing outdated or superseded policies. Here, users can view only those archived policies to which they have access.

{{--

6. **System Scoping:** Allows users to define organizational and system boundaries for policy and compliance management.

--}} {{--

7. **Statement of Applicability:** Provides an overview of controls.

--}} {{--

8. **Manual Control Catalogue:** Allows users to create and manage controls directly within the system.

--}}

Policy Management Page

The Policies management page is the central workspace for managing all policy-related actions. It is categorized into different tabs to reflect the policy's current status:



- **Pending Your Approval:** These policies are awaiting final approval before publication. Users can also update their status directly from the **Action** button.
- **Pending Your Review:** Policies awaiting review by the assigned reviewer. Users can also update their status directly from the **Action** button.
- **Need More Info:** Policies returned for clarification or missing information.
- **Rejected:** Policies that have been rejected during the review or approval process.

Each **Policy** is displayed with the following columns:

- Serial Number
- Reference

- Policy Type (e.g, Procedure, Policy, Manual)
- Policy Name
- Status (e.g, Waiting for Approval, Approved)
- Version Number
- Action (View Document / New Version)

Policies

The **Policies** display based on their defined policy types. It is categorized into three types to organize policies effectively:



- Procedures
- Manual
- Policy

All policies shown in this section are those created by the logged-in user.

Add a New Policy

To create a new policy, click the **Add Policy** button.

Fill in the required fields (marked with *):



1. Policy Name
2. Reference
3. Description
4. Policy Status (Approved, Not Approved)
5. Document Origin (e.g., Internal, External)
6. Classification (e.g., Confidential, Internal, Public)
7. Policy Type (e.g., Procedure, Manual, Policy)
8. Department (e.g., Executive Office)
9. Prepared By (Logged-in User)
10. Review Frequency (e.g., Weekly, Monthly)
11. Created Date

12. Next Review Date
13. Policy Access Level
14. Require Policy Acknowledgement
15. Version Number
16. DOA Reference
17. Delegation of Authority
18. Map Document
19. Upload the policy file (Drag and drop or browse).
20. Enter remarks (e.g., "For Review / Approval").

Click **Save** button to submit the policy for workflow processing.

Policy Workflow

The Policy Workflow defines the approval process a policy follows from creation to publication.

1. Policy Creation

While creating a policy, the user must select a Policy Status:

- **Approved** - If the status is selected as Approved, the policy is automatically approved and published. It becomes available in the **Policy Library** to all users with access permissions.
- **Not Approved:** - If the status is selected as Not Approved, selecting at least **one Reviewer** and **one Approver** is mandatory. After creation, the policy is first sent to the assigned Reviewers.
- The policy is not sent to the Approver until it has been reviewed by **all assigned Reviewers**.

2. Review Process

- Reviewers receive a notification for policy review.
- Clicking the notification navigates the user to the **My Actions Dashboard**, where the policy appears under **Under Review**.



The Reviewer can change the policy status to:

- Reviewed
- Need More Information
- Rejected

Reviewed

The policy is forwarded to the Approver.

Need More Information / Rejected:

The policy is sent back to the Creator. The Creator can add a new module and resubmit the policy for review.

Accessing Policies for Review

Reviewers can access assigned policies from:

- **Policies Page** under Your Review
- **My Actions Dashboard** → Under Review

3. Approval Process

Once the policy is reviewed by all Reviewers, the Approver receives a notification for approval.

- Clicking the notification navigates the user to the **My Actions Dashboard**, where the policy appears under **Under Approval**



The Approver can change the policy status to:

- Approved
- Need More Info
- Rejected

Approved

The policy is published and displayed in the **Policy Library** for all users with access.

Need More Info / Rejected:

The policy is sent back to the Creator. The Creator can add a new module and resubmit the policy for review and approval.

Accessing Policies for Approval

Approvers can access assigned policies from:

- **Policies Page** under **Pending Your Approval**
- **My Actions Dashboard** → Under Approval

4. Version Control Rule

A new version of a policy cannot be added until the policy has been fully approved by all assigned Reviewers and Approvers.



Once the policy is approved, the Creator can add a new version from the **Policy Index Page** by selecting the Add New Version option from the **Actions** button.

After a new version is created, the policy workflow restarts and follows the same Review and Approval process as defined above.

{{--

The Policy Library section displays all approved and active policies available for user reference. Users can: --}}

--}}

Policy Library

The Policy Library section displays all approved and active policies available for user reference. Users can:



- **Policies to Acknowledge** (Those policies assigned to users for acknowledgment. Users can acknowledge the policy directly from the **Action** button.)
- **Acknowledged Policies** (These are policies that the logged-in user has already acknowledged.)

The Policy Library section displays all approved and active policies available for user based on policy type: --}}



- Policy
- Manual

- Procedures

Archive Page

This page contains all archived policies that are no longer active. You can view these policies based on their type: **Policy, Procedure, or Manual**. Each record includes:



- Serial Name
- Reference
- Policy Type
- Policy Name
- Status (e.g., Under Approval, Approved)
- Version
- Action (View/Unarchive)

Corporate Governance

Corporate Governance

Overview

The Corporate Governance Module provides a centralized platform to manage board-level activities efficiently. It allows users to create and track board meetings, add agenda items for meetings, record resolutions, and manage actions assigned against resolutions.

This module ensures transparency, accountability, and proper documentation of governance activities, supporting informed decision-making and compliance with organizational and regulatory requirements.

Key Functional Areas

The module includes the following main functionalities:

- **Board Meeting Planner** – Schedule and manage board meetings, including recurring meetings.
- **Board Agenda Management** – Create agenda items linked to specific meetings.
- **Board Resolutions** – Record resolutions approved or discussed in meetings.
- **Resolution Actions** – Assign and monitor actions linked to resolutions.

These areas work together to maintain a structured governance workflow from planning meetings to executing and tracking actions.

Board Meeting Planner

The Board Meeting Planner page provides a calendar-based view of all scheduled board meetings, allowing users to efficiently manage, view, and track meetings.



Key Features:

- Displays the current month and year in a calendar format.
- Allows users to switch the view between Monthly and Yearly for easier planning and navigation.
- Clicking on a specific date displays all meetings scheduled for that day.
- Clicking on a meeting opens a modal showing the meeting details, including title, schedule, location, and attendees.

Creating a New Board Meeting



To schedule a new board meeting, follow these steps:

1. Click the **Add New Meeting** button on the Board Meeting Planner page.
2. Fill in all mandatory fields in the meeting form.
3. Select the **Board Meeting Type** from the dropdown. The available types, defined in System Configuration, include:
 - Directors
 - Excom
4. Select the **Meeting Frequency** from the dropdown. Options include:

- Ad-hoc
- Monthly
- Annually

5. Enter the **Start Date** and **End Date**. The system will automatically create recurring meetings based on the selected meeting type and date range.
6. Set the **Status** of the meeting as required.
7. Click **Save**.

Once saved, the meeting will appear on the calendar, and any recurring instances will be displayed on their respective dates according to the selected schedule.

Board Agenda Management

The Board Agenda Management page provides an organized view of all created board meetings. Meetings are displayed in a table with the following columns: Title, Date, Time, Board Type, Meeting Type, Status, and Actions.

Under the Actions column, users have the following options: View Meeting and Create Agenda Item.



View Meeting – Displays meeting details and associated agenda items:

- **View Board Meeting** – Shows the top section with all meeting details.
- **Agenda Items** – Shows the bottom section with all agenda items created for that meeting.



Creating an Agenda Item

To add a new agenda item, follow these steps:



1. On the Board Agenda Management page, click the **Create Agenda Item** option under the Actions button for the desired meeting. This will navigate you to the list of existing agenda items for that meeting, if any.
2. Click the **Add Agenda Item** button.
3. Fill in all mandatory fields in the form.

4. Select the **Urgency** from the dropdown. If Urgent is selected, providing an Urgent Description becomes mandatory.
5. Click **Save** to create the agenda item. The item will then appear in the list of agenda items for the meeting.

Workflow:

- While creating the agenda item, select the **Owner** and click **Save**. A notification is sent to the selected owner.
- When the owner clicks the notification, they are navigated to the Agenda Item Detail page, where they can update the Status, upload Material File, and set the Expected Date.
- If no material file is uploaded, providing an **Expected Date** becomes mandatory.
- After saving, a notification is sent back to the creator to inform them of the agenda item status added by the owner.

Board Resolutions

The Board Resolutions page displays a list of all created board resolutions. The table includes the following columns: Date, Subject, Total Actions (created against that resolution), Completed, Pending, and Actions.



Under the Actions button, users have the following options:

- **View** – Opens the resolution details page with two sections:
 - **Resolution Details** – Displays all information related to the resolution.
 - **Resolution Actions** – Displays a list of all actions created for that resolution, if any.



- **Edit** – Allows the user to edit the resolution details.
- **Export** – Enables exporting the resolution data.
- **Delete** – Allows the user to delete the resolution.
- **Resolution Actions** – Navigates to the list of actions associated with that resolution.

Creating a New Board Resolution

To add a new board resolution, follow these steps:



1. Click the **New Resolution** button on the Board Resolutions page.
2. Fill in all mandatory fields in the resolution form.
3. From the **Board Meeting** dropdown, select the meeting to which this resolution should be linked. The dropdown displays all existing meetings.
4. Click **Save** to create the resolution.

Once saved, the resolution will appear in the Board Resolutions list and will now be available to add actions against it.

Creating Actions Against a Resolution

To create an action for a board resolution, follow these steps:

1. On the Board Resolutions page, click the **Actions** button for the desired resolution, then select **Resolution Actions**. This navigates to the list of actions associated with that resolution.



2. Click the **Create Action** button.
3. Fill in all mandatory input fields in the action form.
4. Select the **Owner** from the dropdown. The selected owner will receive a notification.
5. When the owner clicks the notification, they are navigated to the Action Detail page, where they can review and update the action.
6. Click **Save** to create the action. The action will appear in the Resolution Actions list for that resolution.

Multiple actions can be created for a single resolution.

Internal Audit

Internal Audit

Checklists

The Checklist page is used to create, manage, and maintain audit checklists for conducting internal audits across different frameworks, departments, or organizational areas. Checklists help auditors ensure that all required areas are covered consistently during the audit process.



Page Layout & Columns

1. **S. No** – Displays the serial number of each checklist.
2. **Title** – The name or subject of the checklist (e.g., "Internal Controls & Compliance Audit").
3. **Framework** – The compliance or audit framework associated with the checklist (e.g., ISO 22301:2019, ISO 27001).
4. **Status** – Shows the current state of the checklist (e.g., active, or inactive).
5. **Actions** – Provides options to view, edit, or manage the checklist.

Creating a New Checklist Template

When the user clicks on Create New, a form appears with the following fields:

1. Select Type - Defines whether the template is for an Audit or another supported category.
2. Framework - Choose the relevant framework (e.g., ISO 22301:2019).
3. Title - Enter a name for the checklist (e.g., "IT Security Audit" or "Financial Controls Review").
4. Description - Provide additional details or notes about the purpose and scope of the checklist.

After saving, the new checklist is added to the list and can be used during internal audits



Checklist (View Page)

The View Checklist page allows users to review the full details of a checklist template, including its categories, questions, and scoring. This page provides a structured view to ensure all audit requirements are properly addressed.



Template Details

- **Framework** – Shows the framework linked to the checklist (e.g., ISO 22301:2019(E)).
- **Template Title** – Displays the checklist name (e.g., “Network Security”).
- **Description** – Provides additional context or purpose of the checklist.

Checklist Items

- The checklist is divided into categories (e.g., Network Security, Access Control, Data Backup).
- Each category contains a set of questions (Q1, Q2, Q3, etc.) that auditors must verify during the audit.
- Questions may include assigned weights or scoring criteria to measure compliance (e.g., firewall rules, VPN access, intrusion detection systems).

Creating a New Category

On the View Page, users can add new categories to structure the checklist further.

Fields available when creating a category:

- **Checklist** – Select the checklist template to which the category belongs.
- **Title** – Enter the name of the category (e.g., Physical Security, Incident Response).
- **Remarks** – Add notes or explanations related to the category.
- **Order** – Define the display order of the category within the checklist.

Once saved, the category appears in the checklist view and can be populated with audit questions.

Conduct Audit

The Conduct Audit page is used to execute audits based on predefined checklist templates and scheduled plans. This page brings together the audit template, schedule, auditor, and departments involved in the audit process.



Page Sections

1. Audit Template

- Displays the checklist template selected for the audit (e.g., Checklist Testing).
- The template defines the audit scope, categories, and questions to be assessed.

2. Schedule

- Defines the audit period with a start and end date (e.g., 26-Sep-2025 to 03-Oct-2025).
- Ensures all assessments are performed within the planned timeframe.

3. Auditor

- Shows the name of the assigned auditor responsible for conducting the audit (e.g., Super Admin).
- Only authorized auditors can record findings, review evidence, and provide remarks.

4. Departments

- Lists all departments included in the audit scope (e.g., Executive Office, IT Department, SQA, HR Department).
- Allows auditors to focus on department-specific processes, controls, and compliance requirements.

Audit Record

The Audit Record page allows users to view and manage all the audits that have been created within the system. It provides a detailed overview of each audit, including its status, auditor, and score.



Audit Record Table Fields

- **Audit ID** – Unique identification number for each audit.
- **Checklist** – The audit checklist or framework used.
- **Auditor** – The user assigned to perform the audit.
- **Status** – Indicates whether the audit is Pending or Completed.
- **Start** – Start date of the audit (if assigned).
- **End** – End date of the audit (if assigned).
- **Score** – The result/score of the audit (if completed).
- **Actions** – Options available to perform further actions (e.g., start audit).

Actions Menu (Three Dots)

By clicking on the three dots under the Actions column, the user can perform different actions related to that specific audit. For example, when selecting **Start Audit**, the user will be redirected to the Conduct Audit page.

Conduct Audit Page (from Audit Record)

When a user clicks **Start Audit** from the Audit Record:

- **Audit ID** – Displays the ID of the selected audit.
- **Framework / Template** – Shows the framework or template linked with this audit.
- **Checklist** – The checklist selected for this audit.
- **Audit Date** – Displays the scheduled date of the audit.

From here, the auditor can begin conducting the audit based on the defined checklist.

Quality Assurance – Improvements

Quality Assurance – Improvements

The Improvements page allows organizations to record, track, and manage quality-related issues and initiatives. This includes capturing problems, corrective or preventive actions, and business impacts to ensure continuous improvement across all departments.



Page Overview

The main Improvements listing page displays all recorded improvements in a tabular format:

- **S.No** – Sequential number of the record.
- **Category** – Source or area of improvement (e.g., Audits).
- **Occurrence Date** – Date when the issue or opportunity for improvement was identified.
- **Type** – Specifies whether it is a Corrective Action or other type.
- **Problem Statement** – A brief description of the issue.

- **Action** – Actions taken (view, action).

This view helps users quickly search, review, and monitor improvement activities.

Creating an Improvement

When creating an improvement, the system provides different forms depending on the Improvement Type selected:

1. General Improvement

This option is used when the improvement is not linked to a specific audit, control, or regulatory requirement.

- **Type of User** – Defines the user type reporting the improvement.
- **User Information (Optional)** – ID, Name, and Email.
- **Occurrence Date** – Date when the issue was identified.
- **Improvement Type** – General corrective or preventive action type.
- **Problem Statement** – Description of the issue.
- **Business Impact** – Impact of the problem on operations, compliance, or performance.
- **Department** – Select the responsible department.
- **Root Cause Analysis** – Underlying cause(s) of the issue.
- **Comments** – Additional details or notes.

2. Audit-Related Improvement

This option is used when improvements are identified during internal or external audits.

- **Audit ID** – Select the audit from which the improvement arises.
- **Select Findings** – Link the improvement to a specific audit finding.
- **Other Fields:** Same as in General Improvement (Problem Statement, Business Impact, Department, Root Cause Analysis, Comments).

3. Controls-Related Improvement

This option is used when improvements are linked to control gaps or deficiencies.

- **Control Mapping** – Defines the standard/framework, catalog/section, main requirement, and clause/sub-requirement.
- **Select Controls** – Select the specific control that requires improvement.
- **Other Fields:** Same as in General Improvement.

4. Regulatory Incident Improvement

This option is used for improvements triggered by regulatory non-compliance incidents.

- **Control Mapping** – Standard/Framework, Catalog/Section, Main Requirement, Clause/Sub-requirement.
- **Select Controls** – Regulatory controls related to the incident.
- Other Fields: Same as in General Improvement.

5. Stakeholder Complaints

This option is used for improvements that result from complaints or feedback from stakeholders.

- Form Fields: Same as General Improvement (Problem Statement, Business Impact, Department, Root Cause Analysis, Comments).

Organization Settings

Organization Settings

Departments

Departments

The Departments page allows administrators to create and manage organizational departments. All existing departments are displayed in a tabular format with the following details:

- **Title** – The name of the department.
- **Description** – Additional details about the department.
- **Actions** – Options to edit or manage the department.

{{--



--}}

Creating a New Department

When clicking the Create button, a form appears with the following fields:

- **Parent Department** – Select the parent department or choose No Parent for a top-level department.
- **Title** – Enter the name of the department.
- **Description** – Provide a short description of the department’s purpose or function.

{{--



--}}

Once saved, the department will be listed on the Departments page.

Users

Users

The Users page allows administrators to manage all system users. From this page, you can view, add, invite, and manage user accounts.

Features Available on the Users Page

- **Add User** – Enables direct creation of a user account in the system.
- **LDAP Users** – Lets administrators sync or add users from the organization’s LDAP directory.

Users Table

- **ID** – Unique system-generated user ID.
- **Name** – Full name of the user.
- **Email** – Email address associated with the account.
- **Username** – Login username for the system.
- **Department** – The department the user belongs to.
- **Status** – Indicates whether the user is active, inactive, or pending.
- **Actions** – Options to manage (view, edit, deactivate, etc.) the user.

Add User

The Add User option allows administrators to manually create a new user account in the system.

Add User Form Fields

- **Full Name** – Enter the complete name of the user.
- **Email** – Provide the user's official email address.
- **Username** – Enter a unique username for login.
- **Department** – Select the department the user belongs to.
- **Designation** – Choose the user's position.
- **User Role** – Assign a role (e.g., Super Admin, Risk Owner, Auditor).
- **Reports To** – Select the reporting supervisor.
- **Select Plan** – Choose the subscription plan (e.g., Trial).
- **Two-Factor Authentication** – Enable or disable 2FA.
- **Password** – Set a secure password.
- **Confirm Password** – Re-enter password for confirmation.

Actions: After filling the form, click Save. The user will appear in the Users List.

LDAP Users

The LDAP Users option allows administrators to import users from the Active Directory or LDAP server.

How It Works

- Navigate to **Users > LDAP Users**.
- Select and import users from the LDAP directory.
- Imported users are created with a **Disabled** status.
- The administrator must manually **Enable** users for system access.
- Enabled users log in using LDAP credentials.

Important Notes

- If user license limits are exceeded, new users cannot be activated.
 - Only administrators with permissions can enable or disable LDAP users.
 - User status can be managed anytime from the Users page.
-

Logo

The Logo page allows administrators to upload and manage the organization's official logo.

Key Functions

- **Add/Upload Logo** – Upload a new logo image.
 - **View** – Preview the uploaded logo.
 - **Edit/Replace** – Update the existing logo.
 - **Delete** – Remove an unwanted logo.
-

Access Management

The Access Management module allows administrators to define and manage user access rights through roles.

Page Overview

- **Search Role** – Quickly find an existing role.
- **Add Role** – Create a new role.
- **Role List** – Displays all roles with assigned users and edit options.

Example Roles

- Manager (17 users)
- QA Automation (8 users)
- Cybersecurity Compliance (1 user)

Editing a Role

- **Name** – Displays the role name.
- **Assign General Permissions** – Lists modules and actions.

Permission Categories

- **View** - Allows viewing the module or data.
- **Create** - Allows adding new records.
- **Edit/Update** - Allows modifying existing records.
- **Delete** - Allows removing records.
- **Archive / Update Status / Print**– Additional actions depending on the module.
- **Scope Access** – Some dashboards (Risk, KRI, Audit, Compliance, etc.) allow access by Own Department or All Departments.

Login Logs

Log in Logs

The Log in Logs page records all user login and logout activities.

Page Overview

- **Search** – Quickly find logs by user name, email, or department.
- **Entries per Page** – Adjust how many records are displayed at once.
- **Log Records** – Each entry shows detailed information about login sessions.

Log Details

- **ID** – Unique identifier for the log entry.
- **User Name**– Name of the user who logged in.
- **Email** – Registered email address of the user.
- **Department** - The department associated with the user.
- **Login At** – Date and time when the user logged into the system (with relative duration, e.g., 2 hours ago).

- **Logout At** – Date and time when the user logged out.
-

System Activity Logs

System Activity Logs

The System Activity Logs page records all user actions performed within the system.

Page Overview

- **Filters** – Narrow down logs by selecting specific:
- **Created By** – Filter by the user who performed the activity.
- **Module** – Choose the module where the activity occurred (e.g., Policy, Risk, Audit, etc.).
- **Actions** – Filter by type of activity such as Created, Archived, Unarchived, Deleted, Updated, Edit, View, Import, Export.
- **Search** – Quickly find logs by keywords, user name, or module.
- **Entries per Page** - Adjust the number of records displayed at once

Log Details

- **ID** – Unique identifier for the activity log entry.
 - **Module** – The module where the activity was performed (e.g., Policy, Audit, Risk).
 - **Description** – Detailed explanation of the action performed.
 - **Created By**– The user who performed the activity.
 - **Activity** – The type of action (e.g., Created, Updated, Deleted).
 - **Perform At** – Date and time when the activity was executed.
-

System Configuration

System Configurations

System Configurations

The **System Configuration** page allows administrators to manage and customize core settings of the platform. These configurations define how different modules operate and ensure that the system aligns with organizational policies and requirements.

Page Overview

The following configuration areas are available:

- **Enterprise Risk Definition** – Define enterprise-wide risk parameters.
- **Enterprise Risk Scales** – Configure rating scales for assessing risks at the enterprise level.
- **Risk Management Scales** – Set scales for probability, impact, and scoring in risk assessments.
- **Objectives Definition** – Define organizational objectives to align with risks and controls.
- **Module Settings** – Manage global settings for each module of the system.
- **SMTP Configuration** – Configure email server settings to enable system notifications and alerts.
- **Help & Support** – Access help resources or manage internal support links.
- **Risk Register Fields** – Customize fields available in the risk register for better data capture.
- **Reminders** – Define reminder schedules for pending actions, reviews, or audits.
- **Escalations** – Configure escalation rules for overdue tasks or risks requiring higher-level attention.
- **Asset Classification** – Categorize and classify assets based on importance, type, or risk exposure.

Features

- **Search** – Quickly find specific configurations.
- **Entries per Page** – Adjust the number of configuration items displayed.

- **Centralized Control** – All major settings for Risk, Audit, Compliance, and Quality modules are accessible in one place.