

Vitamin/mineral supplements:

Post menopausal woman in 50s-60s (also for women with history of hysterectomy regardless of age)

Daily multivitamin (selecting based on gender and age)

- Ex: Centrum Silver for Women (50+)

2k international units Vitamin D3 daily

Young women in 20s-40s

Prenatal multivitamin (whether or not trying to conceive)

2k international units Vitamin D3 daily

Post-partum women who recently gave birth (with or without breastfeeding) and can't lose post-partum weight

Prenatal multivitamin

2k international units Vitamin D3 daily

Patients on medications (steroids, SSRI, anti-psychotics) that have gained weight and are having trouble losing it

Taking a daily multivitamin (selecting based on gender and age)

Patients with lots of obesity-associated complications (T2D, prediabetes) who are just looking to improve their health

Taking a daily multivitamin (selecting based on gender and age)

2k international units Vitamin D3 daily

Omega 3 (either fish oil or flaxseed oil): especially helpful with any cardiovascular conditions, and people with low dietary intake

Additional Notes on Vitamin/Minerals

- **Vitamin D Deficiency:** In this circumstance I contact PCP or weight management MD requesting the medication Drisdol (50,000 IU vitamin D3 taken weekly for ~8 weeks) to get level back to normal range. After completing Drisdol, initiate typical vitamin D recommendations above for maintenance.
- Vitamins/Minerals commonly asked by patients: Magnesium, Chromium, CoQ10, Zn, Omega 3
- Supplements NOT Recommended with GLP-1 use (for majority of population):
 - Supplementation cannot replace medication/medical treatment
 - Any supplements claiming to increase GLP-1 production and/or appetite suppression including Berberine
 - There are no supplements that increase natural GLP-1 production
 - Since the medication is inducing appetite suppression (in most cases) we do not want to add another supplement that may lead to inadequate intake

- In circumstances when a patient has been on the max maintenance dose of their GLP-1 for a few months and still experiencing intense hunger/cravings it's recommended to contact GLP-1 prescribing provider
 - Pt may need medication change
 - Addition of an oral weight management medication such as phentermine, topiramate, bupropion, naltrexone as cotherapy