


```
- name: Build a C-extension library wheel artifacts
uses: ansys/actions/build-ci-library@main
```

Ref: [Build a C-extension library](#)

/ Docker style

Docker style

```
- uses: ansys/actions/docker-style@main
with:
  directory: docker
  error-level: 1
  recursive: true
```

Ref: [Docker style](#)

/ Code style

Running code style checks

```
- name: Run PyAnsys code style checks
uses: ansys/actions/code-style@main
```

Ref: [Running code style checks](#)

/ Build wheelhouse

Build wheelhouse for latest python versions

```
- name: Build a wheelhouse of the Python library
uses: ansys/actions/build-wheelhouse@main
with:
  library-name: <ansys-product-library>
  operating-system: ${{ matrix.os }}
  python-version: ${{ matrix.python-version }}
```

Ref: [Build wheelhouse for latest Python versions](#)

/ Check actions security

Check actions security

```
- uses: ansys/actions/check-actions-security@main
with:
  auditing-level: high
  generate-summary: true
  token: ${{ secrets.GITHUB_TOKEN }}
  trust-ansys-actions: true
```

Ref: [Check actions security](#)

/ Release github

Release to github

```
- name: Release to GitHub
uses: ansys/actions/release-github@main
with:
  library-name: ansys-<product>-<library>
```

Ref: [Release to GitHub](#)

/ Doc deploy pr

Deploy pr documentation

```
- uses: ansys/actions/doc-deploy-pr@main
with:
  bot-email: ${{ secrets.PYANSYS_CI_BOT_EMAIL }}
  bot-user: ${{ secrets.PYANSYS_CI_BOT_USERNAME }}
  cname: ${{ env.DOCUMENTATION_CNAME }}
  maximum-pr-doc-deployments: 3
  token: ${{ secrets.GITHUB_TOKEN }}
```

Ref: [Deploy PR documentation](#)

/ Doc changelog

Create changelog fragment

```
- uses: ansys/actions/doc-changelog@main
with:
  bot-email: ${{ secrets.PYANSYS_CI_BOT_EMAIL }}
  bot-user: ${{ secrets.PYANSYS_CI_BOT_USERNAME }}
  token: ${{ secrets.PYANSYS_CI_BOT_TOKEN }}
```

Ref: [Create changelog fragment](#)

/ Hk migrate fork pr

Migrate fork pr to main repository

```
- name: Migrate fork PR
uses: ansys/actions/hk-migrate-fork-pr@main
with:
  bot-email: ${{ secrets.PYANSYS_CI_BOT_EMAIL }}
  bot-username: ${{ secrets.PYANSYS_CI_BOT_USERNAME }}
  comment-id: ${{ github.event.comment.id }}
  github-token: ${{ secrets.PYANSYS_CI_BOT_TOKEN }}
  pr-number: ${{ github.event.issue.number }}
  team-slug: pyansys-maintainers
  user-triggering: ${{ github.event.comment.user.login }}
}}
```

Ref: [Migrate fork PR to main repository](#)

/ Check pr title

Check pull-request title follows conventional commits

```
- uses: ansys/actions/check-pr-title@main
with:
  token: ${{ secrets.GITHUB_TOKEN }}
```

Ref: [Check pull-request title follows conventional commits](#)

/ Tests pytest

Optimized testing with different operating systems and python versions

```
- name: Login into the GitHub container registry
uses: docker/login-action@ef4ef78c080cd8ba55a85445d5b36e214a81df20a
with:
  password: ${{ secrets.GITHUB_TOKEN }}
  registry: ghcr.io
  username: ${{ secrets.GH_USERNAME }}
- env:
  LICENSE_SERVER: ${{ secrets.LICENSE_SERVER }}
  name: Pull, launch and verify desired Ansys service
  run: '...'
- name: Run pytest with desired markers and extra arguments
uses: ansys/actions/tests-pytest@main
with:
  pytest-extra-args: ${{ matrix.cfg.extra-args }}
  pytest-markers: ${{ matrix.cfg.markers }}
  requires-xvfb: true
```

Ref: [Optimized testing with different operating systems and Python versions](#)

Testing library with different operating systems and python versions

```
- name: Run pytest
uses: ansys/actions/tests-pytest@main
with:
  pytest-extra-args: --cov=ansys.<library>
  --cov-report=term --cov-report=html:.cov/html
  pytest-markers: -k 'mocked'
```

Ref: [Testing library with different operating systems and Python versions](#)